

Thesis master

**RESOURCE PARTITIONING BETWEEN
TWO SYMPATRIC AUSTRALIAN SKINKS,
EGERNIA MULTISCUTATA AND
*EGERNIA WHITII***

STEPHEN BELLAMY

Thesis submitted in total fulfilment
of the requirements of the degree of
Doctor of Philosophy

AUGUST 2006

SCHOOL OF BIOLOGICAL SCIENCES
FLINDERS UNIVERSITY, ADELAIDE, SOUTH AUSTRALIA

Declaration

This is to certify that this thesis does not incorporate, without acknowledgement, any material previously submitted for a degree or diploma in any university; and that to the best of my knowledge and belief it does not contain any material previously published or written by another person except where due reference is made in the text.

Stephen Bellamy

August, 2006

Abstract

When species compete for resources, in a stable homogeneous environment, there are two possible outcomes. The first is that one species will out-compete the other and exclude it from the environment. This is known as the competitive exclusion principle. The second is that both species will manage to coexist. Coexistence can only occur if the species' niches are differentiated such that interspecific competition is minimised, or eliminated. This outcome is known as resource partitioning.

Two closely related Australian skink species of the *Egernia* genus, *Egernia multiscutata* and *Egernia whitii*, are abundant and sympatric on Wedge Island in South Australia's Spencer Gulf. The species are morphologically very similar and appear to have very similar life histories and habitat requirements. Ostensibly, they would compete for limiting resources in this environment.

This thesis is the first investigation into resource partitioning in this previously unstudied model organism. I report the results of multi-faceted investigations into the coexistence of the skinks, *E. multiscutata* and *E. whitii* on Wedge Island and the evidence for, and mechanisms of, any facultative resource partitioning between them.

Study methods involved a transect survey of most of Wedge Island to determine the species' distributions and any evidence for resource partitioning; a morphological comparison to investigate any potential competitive advantages of either species; a habitat choice experiment to establish retreat-site preferences in the absence of interspecific interference; and, a series of staged dyadic encounter experiments to investigate interspecific competitive interactions.

Resource partitioning was evidenced by differential distributions of the species among substrates containing the elements required for permanent refuge shelters. This partitioning was not mediated by avoidance of particular substrates but by the presence of the opponent species, combined with attraction to suitable substrates. Asymmetries in some morphological characters were found to confer a potential competitive advantage to *E. multiscutata* in agonistic encounters with *E. whitii*. Both species were found to have the same refuge site preferences when interference competition was experimentally removed. This result was not concordant with observed resource partitioning in the field and suggests that the habitat choices of both species are modified by the presence of the opponent species. Analyses of staged dyadic encounter experiments showed that *E. multiscutata* was more likely to gain greater access to a contested habitat resource and more likely to exclude *E. whitii* from the resource than *vice-versa*. Nevertheless, the outcome of competitive interactions was not completely deterministic and there was some tolerance of co-habitation. *E. multiscutata*'s competitive advantage was attributable largely to its greater mass and head dimensions relative to snout to vent length. However,

differential behavioural responses to the threat of larger opponent size also played an important part in resource partitioning between the species.

Acknowledgments

I owe a profound debt of gratitude to Robyn Bellamy, my partner in life, my partner in candidature, my inspiration and my *raison d'être*. Robyn, without you I would neither have started nor completed this research.

I must also acknowledge my children, Anna and Leon, who have suffered deprivations while mum and dad tried to support family, home and pet bird on scholarship stipends (blow the expense, throw the bird another seed!). Thanks Anna for the help in field work and animal care, and thanks Leon for ‘soldiering on’ in our absences. Thanks to both of you for your patience and encouragement.

A core group of close friends, Colin, Glenys, Lee, David, John, Bev, Trevor and Jo, met with us regularly during our candidatures. They gave support and encouragement, allowed us to vent our frustrations without judgment, counselled us, interceded on our behalf, cared for our family and even funded fieldwork. Thank you all. How could we ever repay you? We could not have done this without you and we are accountable to you.

A grossly-overworked Associate Professor, Mike Schwarz, stepped out of his usual research area to take over Academic Supervision of my project at a late stage. Mike, your help has been invaluable in bringing this research to completion. Thanks for all of your efforts, ideas and patience. I’ve learned a lot from you. Thanks also to Professor David Catcheside and Associate Professor Kevin Wainwright who took over Administrative Supervision. I hope you have all gained a new appreciation for Australia’s reptile fauna.

Leslie Morrison, Manager, Animal Care Unit, was always helpful in looking after the laboratory colonies of skinks and cooperative in fitting in with my experimental programme. Thanks to you Leslie, and to your staff.

John Culshaw gave us generous access to his island and its facilities. Thanks for letting us play with your 'toys' John. Thanks also to John's Financial Manager, Dennis Hales, who facilitated our access and offered encouragement and optimism during a difficult period. Many, many, thanks to Roger Murdoch who 'gave us wings'. Thanks also to Jason Van Weenan, lizard wrangler extraordinaire (South Australian Department for Environment and Heritage).

Proverbs 3 (New International Version)

⁵“Trust in the Lord with all your heart
and lean not on your own understanding;

⁶In all your ways acknowledge him,
and he will make your paths straight.”

Amen.

Foreword

The data chapters of this thesis are written as independent manuscripts suitable for publication in refereed journals with only minor modification. Therefore it was not possible to avoid some degree of redundancy, particularly in the chapter introductions.

Originally this study was conceived as an investigation into dispersal patterns and behaviour in *Egernia multiscutata* and *Egernia whitii* on Wedge Island using molecular techniques. Much of the fieldwork was carried out on this basis.

Unfortunately a change in supervision and resources meant that it was no longer possible to complete the original research plan during the course of my candidature. Therefore, in collaboration with a new supervisory panel, I altered the project focus from dispersal to resource partitioning and adapted work already done accordingly.

TABLE OF CONTENTS

CHAPTER 1: General introduction – resource partitioning	1
Research question	1
Background	1
Reptiles as a model system	2
Study model	4
Study scope	7
References	8
CHAPTER 2: General methods	17
Overview	17
Field studies	17
Laboratory studies	21
References	25
CHAPTER 3: Habitat differentiation between <i>Egernia whitii</i> and <i>Egernia multiscutata</i> on Wedge Island	26
Introduction	27
Methods	33
Results	41
Discussion	55
References	62
CHAPTER 4: Morphological comparisons between <i>Egernia whitii</i> and <i>Egernia multiscutata</i>	71
Introduction	72
Methods	74
Results	76
Discussion	82
References	84

CHAPTER 5: Refuge choice experiment	90
Introduction	91
Methods	94
Results	99
Discussion	105
References	108
CHAPTER 6: Refuge acquisition experiment	112
Introduction	113
Methods	117
Results	121
Discussion	136
References	142
CHAPTER 7: General discussion	149
Research question	149
Evidence for resource partitioning	149
Mechanisms of resource partitioning	151
General considerations	154
References	156