

Literature Cited

- ADAMS, C. 1957. A p-dimethylaminobenzaldehyde-nitrite method for the demonstration of tryptophane and related compounds. *J. Clin. Path.* 19:56-62.
- AISENSHTADT, T., and VASSETZKY, S. 1986. Fine structures of oocytes and accessory cells of the ovary in the starfish *Patiria (Asterina) pectinifera* at different stages of oogenesis and after 1-methyladenine-induced maturation. *Dev. Growth Differ.* 28(5):449-460.
- ALEXANDER, J. and FIX, J. 1989. Enhancement of absorption of drugs from gastrointestinal tract using choline ester salts. *US Patent 4822773*.
- ALLEGRI, G., BERTAZZO, A., COMANI, S., and COSTA, C. 2006. Production of indirubin and indigoids in humans. Indirubin, the Red Shade of Indigo. pp. 89-101, in L. Meijer, N. Guyard, A. L. Skaltsounis, and G. Eisenbrand (eds.). Life in Progress Editions, Roscoff, France.
- ALVAREZ, M., and SALAS, M. 1991. Marine, nitrogen-containing heterocyclic natural products - structures and syntheses of compounds containing indole units. *Heterocycles* 32:1391-1452.
- AMOR, M., RAMON, M., and DURFORT, M. 2004. Ultrastructural studies of oogenesis in *Bolinus brandaris* (Gastropoda: Muricidae). *Scientia Marina* 68(3):343-353.
- ANDREOTTI, A., BONADUCE, I., COLOMBINI, M., and RIBECHINI, E. 2004. Characterization of natural indigo and Tyrian purple by mass spectrometric techniques. *Rapid Commun. Mass. Spectrom.* 18:1213-1220.

- ANDREWS, E. 1992. The fine structure and function of the anal gland of the muricid *Nucella lapillus* (Neogastropoda) (and comparison with that of the trochid *Gibbula cineraria*). *J. Moll. Stud.* 58:297-313.
- ANDREWS, E., ELPHICK, M., and THORNDYKE, M. 1991. Pharmacologically active constituents of the accessory salivary and hypobranchial glands of *Nucella lapillus*. *J. Moll. Stud.* 57:136-138.
- ARNAUD, J., BRUNET, M., and MAZZA, J. 1984. Cytochemical detection of phosphatase and arylsulphatase activities in the midgut of *Centropages typicus* (copepod, calanoid). *Bas. Appl. Histochem.* 28:399-412.
- AUNGTONYA, C. 1997. Structure of the capsule gland of *Chicoreus capucinus* (Lamarck, 1822) and *Chicoreus ramosus* (Linnaeus, 1758). *Phuket Mar. Biol. Spec. Publ.* 17: 89-92.
- AVILA, C. 1993. Substancias naturales des Molluscos Opisthobranquios: studio de su estructura, origen y function en ecosistemas bentónicos. PhD thesis, pp. 265.
- AVILA, C. 1995. Natural products in opisthobranch molluscs: A biological review. *Oceanogr. Mar. Biol. Annu. Rev.* 33:487-559.
- AVILA, C. 2006. Molluscan natural products as biological models: Chemical ecology, histology and laboratory culture, Molluscs. From Chemoecological Study to Biotechnological Application. pp. 1-23, in G. Cimino, and M. Gavagnin (eds.). *Marine Molecular Biotechnology*, Vol. 2 W.E.G. Muller (ed.), *Molecular and Subcellular Biology*, Vol. 43, Springer-Verlag, Berlin Heidelberg.
- AVILA, C., BALLESTEROS, M., CIMINO, G., CRISPINO, A., GAVAGNIN, M., and SODANO, G. 1990. Biosynthetic origin and anatomical distribution of

- the main secondary metabolites in the nudibranch mollusk *Doris verrucosa*. *Comp. Biochem. Physiol.* 97B:363-368.
- AVILA, C., and PAUL, V. 1997. Chemical ecology of the nudibranch *Glossodoris pallido*: is the location of diet-derived metabolites important for defence? *Mar. Ecol. Prog. Ser.* 150:171-180.
- AVISSAR, I., DANIEL, E., and DANIEL, V. 1986. Haemocyanin mRNA from arthropod and mollusc origin. *Biochem. J.* 233:253-257.
- AVOLI, M., BARRA, P., BARACATI, A., and DONNETTI, M. 1978. Activity changes induced by some biogenic amines on identified nerve cells of *Aplysia depilans*. *Comp Biochem. Physiol.* 61C:357-360.
- AVOLI, M., BARRA, P., BARACATI, A., and PACITTI, C. 1979. Effects of some naturally occurring quaternary ammonium bases on snail. *Comp. Biochem. Physiol.* 64C:243-248.
- BAI, G., LI, J., CHRISTENSEN, B., and YOSHINO, T. 1996. Phenoloxidase activity in the reproductive system and egg masses of the pulmonate gastropod *Biomphalaria glabrata*. *Comp. Biochem. Physiol.* 114B:353-359.
- BAILEY, K. 1929. The Elder Pliny's Chapters on Chemical Subjects, Part 1. Edward Arnold and Co., London.
- BAKER, J. 1974. Tyrian purple. Ancient dye, a modern problem. *Endeavour* 33:11-17.
- BAKER, J. and DUKE, C. 1973. Isolation from the hypobranchial glands of marine molluscs of 6-bromo-2,2-dimethylthioindolin-3-one and 6-bromo-2-methylthioindoleninone as alternative precursors to Tyrian purple. *Aust. J. Chem.* 26:2153-2157.

- BAKER, J., and DUKE, C. 1974. Precursors of Tyrian Purple. *Food-Drugs from the Sea, Proc. [Conf.] 4th* pp. 345-353.
- BAKER, J., and DUKE, C. 1976. Isolation of choline ester salts of tyrindoxyl sulphate from the marine molluscs *Dicathais orbita* and *Mancinella keineri*. *Tetrahedron Lett.* 15:1233-1234.
- BAKER, J., and SUTHERLAND, M. 1968. Pigments of marine animals VIII. Precursors of 6,6'-dibromoindigotin (Tyrian purple) from the mollusc *Dicathais orbita* (Gmelin). *Tetrahedron Lett.* 1:43-46.
- BANDARANAYAKE, W. 2006. The nature of pigments in marine invertebrates. *Nat. Prod. Rep.* 23:223-255.
- BARBEYRON, T., POTIN, P., RICHARD, C., COLLIN, O., and KLOAREG, B. 1995. Arylsulphatase from *Alteromonas carrageenovora*. *Microbiol.* 141(11):2897-2904.
- BAUR, B. 1994. Multiple paternity and individual variation in sperm precedence in the simultaneously hermaphroditic land snail *Arianta arbustorum*. *Behav. Ecol. Sociobiol.* 35:413-421.
- BAYNE, C. 1968. Histochemical studies on the egg capsules of eight gastropod molluscs. *Proc. Malacol. Soc. Lond.* 38:199-212.
- BENDER, D., and OLUFUNWA. 1988. Utilization of tryptophan, nicotinamide and nicotinic acid as precursors for nicotinamide nucleotide synthesis in isolated rat liver cells. *Br. J. Nutr.* 59:279-287.
- BENKENDORFF, K., BREMNER, J., and DAVIS, A. 2000. Tyrian purple precursors in the egg masses of the Australian muricid, *Dicathais orbita*: A possible defensive role. *J. Chem. Ecol.* 26(4):1037-1050.

- BENKENDORFF, K., BREMNER, J., and DAVIS, A. 2001. Indole derivatives from the egg masses of muricid molluscs. *Molecules* 6:70-78.
- BENKENDORFF, K., WESTLEY, C., and GALLARDO, C. 2004. Observations of purple pigments in the egg capsules, hypobranchial and reproductive glands from seven species of the Muricidae (Gastropoda: Mollusca). *Invertebr. Reprod. Dev.* 46:93-102.
- BENTLEY, R. 1990. The shikimate pathway-A metabolic tree with many branches. *CRC Crit. Rev. Biochem. MOI. Biol.* 25:307-384.
- BERNARD, F. 1890. Histologie de glande a mucus. *Ann. Sci. Natur. Zool.* 9:296-305.
- BHATTACHARYYA, S., LOOK, D., and TOBACMAN, K. 2007. Increased arylsulfatase B activity in cystic fibrosis cells following correction of CFTR. *Clinica. Chimica Acta.* 380(1-2):122-127.
- BIOAQUA, MARINE BIORESOURCES INSTITUTE, 2004, Marine natural products. <http://www.bioaqua.net/MNP/MNP/clinical.asp> [Accessed: 28th March, 2008].
- BIRKHEAD, T., MØLLER, A., and SUTHERLAND, W. 1993. Why do females make it so hard for males to fertilize their eggs? *J. Theor. Biol.* 161:51-60.
- BOLOGNANI-FANTIN, A., and OTTAVIANI, E. 1981. The hypobranchial gland of some Prosobranchia (Mollusca: Gastropoda) living in different habitats: a comparative histochemical study. *Monit. Zool. Ital.* 15:63-76.
- BOJAT, N., SAUDER, U., and HAASE, M. 2002. Functional anatomy of the sperm storage organs in Pulmonata: the simple spermatheca of *Bradybaena fruticum* (Gastropoda, Stylommatophora). *Zoomorph.* 121:243–255.

- BOOTH, D. 1995. Oxygen availability and embryonic development in land snail (*Polinices sordidus*) egg masses. *J. Exp. Biol.* 198:241-247.
- BRYAN, P., MCCLINTOCK, J., and HAMANN, M. 1997. Behavioral and chemical defenses of marine prosobranch gastropod *Calliostoma canaliculatum* in response to sympatric seastars. *J. Chem. Ecol.* 23(3):645-658.
- BUTLER, A., and WALKER, J. 1993. Marine Haloperoxidases. *Chem. Rev.* 93:1937-1944.
- CANCIO, I., VÖLKL, A., BEIER, K., FAHIMI, H., and CAJARAVILLE, P. 2000. Peroxisomes in molluscs, characterization by subcellular fractionation combined with western blotting, immunohistochemistry, and immunocytochemistry. *Histochem. Cell. Biol.* 113:51-60.
- CARTÉ, B. 1996. Biomedical potential of marine natural products. *Bioscience* 46(4):271-286.
- CHAN, X., and BAUR, B. 1993. The effect of multiple mating on female reproductive success in the simultaneously hermaphroditic land snail *Arianta arbustorum*. *Can. J. Zool.* 71:2431-2436.
- CHRISTOPHERSEN, C. 1983. Marine Indoles, Marine Natural Products, Chemical and Biological Perspectives. pp. 259-285, in P. J. Scheuer (ed.). Academic Press Inc., New York, U.S.A.
- CHRISTOPHERSEN, C., WATJEN, F., BUCHARDT, O., and ANTHONI, U. 1978. A revised structure of tyriverdin: The precursor to Tyrian purple. *Tetrahedron Lett.* 34:2779-2781.

- CIMINO, G., DE ROSA, S., DE STEFANO, S., and SODANO, G. 1986. Marine natural products: New results from Mediterranean invertebrates. *Pure. Appl. Chem.* 8:375.
- CIMINO, G., FONTANA, A., CUTIGNANO, A., and GAVAGNIN, M. 2004. Biosynthesis in opisthobranch molluscs: General outline in light of recent use of stable isotope. *Phytochem. Rev.* 3:285-307.
- CIMINO, G., and SODANO, G. 1993. Biosynthesis of secondary metabolites in marine molluscs. *Topics in Current Chemistry.* 167: 77-115.
- CLARK, R., and COOKSEY, C. 1997. Bromoindirubins: the synthesis and properties of minor components of Tyrian purple and the composition of the colourant from *Nucella lapillus*. *J. Soc. Dyers Colour* 113(11):316-321.
- CLARKE, K., and GORLEY, R. 2001. PRIMER v5: User Manual/Tutorial. PRIMER-E Ltd, Plymouth, U.K.
- COLE, W. 1685. Letter to the philosophical society of oxford containing observations on the purple fish. *Phil. Trans. R. Soc.* 15:1278.
- COOKSEY, C. 2001a. Tyrian Purple: 6,6'-dibromoindigo and related compounds. *Molecules* 6:736-769.
- COOKSEY, C. 2001b. The synthesis and properties of 6-bromoindigo: Indigo blue or Tyrian purple? The effect of physical state on the colours of indigo and bromoindigos. *Dyes Hist. Archaeol.* 16-17:97-104.
- COOKSEY, C. 2006. Marine indirubins, Indirubin, the Red Shade of Indigo. pp. 23-30, in L. Meijer, N. Guyard, A. L. Skaltsounis, and G. Eisenbrand (eds.). *Life in Progress Editions*, Roscoff, France.

- COOKSEY, C. and WITHNALL, R. 2001. Chemical studies on *Nucella lapillus*. *Dyes Hist. Archaeol.* 16-17:91-96.
- CORDELL, G. 1981. Introduction to the Alkaloids. A Biogenetic Approach. Wiley-Interscience.
- COSTELLO, D., DAVIDSON, M., EGGERS, A., FOX, M., and HENLEY, C. 1957. Methods for obtaining and handling marine eggs and embryos, Marine Biology Laboratory, Woods Hole, Massachusetts.
- COTE, F., FLIGNY, C., BAYARD, E., LAUNAY, J. M., GERSHON, M. D., MALLETT, J., and VODJANI, G. 2007. Maternal serotonin is crucial for murine embryonic development. *P.N.A.S.* 104(1):329-334.
- CRAWFORD, I. 1989. Evolution of a biosynthetic pathway: The tryptophan paradigm. *Annu. Rev. Microbiol.* 43:567-600.
- D'ASARO, C. 1970. Egg capsules of prosobranch mollusks from South Florida and The Bahamas and notes on spawning in the laboratory. *Bull. Mar. Sci.* 20(2):414-440.
- D'ASARO, C. 1988. Micromorphology of neogastropod egg capsules. *Nautilus* 102(4):134-148.
- D'ASARO, C. 1991. Gunner Thorson's worldwide collection of prosobranch egg capsules: Muricidae. *Ophelia* 35:1-101.
- DAVENPORT, H. 1960. Histological and Histochemical Techniques. Saunders Company, London.
- DE BOER, E., PLAT, H., TROMP, M., WEVER, R., FRANSSEN, M., VAN DER PLAS, H., MEIJER, E., and SCHOEMAKER, H. 1987. *Biotechnol. Bioeng.* 30:607.

- DODGSON, K., MELVILLE, T., SPENCER, B., and WILLIAMS, K. 1954. Studies on sulphatases. The arylsulphatase of a strain of *Alcaligenes metalcaligenes* isolated from intertidal mud. *Biochem. J.* 58:182-187.
- DUKE, C. 1974. A study of precursors to purple dyes from Australian gastropod molluscs and of analogous synthetic compounds. PhD thesis. James Cook University, Queensland, Australia.
- DUBOIS, R. 1909. Recherches sur la pourpre et sur quelques autres pigments animaux. *Arch. Zool. Expt.* 42:471-590.
- ECKELBARGER, K., and YOUNG, C. 1997. Ultrastructure of the Ovary and Oogenesis in the Methane-Seep Mollusc *Bathynnerita naticoidea* (Gastropoda: Neritidae) from the Louisiana Slope. *Inverteb. Biol.* 116(4):299-312.
- ELAN PHARMACEUTICALS INC. 2004. PRIALT® (ziconotide intrathecal infusion). http://www.elan.com/Products/united_states/prialt_home.asp [Accessed: 28th March, 2008].
- ELSNER, D., and SPANIER, E. 1985. The dyeing with Murex extracts, an unusual dyeing method of wool to the biblical sky blue. *Wool and Textile Res. Proc. [Conf.] 7th, Jap.* 5:118-130.
- ERSPAMER, V. 1946. Ricerche chimiche e farmacologiche sugli estratti di ghiandola ipobranchiale di *Murex (Truncularia) trunculus* (L.), *Murex* (Biolinus) *brandaris* (L.) e *Tritonalia erinacei* (L.). *Pub. Staz. Zool. Napoli* 20: 91-101.
- ERSPAMER, V., and DORDONI, F. 1947. 'Ricerche chimiche e farmacologiche sugli estratti di ghiandola ipobranchiale di *Murex trunculus*, *Murex brandaris* e *Tritonalia erinacei* III. Presenza negli estratti di un novo derivato della colina o di una omologa: la murexine. *Arch. Int. Pharmacodyn.* 74:263-285.

- ERSPAMER, V., and GLÄSSER, A. 1957. The pharmacological actions of murexine (urocanylcholine). *B. J. Pharmac.* 12:176-184.
- EZEASOR, D., and STOKOE, W. 1980. A cytochemical, light and electron microscopic study of the eosinophilic granule cells in the gut of the rainbow trout, *Salmo gairdneri* Richardson. *J. Fish Biol.* 17(6):619-634.
- FAHL, W., LALWANI, D., WATANABE, T., GOEL, S., and REDDY. 1984. DNA Damage Related to Increased Hydrogen Peroxide Generation by Hypolipidemic Drug-Induced Liver Peroxisomes. *P.N.A.S.* 81(24):7827-7830.
- FAIRWEATHER, P. 1988. Movements of intertidal whelks (*Morula marginalba* and *Thais orbita*) in relation to availability of prey and shelter. *Mar. Biol.* 100:63-68.
- FAULKNER, D. 1992. Chemical defenses of marine molluscs, Ecological Roles of Marine Natural Products. pp. 119-163, in V. J. Paul (ed.). Comstock Publishing Associates, New York.
- FAUSTO, A., CARCUPINO, M., MAZZINI, M., and GIORGI, F. 1994. An ultrastructural investigation on vitellophage invasion of the yolk mass during and after germ band formation in embryos of the stick insect *Carausius morosus* 5r. *Dev. Growth Differ.* 36:197-207.
- FAUSTO, A., GAMBELLINI, G., MAZZINI, M., CECCHETTINI, A., LOCCI, M., MASETTI, M., and GIORGI, F. 2001. Serosa membrane plays a key role in transferring vitellin polypeptides to the perivitelline fluid in insect embryos. *Dev. Growth Differ.* 43(6):725-733.

- FENICAL, W., SLEEPER, H., PAUL, V., STALLARD, M., and SUN, H. 1979. Defensive chemistry of *Navanax* and related opisthobranch molluscs. *Pure Appl. Chem.* 51:1865-1874.
- FLEURY, B., COLL, J., and SAMMARCO, P. 2006. Complementary (secondary) metabolites in a soft coral: Sex-specific variability, inter-clonal variability and competition. *Mar. Ecol.* 27(3):204-218.
- FLOWER, N. 1973. The storage and structure of proteins used in the production of egg capsules by the mollusc *Cominella maculosa*. *J. Ultrastruct. Res.* 44:134-145.
- FONTANA, A., GIMÉNEZ, F., MARÍN, A., MOLLO, E., and CIMINO, G. 1994. Transfer of secondary metabolites from the sponges *Dysidea fragilis* and *Pteraplysilla spinifera* to the mantle dermal formations (MDFs) of the nudibranch *Hypselodoris webbi*. *Experimentia.* 50:510-516.
- FOUQUET, H., and BIELIG, H. 1971. Biological precursors and genesis of Tyrian purple. *Andew. Chem. Int. Ed. Engl.* 10:816-817.
- FOX, D. 1974. Biochemical and Biophysical Perspectives, Marine Biology, vol. 1. pp. 170-209, in D. Malins, and J. Sargent (eds.). Academic Press, New York.
- FRETTER, V. 1941. The genital ducts of some British stenoglossan prosobranchs. *J. Mar. Biol. Ass. U.K.* 25(1):173-211.
- FRETTER, V., and GRAHAM, A. 1962. British Prosobranch Molluscs: Their Functional Anatomy and Ecology. The Ray Society, London, UK.
- FRETTER, V., and GRAHAM, A. 1994. British Prosobranch Molluscs: Their Functional Anatomy and Ecology. The Ray Society, London, UK.

- FRIEDLANDER, P. 1909. Ueber den Farbstoff des antiken Purpura aus *Murex brandaris*. *Ber.* 42:765-770.
- FUJISE, Y., MIWA, K., and ITO, S. 1980. Structure of tyriverdin, the intermediate precursor to Tyrian purple. *Chem. Lett.* 6:631-632.
- GALLARDO, C. 1979. Developmental patterns and adaptations for reproduction in *Nucella crassilabrum* and other muricacean gastropods. *Biol. Bull.* 157:453-463.
- GARRIDO, O., and GALLARDO, C. 1993. Ultraestructura de la cápsula ovifera de *Concholepas concholepas* (Brugière, 1789) (Gastropoda: Muricidae). *Rev. Biol. Mar. Valparaiso*, 28:191-201.
- GARSON, M. 1993. The biosynthesis of marine natural products. *Chem. Rev.* 93:1699-1733.
- GARSON, M. 2001. Ecological perspectives on marine natural product biosynthesis, Marine Chemical Ecology. pp. 71-114, in J. B. McClintock, and B. J. Baker (eds.). CRC, Boca Raton.
- GARSON, M., and STAUNTON, J. 1979. Some new NMR methods for tracing the fate of hydrogen in biosynthesis. *Chem. Soc. Rev.* 8:539-561.
- GRIBBLE, G. 1999. The diversity of naturally occurring organobromine compounds. *Chem. Soc. Rev.* 28:335-346.
- GRUBER, G. 1982. The role of the ventral pedal gland in formation of an egg capsule by the muricid gastropod *Eupleura caudate etterae*, An Integrated, Behavioral, Morphological and Histochemical Study. Master's Thesis. University of Delaware, U.S.A.

- GIBSON, C. and WILSON, S. 2003. Imposex still evident in Australia 10 years after tributyltin restrictions. *Mar. Environ. Res.* 55:101-112.
- GODHE, A., CUSACK, C., PEDERSEN, J., ANDERSEN, P., ANDERSON, D., BRESNAN, E., CEMBELLA, A., DAHL, E., DIERCKS, S., ELBRÄCHTER, M. et al. 2007. Intercalibration of classical and molecular techniques for identification of *Alexandrium fundyense* (Dinophyceae) and estimation of cell densities. *Harmful Algae* 6:56–72.
- GUSTAFSON, K., and ANDERSON, R. 1985. Chemical studies of British Columbia nudibranchs. *Tetrahedron* 41:1101-1108.
- HAASE, M., and BAUR, B. 1995. Variation in spermathecal morphology and storage of spermatozoa in the simultaneously hermaphroditic land snail *Arianta arbustorum* (Gastropoda: Pulmonata: Stylommatophora). *Invert. Reprod. Dev.* 28: 33-41.
- HANCOCK, D. 1956. The structure of the capsule and the hatching process in *Urosalpinx cinerea* (Say). *Proc. Zool. Soc. Lond.* 127:565-571.
- HAUBRICHS, R. 2004. L'etude de la pourpre: Histoire d'une couleur, chimie et experimentations. *Preist. Alp.* 20:133-160.
- HAUBRICHS, R. 2006. Natural history and iconography of purple shells, Indirubin, the Red Shade of Indigo. pp. 55-70, in L. Meijer, N. Guyard, A. L. Skaltsounis, and G. Eisenbrand (eds.). Life in Progress Editions, Roscoff, France.
- HAUQUIN, L. and BUSTOS-OBREGON, E. 1981. Ultrastructural analysis of spermatid differentiation in *Concholepas concholepas* (Lesson, 1829) (Prosobranchia: Muricidae). *Arch. Biol. Bruxelles* 92: 259-274.

- HAWKINS, L., and HUTCHINSON, S. 1988. Egg capsule structure and hatching mechanism of *Ocenebra erinacea* (L.) (Prosobranchia: Muricidae). *J. Exp. Mar. Biol. Ecol.* 119(3):269-283.
- HEINER, C., HUNKAPILLER, K., CHEN, S., GLASS, J., AND CHEN, E. 1998. Sequencing multimegabase-template DNA with Big Dye terminator chemistry. *Genome Res.* 8:557-561.
- HERRMANN, K., ZHAO, J-M., PINTO, J., WEAVER, L., and HENSTRAND, J. 1992. Regulation of carbon flow into the shikimate pathway, Biosynthesis and Molecular Regulation of Amino Acids in Plants. pp. 12-18, in H. Flores, J. Shannon, and T. Singh, (eds.). American Society of Plant Physiologists, Rockville, MD.
- HIGA, T., and SCHEUER, P. 1976. Bisindoxyl-derived blue marine pigments. *Heterocycles* 4(2):227-230.
- HO, S., and SHEKELS, L. 2003. Mucin and goblet cell function, Colonic diseases. pp. 53-54, in T. R. Kock (ed.). Humana Press, New Jersey, U.S.A.
- HOESSEL, R., LECLERC, S., ENDICOTT, J., NOBEL, M., LAWRIE, A., TUNNAH, P., LEOST, M., DAMIENS, E., MARIE, D., MARKO, D., et al. 1999. Indirubin, the active constituent of a Chinese antileukaemia medicine, inhibits cyclin-dependent kinases. *Nat. Cell Biol.* 1(1):60-67.
- HOLMES-MCNARY, M., BALDWIN, J., and ZEISEL, S. 2001. Opposing regulation of choline deficiency-induced apoptosis by p53 and NF-k B. *J. Biol. Chem.* 276:41197-41204.

- HOLMES-MCNARY, M., LOY, R., MAR, M-H., ALBRIGHT, C., and ZEISEL, S. 1997. Apoptosis is induced by choline deficiency in fetal brain and in PC12 cells. *Dev. Brain. Res.* 101:9–16.
- HUANG, C., and MIR, G. 1971. Pharmacological properties of hypobranchial gland of *Thais haemastoma* (Clench). *J. Pharmac.Sci.* 60(12):1842-1846.
- HUNT, S. 1973. Fine structure of the secretory epithelium in the hypobranchial gland of the prosobranch gastropod *Buccinum undatum* L.. *J. Mar. Biol. Ass. U.K.* 53:59-71.
- IDAKIEVA, K., SEVEROV, S., SVENDSEN, I., GENOV, N., STOEVA, S., BELTRAMINI, M., TOGNON, G., DI MURO, P., and SALVATO, B. 1993. Structural properties of *Rapana thomasiana* grosse haemocyanin: Isolation, characterization and N-terminal amino acid sequence of two different dissociation products. *Comp. Biochem. Physiol.* 106B(1):53-59.
- IJIMA, R., KISUGI, J., and YAMAZAKI, M. 2003. L-amino acid oxidase activity of an antineoplastic factor of a marine mollusk and its relationship to cytotoxicity. *Dev. Comp. Immunol.* 27:505-512.
- JARAMILLO, R. 1991. Female genital system of *Chorus giganteus* (Prosobranchia: Muricidae). *Veliger* 34(3): 297-301.
- JANNUN, R., and COE, E. 1987. Bromoperoxidase enzyme from the marine snail *Murex trunculus*. *Comp. Biochem. Physiol.* 88B:917-922.
- JIMENO, J. 2002. A clinical armamentarium of marine-derived anti-cancer compounds. *Anticancer Drugs.* 13(1):15-19.

- JIMENEZ, E., CRAIG, A. WATKINS, A. HILLYARD, D. GRAY, W. GULYAS, J. RIVER, J. CRUZ, L. and OLIVERA, B. 1997. Bromocontryhan: post-translational bromination of tryptophan. *Biochem.* 36:989-994.
- KARAPANAGIOTIS, I. and DE VILLEMEREUIL, V. 2006. Identification of the colouring constituents of four natural indigoid dyes. *Liq. Chromatogr. Relat. Technol.* 29:1491-1502.
- KARUSO, P. 1987. Chemical ecology of the Nudibranchs, *Bioorganic Marine Chemistry*, vol. 1. pp. 31-60, in P.J. Scheuer (ed.), Springer-Verlag Berlin, Heidelberg.
- KAY, E., WELLS, F. and PONDER, W. 1998. Class Gastropoda, Mollusca the Southern Synthesis Part B. pp. 161, 565-604, in P. Beesley, G. Ross, and A. Wells (eds.). CSIRO Publishing, Melbourne, Australia.
- KELLEY, W., WOLTERS, A., SACK, J., JOCKUSCH, R., JURCHEN, J., WILLIAMS, E., SWEEDLER, J., and GILLY, W. 2003. Characterization of a novel gastropod toxin (6-bromo-2-mercaptotryptamine) that inhibits shaker K channel activity. *J. Biol. Chem.* 278(37):4934–34942.
- KEYL, M., and WHITTAKER, V. 1958. Some pharmacological properties of murexine (urocanylcholine). *Br. J. Pharmac.* 13:103-106.
- KOCHZIUS, M., NÖLTE, M., WEBER, H., SILKENBEUMER, N., HJÖRLEIFSDOTTIR, S., HREGGVIDSSON, G., MARTEINSSON, V., KAPPEL, K., PLANES, S., TINTI, F. et al. 2008. DNA Microarrays for identifying fishes. *Mar. Biotechnol. (NY)* 10(2):207-217.

- KOOL, S. 1988. Aspects of the anatomy of *Plicopurpura patula* (Prosobranchia: Muricidae: Thaidinae), new combination, with emphasis on the reproductive system. *Malacologia* 29(2):373-382.
- KOOL, S. 1993. Phylogenetic analysis of the Rapaninae (Neogastropoda: Muricidae). *Malacologia* 35(2):155-259.
- KOREN, Z. 1995. High-performance liquid chromatographic analysis of an ancient Tyrian purple dyeing vat from Israel. *Isr. J. Chem.* 35:117-124.
- KOREN, Z. 2006. HPLC-PDA analysis of brominated indirubinoid, indigoid and isatinoid dyes, Indirubin, the Red Shade of Indigo. pp. 45-53, in L. Meijer, N. Guyard, A. L. Skaltsounis, and G. Eisenbrand (eds.). *Life in Progress Editions*, Roscoff, France.
- KRAMER, H., and WINDRUM, G. 1954. The metachromatic staining reaction. *J. Histochem. Cytochem.* 3:227-237.
- KRENN, B., MICHIEL, G., TROMP, M., and WEVER, R. 1989. The brown alga *Ascophyllum nodosum* contains two different vanadium bromoperoxidases. *J. Biol. Chem.* 264(32):19287-19292.
- KUBANEK, J., FAULKNER, D., and ANDERSEN, R. 2000. Geographic variation and tissue distribution of endogenous terpenoids in the Northeastern Pacific Ocean dorid nudibranch *Cadlina luteomarginata*: Implications for the regulation of *de novo* biosynthesis. *J. Chem. Ecol.* 26(2):337-389.
- LAFFY, P., BENKENDORFF, K., and GOODMAN, A., submitted. Trends in molluscan gene sequence similarity: An observation from genes expressed within the hypobranchial gland of *Dicathais orbita*. *Nautilus*.

- LETELLIER, A. 1890. Recherches sur la poupre produite par le *Purpura lapillus*. *Arch. Zool. Expér. Gén.* 8(3):361-407.
- LILLIE, R. 1977. H. J. Conn's Biological Stains, 9th ed. The Williams and Wilkins Company, Baltimore.
- LIM, N., EVERUSS, K., GOODMAN, A., and BENKENDORFF, K. 2007. Comparison of surface microfouling and bacterial attachment on the egg capsules of two molluscan species, representing the Cephalopoda and Neogastropoda. *Aquat. Microb. Ecol.* 47:275-287.
- LIND, H. 1973. The functional significance of the spermatophore and the fate of spermatozoa in the genital duct of *Helix pomatia* (Gastropoda: Stylommatophora). *J. Zool. Lond.* 169:39-64.
- LINDBERG, D., and PONDER, W. 2001. The influence of classification on the evolutionary interpretation of structure- A re-evaluation of the evolution of the pallial cavity of gastropod molluscs. *Org. Divers. Evol.* 1(4):273-299.
- LINDQUIST, N., HAY, M., and FENICAL, W. 1992. Defense of ascidians and their conspicuous larvae: adult vs. larval chemical defenses. *Ecol. Monogr.* 62:547-568.
- LINDQUIST, N. 2002. Chemical defense in early life stages of benthic marine invertebrates. *J. Chem. Ecol.* 28(10):1987-2000.
- LINDQUIST, N., and HAY, M. 1995. Can small prey be chemically defended? The case for marine larvae. *Ecology.* 76:1347-1358.
- LORD, A. 1986. Are the contents of egg capsules of the marine gastropod *Nucella lapillus* (L.) axenic? *Am. Malacol. Bull.* 4:201-203.

- LUCUS, J., HART, R., HOWDEN, M., and SALATHE, R. 1979. Saponins in eggs and larvae of *Acanthaster planci* (L.) (Asteroidea) as chemical defenses against planktivorous fish. *Biol. Ecol.* 40:155-165.
- MCGOVERN, P. and MICHEL, R. 1990. Royal purple dye: The chemical reconstruction of the ancient Mediterranean industry. *Acc. Chem. Res.* 23:152-158.
- MCGOVERN, P., LAZAR, J., and MICHEL, R. 1990. The analysis of indigoid dyes by mass-spectrometry. *J. Soc. Dyers Colour.* 106:22-25.
- MCINTOSH, M., CRUZ, L., HUNKAPILLER, M., GRAY, W., and OLIVERA, B. 1982. Isolation and structure of a peptide toxin from the marine snail *Conus magus*. *Arch. Biochem. Biophys.* 218 (1):329-34.
- MCMANUS, J. 1946. Histological demonstration of mucin after periodic acid. *Nature (Lond.)* 158:202.
- MAGIATIS, P. and SKALTSOUNIS, A. L. 2006. From *Hexaplex trunculus* to new kinase inhibitory indirubins, *Indirubin, the Red Shade of Indigo*. pp.147-156, in L. Meijer, N. Guyard, A. L. Skaltsounis, and G. Eisenbrand (eds.). Life in Progress Editions, Roscoff, France.
- MAPELSTONE, R., STONE, M., WILLIAMS, D. 1992. The evolutionary role of secondary metabolites - a review. *Gene* 115:151-157.
- MARCHINI, D., GIORDANO, P., AMONS, R., BERNINI, L., and DALLAI, R. 1993. Purification and primary structure of ceratotoxins A and B, two antibacterial peptides from the female reproductive accessory glands of the medfly *Ceratitis capitata* (Insecta: Diptera). *Insect Biochem. Mol. Biol.* 5:591-598.

- MARCUS, E., and MARCUS, E. 1959. Studies on Olividae. *Bolm. Fac. Filos. Cienc. Univ. S.Paulo*, 22:99-188.
- MARIEB, E. 2001. Human Anatomy & Physiology. San Francisco: Benjamin Cummings.
- MARIN. A., DI MARZO, V., and CIMINO, G. 1991, A histological and chemical study of the cerata of the opisthobranch mollusc *Tethys fimbria*. *Mar. Biol.* 111:353-358.
- MARIN. A., ALVAREZ, L., CIMINO, G., and SPINELLA, A. 1999. Chemical defence in cephalaspidean gastropods: origin anatomical location and ecological roles. *J. Moll. Stud.* 65:121-131.
- MARIN, A., and ROS, J. 2004. Chemical defenses in Sacoglossan Opisthobranchs: Taxonomic trends and evolutive implications. *Scientia Marina* 68(1):227-241.
- MEIJER, L., SKALTSOUNIS, A. L., MAGIATIS, P., POLYCHRONOPOULOS, P., KNOCKAERT, M., LEOST, M., RYAN, X., VONICA, C., BRIVANLOU, A., DAJANI, R., et al. 2003. GSK-3-Selective inhibitors derived from Tyrian purple indirubins. *Chem. Biol.* 10:1255-1266.
- METFIES, K., and MEDLIN, L. 2004. DNA microchips for phytoplankton: the fluorescent wave of the future. *Nova Hedwigia* 79:321–327.
- METFIES, K., HULJIC, S., LANGE, M., and MEDLIN, L. 2005. Electrochemical detection of the toxic dinoflagellate *Alexandrium ostenfeldii* with a DNA-biosensor. *Biosens. Bioelectron.* 20:1349–1357.
- MICHEL, R., LAZAR, J., and MCGOVERN, P. 1992. The chemical composition of indigoid dyes from the hypobranchial glandular secretions of Murex molluscs. *J. Soc. Dyers Colour.* 108:150-154.

- MIDDELFART, P. 1992a. Morphology and anatomy of *Chicoreus brunneus* (Link, 1807): Description of shell and soft part. *T. M. M. P.* 11:54-60.
- MIDDELFART, P. 1992b. Morphology and anatomy of *Chicoreus ramosus* (Linnaeus, 1758) soft parts. *T. M. M. P.* 11:66-71.
- MIDDELFART, P. 1992c. Early life stages of the muricid gastropods *Chicoreus ramosus*, *C. torrefactus*, and *C. brunneus* from Phuket Island, Thailand. *Phuket. Mar. Biol. Spec. Publ.* 10:113-122.
- MIDDELFART, P. 1993. Reproduction and successive life stages in muricids, with emphasis on *Chicoreus*. Master Thesis. Aarhus University, Denmark.
- MIDDELFART, P. 1994. Reproductive patterns in Muricidae (Prosobranchia: Neogastropoda). *Phuket Mar. Biol. Cent. Spec. Publ.* 13:83-88.
- MILLER, G., MORGAN, C., KRIEBER, D., WHITNEY, K., SNOW, J., HEIKES, B., MOPPER, K., and KIDDLE, J. 2005. Hydrogen peroxide method intercomparison study in seawater. *Mar. Chem.* 97:4-13.
- MILOSLAVICH, P. 1996. Biochemical composition of prosobranch egg capsules. *J. Moll. Stud.* 62:133-135.
- MOORE, M. 1994. Contaminants in the Environment: A Multidisciplinary Assessment of Risks to Man and Other Organisms. Lewis Publishers.
- MUNDAY, R. 1985. Toxicity of aromatic disulphides. II. Intraerythrocytic hydrogen peroxide formation and oxidative damage by aromatic disulphides. *J. Appl. Toxicol.* 5: 409-413.
- MUNDAY, R. 1989. Toxicity of thiols and disulphides: involvement of free-radical species. *Free Radic. Biol. Med.* 7: 659-673.

- MYERS, R., CRUZ, L., RIVIER, J., and OLIVERA, B. 1993. *Conus* peptides as chemical probes for receptors and ion channels. *Chem. Rev.* 93:1923-1936.
- NAEGEL, L. 2004. Embryonic and intracapsular development of *Plicopurpura pansa* (Gould, 1853) (Prosobranchia, Muricidae) under laboratory conditions. *Ciencias Marinas* 30(2):297-310.
- NAEGEL, L., and AGUILAR-CRUZ, C. 2006. The hypobranchial gland from the purple snail *Plicopurpura pansa* (Gould, 1853) (Prosobranchia: Muricidae). *J. Shellfish Res.* 25(2):391.
- NAEGEL, L., and COOKSEY, C. 2002. Tyrian purple from marine muricids, especially from *Plicopurpura pansa* (Gould, 1853). *J. Shellfish Res.* 21:193-200.
- OTTAVIANI, E. 1978. A gland system of the hypobranchial type in the mantle of *Paludina vivipara* draparnaud (Gastropoda: Prosobranchia): A morphological and histochemical study. *Monitore Zool. Ital.* 12:77-86.
- PAL, P. 2007. Fine structure of reproductive glands in two primitive marine pulmonates (Basommatophora: Siphonariidae). *Acta. Zool.* 88:145-152.
- PAL, P., and HODGSON, A. 2002. An ultrastructural study of oogenesis in a planktonic and a direct-developing species of *Siphonaria* (Gastropoda: Pulmonata). *J. Moll. Stud.* 68:337-344.
- PAL, P. and HODGSON, A. 2003. The structure of the egg ribbons in a planktonic and an intracapsular developing siphonariid limpet (Gastropoda: Pulmonata). *Invertebr. Repro. Dev.* 43:243-253.

- PALMA, H., PAREDES, J., and CRISTI, E. 1991. 6,6'-dibromoindigotin en capsulas de embriones di *Concholepas concholepas* (Bruguiere, 1789). *Medio. Ambiente* 11:93-95.
- PAWLIK, J. 1993. Marine invertebrate chemical defenses. *Chem. Rev.* 93:1911-1922.
- PECHENIK, J. 1982. Ability of some gastropod egg capsules to protect against low-salinity stress. *J. Exp. Mar. Biol. Ecol.* 3:195-208
- PECHENIK, J. 1983. Egg capsules of *Nucella lapillus* (L.) protect against low-salinity stress. *J. Exp. Mar. Biol. Ecol.* 71:165-179.
- PECHENIK, J., CHANG, S., and LORD, A. 1984. Encapsulated development of the marine prosobranch gastropod *Nucella lapillus*. *Mar. Biol.* 78:223-229.
- PECK, A. 1970. Aristotle's *Historia Animalium*. Harvard University Press, Great Britain.
- PEPLIES, J., GLÖCKNER, F., and AMANN, R. 2003. Optimization strategies for DNA microarray-based detection of bacteria with 16S rRNA-targeting oligonucleotide probes. *Appl. Environ. Microbiol.* 69:1397-1407.
- PEPLIES, J., LAU, S., PERNTHALER, J., AMANN, R., and GLÖCKNER, F. 2004. Application and validation of DNA microarrays for the 16S rRNA-based analysis of marine bacterioplankton. *Environ. Microbiol.* 6:638-645.
- PERRON, F. 1981. The partitioning of reproductive energy between ova and protective capsules in marine gastropods of the genus *Conus*. *Am. Nat.* 118:110-118.
- PHILLIPS, B. 1969. The population ecology of the whelk *Dicathais aegrota* in Western Australia. *Aust. J. Mar. Freshw. Res.* 20:225-265.

- POLEC-PAWLAK, K., PUCHALASKA, M., WITIWSKA-JAROSZ, J., and JAROSZ, M. 2006. Mass spectrometry: An efficient tool for the identification of indirubin and indigo related dyestuffs, Indirubin, the Red Shade of Indigo. pp. 115-125, in L. Meijer, N. Guyard, A. L. Skaltsounis, and G. Eisenbrand (eds.). Life in Progress Editions, Roscoff, France.
- PONDER, W. F. 1973. The origin and evolution of the Neogastropoda. *Malacologica* 12: 295-338.
- PROKSCH, P., EDRADA, R., and EBEL, R. 2002. Drugs from the sea – Current status and microbiological implications. *Appl. Microbiol. Biotechnol.* 59:125-134.
- PUCHALASKA, M., POLEC-PAWLAK, K., ZANDRONZA, I., HRYSZKO, H., and JAROSZ, M. 2004. Identification of natural indigoid dyes in natural organic pigments used in historical art objects by high-performance liquid chromatography coupled to electrospray ionization mass spectrometry. *J Mass Spectrom.* 39:1441-1449.
- PURCHON, R. 1977. The Biology of the Mollusca. Pergamon Press, New York.
- QUILLIAM, J. 1957. The mechanism of action of murexine on neuromuscular transmission in the frog. *Brit. J. Pharmacol.* 12:388-392.
- RAM, J., GALLARDO, C., MERINO, C., RAM, M., and NAVARRO, J. 2000. Neural extract induction of egg-laying and subsequent embryological development in hard and soft egg capsules of the marine snail, *Chorus giganteus*. *J. Shellfish Res.* 19(2):905-911.

- RAMALINGAM, K., and RAVINDRANATH, M. 1970. Histochemical significance of green metachromasia to Toluidine blue. *Histochem. Cell Biol.* 24(4): 322-327.
- RAMORINO, L. 1975. Ciclo reproductivo de *Concholepas concholepas* en la zona de Valparaiso. *Rev. Biol. Mar. Valparaiso* 15(2):149-177.
- RASH, L., and HODGSON, W. 2002. Pharmacology and biochemistry of spider venoms. *Toxicon.* 40:225-254.
- RAWLINGS, T. 1990. Associations between egg capsule morphology and predation among populations of the marine gastropod, *Nucella emarginata*. *Biol. Bull.* 179:312-325.
- RAWLINGS, T. 1994. Encapsulation of eggs by marine gastropods: effects of variation in capsule form on the vulnerability of embryos to predation. *Evolution* 48:1301-1313.
- RAWLINGS, T. 1995. Direct observation of encapsulated development in muricid gastropods. *Veliger* 38(1):54-60.
- RAWLINGS, T. 1996. Shields against ultraviolet radiation: An additional protective role for the egg capsules of benthic marine gastropods. *Mar. Ecol. Prog. Ser.* 136:91-95.
- RINGWOOD, A., CONNERS, D., and HOGUET, J. 1998. Effects of natural and anthropogenic stressors on lysosomal destabilization in oyster *Crassostrea virginica*. *Mar. Ecol. Progr. Ser.* 166:163-171.
- ROLLER, R., GARTON, D., and STICKLE, W. 1984. Regeneration of the proboscis, radula and odontophoral cartilage of the southern oyster drill *Thais*

- haemastoma canaliculata* (Gray) (Prosobranchia: Muricidae) after amputation. *Am. Malacol. Bull.* 2:63-73.
- ROLLER, R., RICKETT, J., and STICKLE, W. 1995. The hypobranchial gland of the estuarine snail *Stramonita haemastoma canaliculata* (Gray) (Prosobranchia: Muricidae): A light electron microscopical study. *Am. Malacol. Bull.* 11(2):177-190.
- ROLLER, R., and STICKLE, W. 1988. Intracapsular development of *Thais haemastoma canaliculata* (Gray) (Prosobranchia: Muricidae) under laboratory conditions. *Am. Malacol. Bull.* 6(2):189-197.
- ROMERO, M., GALLARDO, C. and BELLOLIO, G. 2004. Egg laying and embryonic-larval development in the snail *Thais (Stramonita) chocolata* (Duclos, 1832) with observations on its evolutionary relationships within the Muricidae. *Mar. Biol.* 145(4):681-692.
- RONKIN, R. 1952. Cytological Studies on Mucus Formation and Secretion in *Busycon*. *Biol. Bull.* 102(3): 252-260.
- ROSEGHINI, M. 1971. Occurrence of dihydromurexine (imidazolepropionylcholine) in the hypobranchial gland of *Thais (Purpura) haemastoma*. *Experientia* 27:1008-1009.
- ROSEGHINI, M., ERSPAMER, V., RAMORINA, L., and GUTIERREZ, J. 1970. Choline esters their precursors and metabolites in the hypobranchial gland of prosobranchiate molluscs, *Concholepas concholepas* and *Thais chocolate*. *Eur. J. Biochem.* 12:468-473.

- ROSEGHINI, M., and FICHMAN, M. 1973. Choline esters and imidazole acids in extracts of the hypobranchial gland of *Thais haemastoma*. *Comp. Gen Pharmac.* 4:251-257.
- ROSEGHINI, M., SEVERINI, C., FALCONIERI, E., and ERSPAMER, V. 1996. Choline esters and biogenic amines in the hypobranchial gland of 55 molluscan species of the neogastropod Muricidae Superfamily. *Toxicon.* 34:33-55.
- ROSETTO, M., MANETTI, A., GIORDANO, P., MARRI, L., AMOS, R., BALDARI, C., MARCHINI, D., and DALLAI, R. 1996. Molecular characterization of ceratotoxin C, a novel antibacterial female-specific peptide of the ceratotoxin family from the medfly *Ceratitis capitata*. *Eur. J. Biochem.* 241(2):330-337.
- RUTENBURG, A., COHEN, R., and SELIGMAN, A. 1952. Histochemical detection of Aryl Sulphatase. *Science* 116:539.
- SANTHANA RAMASAMY, M., and MURUGAN, A. 2005. Potential antimicrobial activity of marine molluscs from Tuticorn, Southeast coast of India against 40 biofilm bacteria. *J. Shellfish Res.* 24(1):243-251.
- SCHIMELMAN, J. 1982. The royal purple. *Irradians* 8(8): 3-4.
- SELS, B., DE VOS, D., BUNTINX, M., PIERARD, F., MESMAEKER, A., and JACOBS, P. 1999. Layered double hydroxides exchanged with tungstate as biomimetic catalysts for mild oxidative bromination. *Nature* 400:855-857.
- SHAW, P.D., MCCLURE, W.O., VAN BLARICOM, G., SIMS, J, FENICAL, W. AND RUDE, J. 1976. Antimicrobial activities from marine organisms, *Food-*

- Drugs from the Sea Proc. [Conf.] 4th*. pp. 429-433, in H. H. Webber, and G.D. Ruggieri, (eds.). Marine Technology Society, Washington D.C.
- SIMPSON, T. 1987. Applications of multinuclear NMR to structural and biosynthetic studies of polyketides microbial metabolites. *Chem. Soc. Rev.* 16:123-160.
- SPIGHT, T. 1975. Factors extending gastropod embryonic development and their selective coast. *Oecologia* 21:1-16.
- SPIGHT, T. 1976. Ecology of hatching size for marine snails. *Oecologia* 24:283-294.
- SPIGHT, T. 1977. Latitude, habitat and hatching type for muricacean gastropods. *Nautilus* 91(2):67-71.
- SRILAKSHMI, G. 1991. The hypobranchial gland in *Morula granulate* (Gastropoda: Prosobranchia). *J. Mar. Biol. Assoc. U. K.* 71: 623-634.
- SULLIVAN, C., and MAUGEL, T. 1984. Formation, organization, and composition of the egg capsule of the marine gastropod, *Ilyanassa obsoleta*. *Biol. Bull.* 167: 378-389.
- SUSSE, P., and KRAMPE, C. 1979. 6,6'-dibromo-indigo, a main component of Tyrian purple. Its crystal structure and light absorption. *Naturwissenschaften* 66(2):110.
- SUZUKI, T., HARA, A., YAMAGUCHI, K., and MORI, K. 1992. Purification and immunolocalization of a vitellin-like protein from the Pacific oyster *Crassostrea gigas*. *J. Mar. Biol.* 13(2):239-245.
- SZENT-GYORGYI, A., and KAMINER, B. 1963. Metin and metactomyosin. *P.N.A.S.* 50:1033-1036.
- SZOSTEK, B., ORSKA-GAWRYS, J., SUROWIEC, I., and TROJANOWICZ, M. 2003. Investigation of natural dyes occurring in historical Coptic textiles by

- high-performance liquid chromatography with UV-Vis and mass spectrometric detection. *J. Chromatogr.* 1012:179-192.
- TAMARIN, A., and CARRIKER, M., 1967. The egg capsule of the muricid gastropod *Urosalpinx cinerea*: an integrated study of the wall by ordinary light, polarized light, and electron microscopy. *J. Ultrastruct. Res.* 21:26-40.
- TAN, K. 2003. Phylogenetic analysis and taxonomy of some SA and NZ Muricidae (Mollusca: Neogastropoda). *J. Nat. Hist.* 37(8):911-1028.
- TARAO, S. 1935. Microscopical study on the hypobranchial gland of *Haliotis japonica* Reeve with a note on the restitution of the secretion. *Zool.* 4(3):103-117.
- TAYLOR, J. 1976. Habitats, abundance and diets of Muricacean gastropods at Aldabra Atoll. *Zool. J. Linn. Soc.* 59:155-193.
- TAYLOR, J., and MORRIS, N. 1988. Relationships of Neogastropods, *International Malacological Congress. Proc. [Conf.] 9th*, W.F. Ponder (ed.). *Malacol. Rev. Supp.* 4:167-179.
- THOMPSON, S. 1966. Selected Histological and Histopathological Methods, Thomas Books, Springfield, Illinois.
- TOBACMAN, J. 2003. Does deficiency of arylsulfatase B have a role in cystic fibrosis? *Chest* 123:2130-2139.
- TOMPA, A. 1984. Land snails (Stylommatophora), The Mollusca, Vol. VII Reproduction. pp. 47-140, in A. S. Tompa, N. H. Verdonk, and J. A. M. Van den Biggelaar (eds.). Academic Press, London.
- VERHECKEN, A. 1989. The indole pigments of Mollusca. *Ann. Soc. Royal. Zool. Belgique* 119(2):181-197.

- VINCENT, D., and JULLIEN, A. 1938. Richesse de la glande a pourpre des *Murex* en esters de la choline. *C. R. Soc. Biol. Paris.* 126:1506-1509.
- VINE, K., LOCKE, J., RANSON, M., BENKENDORFF, K., PYNE, S., and BREMNER, J. 2007. *In vitro* cytotoxicity evaluation of some substituted isatin derivatives. *Bioorg. Med. Chem.* 15:931-938.
- WÄGELE, H., BALLESTEROS, M., and AVILA, C. 2006. Defensive glandular structures in opisthobranch molluscs- from histology to ecology. *Oceanogr. Mar. Biol. Annu. Rev.* 44:197-276.
- WAXMAN, L. 1975. The structure of arthropod and mollusc haemocyanins. *J. Biol. Chem.* 250(10):3796-3806.
- WESTLEY, C., VINE, K., and BENKENDORFF, K. 2006. A proposed functional role for indole derivatives in reproduction and defense of the Muricidae (Neogastropoda: Mollusca), Indirubin, the Red Shade of Indigo. pp. 31-44, in L. Meijer, N. Guyard, A. L. Skaltsounis, and G. Eisenbrand (eds.). *Life in Progress Editions*, Roscoff, France.
- WESTLEY, C., and BENKENDORFF, K. 2008. Sex-specific Tyrian purple genesis: precursor and pigment distribution in the reproductive system of the marine mollusc, *Dicathais orbita*. *J. Chem. Ecol.* 34(1):44-56.
- WEAVER, C., and DU PONT, J. 1970. *The Living Volutes: A Monograph of the Recent Volutidae of the World.* Monograph Series N° 1, Delaware Museum of Natural History, Greenville.
- WEVER, R., KRENN, B., DE BOER, E., OFFENBERG, H., and PLAT, H. 1988. Structure and function of vanadium-containing bromoperoxidases. *Prog. Clin. Biol. Res.* 247:477-493.

- WEVER, R., TROMP, M., KRENN, B., MARJANI, A., and VAN TOL, M. 1991. Brominating activity of the seaweed *Ascophyllum nodosum*: Impact on the biosphere. *Environ. Sci. Technol.* 25(3):446-449.
- WHITTAKER, V. 1957. β_1 , β_2 -Dimethylacrylylcholine, a new naturally occurring pharmacologically active ester of choline. *Biochem. J.* 66:35.
- WHITTAKER, V. 1960, Pharmacologically active choline esters in marine gastropods. *Ann. N.Y. Acad. Sci.* 90:695-705.
- WITHNALL, R., PATEL, D., COOKSEY, C., and NAEGEL, L. 2003. Chemical studies of the purple dye of *Purpura pansa*. *Dyes Hist. Archaeol.* 1617:91-96.
- WOOTTON, E., and Pipe, R. 2003. Structural and functional characterisation of the blood cells of the bivalve mollusc, *Scrobicularia plana*. *Fish Shellfish Immunol.* 15(3):249-262.
- WOUTERS, J. 1992. A new method for the analysis of blue and purple dyes in textiles. *Dyes Hist. Archaeol.* 10:17-21.
- WOUTERS, J., and VERHECKEN, A. 1991. High-performance liquid chromatography of blue and purple indigoid natural dyes. *J. Soc. Dyers Colour.* 107:266-269.
- YEN, C., MAR, M., MEEKER, R., FERNANDES, A., and ZEISEL, S., 2001. Choline deficiency induces apoptosis in primary cultures of fetal neurons. *F.A.S.E.B. J.* 15:1704-1710.
- YEN, C., MAR, M., and ZEISEL, S., 1999. Choline deficiency-induced apoptosis in PC12 cells is associated with diminished membrane phosphatidylcholine and sphingomyelin, accumulation of ceramide and diacylglycerol, and activation of a caspase. *F.A.S.E.B. J.* 13:135-142.

ZEISEL, S., and BLUSZTAJN, J. 1994. Choline and human nutrition. *Ann. Rev. Nutr.* 14:269-296.