

REFERENCES

- Acworth, R.I. and Timms, W.A., 2003. Hydrogeological investigation of mud-mound springs developed over a weathered basalt aquifer on the Liverpool Plains, New South Wales, Australia. *Hydrogeology Journal* 11(6): p.p. 659-672.
- Ah Chee, D., 2002. Indigenous People's Connection with Kwatye (water) in the Great Artesian Basin, GAB FEST 2002: A resource under pressure Great Artesian Basin Co-ordinating Committee, Toowoomba, Queensland. From: <http://www.gabcc.org.au/tools/getFile.aspx?tbl=tblContentItem&id=26>
- Airey, P.L., Campbell, B.L., Habermehl, M.A., Hartley, P.E. and Roman, D., 1979. Aspects of the isotope hydrology of the Great Artesian Basin, Isotope Hydrology 1978. Proceedings, International Symposium on Isotope Hydrology - International Atomic Energy Agency and United Nations Educational, Scientific and Cultural Organisation. International Atomic Energy Agency, Vienna, Neuherberg, Fed. Rep. Germany, p.p. 205-219.
- Akdim, B. and Julia, R.A., 2005. The travertine mounds of Tafilalet (Morocco): morphology and genesis based on present-day analogues. *Zeitschrift Fur Geomorphologie*, 49(3): p.p. 373-389.
- Aldam, R. and Kuang, K.S., 1988. An investigation of structures controlling discharge of springwaters in the South Western Great Artesian Basin. Rept. Bk. 88/4, Department of Mines and Energy, Adelaide, South Australia.
- Allan, R.J., 1990. Climate. In: Tyler, M.J., Twidale, C.R., Davies, M., and Wells, C.B. (Editors), *Natural History of the North East Deserts*. Royal Society of South Australia Inc., Adelaide, p.p. 81-84.
- Allen, C.C. and Oehler, D.Z., 2008. A Case for Ancient Springs in Arabia Terra, Mars. *Astrobiology*, 8(6): p.p. 1093-1112.

- Alonso-Zarza, A.M. and Wright, V.P., 2010. Palustrine Carbonates. In: Alonso-Zarza, A.M. and Tanner, L.H. (Editors) *Carbonates in Continental Settings. Developments in Sedimentology*, 61. Elsevier, Amsterdam, p.p. 103-131.
- Altunel, E. and Hancock, P.L., 1993. Morphology and structural setting of Quaternary travertines at Pamukkale, Turkey. *Geological Journal*, 28(3-4): p.p. 335-346.
- Ambrose, G., 2006. Northern Territory of Australia, onshore hydrocarbon potential, 2006. Northern Territory Geological Survey.
- Ambrose, G.J., Flint, R.B., 1981. Billa Kalina South Australia, Explanatory Notes: 1:250,000 Geological Series - Sheet SH 53-7. Geological Survey South Australia, Adelaide.
- Ambrose, G.J., Flint, R.B. and Benbow, M.C., 1980. Billa Kalina 1:250,000 Map Sheet. Dalgarno, C.R. (Editor). Adelaide, Department of Mines and Energy, South Australia: Geology.
- Amundson, R. and Kelly, E., 1987. The chemistry and mineralogy of a CO₂-rich Travertine depositing spring in the California coast range. *Geochimica et Cosmochimica Acta*, 51(11): p.p. 2883-2890.
- Andreo, B., Martin-Martin, M. and Martin-Algarra, A., 1999. Hydrochemistry of spring water associated with travertines. Example of the Sierra de la Alfaguara (Granada, southern Spain). *Comptes Rendus De L Academie Des Sciences Serie II Fascicule a-Sciences De La Terre Et Des Planetes*, 328(11): p.p. 745-750.
- Andrews, J.E., 2006. Palaeoclimatic records from stable isotopes in riverine tufas: Synthesis and review. *Earth-Science Reviews*, 75(1-4): p.p. 85-104.

- Andrews, J.E., Pedley, M. and Dennis, P.F., 2000. Palaeoenvironmental records in Holocene Spanish tufas: a stable isotope approach in search of reliable climatic archives. *Sedimentology*, 47(5): p.p. 961-978.
- Anzalone, E., Ferreri, V., Sprovieri, M. and D'Argenio, B., 2007. Travertines as hydrologic archives: The case of the Pontecagnano deposits (southern Italy). *Advances in Water Resources*, 30(10): p.p. 2159-2175.
- Arenas, C., Gutierrez, F., Osacar, C. and Sancho, C., 2000. Sedimentology and geochemistry of fluvio-lacustrine tufa deposits controlled by evaporite solution subsidence in the central Ebro Depression, NE Spain. *Sedimentology*, 47(4): p.p. 883-909.
- Armstrong, D., 1990. Hydrology. In: Tyler, M.J., Twidale, C.R., Davies, M., Wells, C.B. (Eds.), *Natural History of the North East Deserts*. Royal Society of South Australia Inc., Adelaide, p.p. 75-80.
- Armstrong, D., 2005. Report to Arid Areas Catchment Water Management Board on Review and Application of BRS Numerical Model – GABFLOW. Unpublished, reported in SAAL NRMB (2009)
- Audibert, M., 1976. Progress report on the Great Artesian Basin hydrogeological study 1972-1974. Department of Minerals and Energy. Canberra, Bureau of Mineral Resources, Geology and Geophysics. 1976/005: 116 p.p.
- Babiker, M. and Gudmundsson, A., 2004. The effects of dykes and faults on groundwater flow in an arid land: the Red Sea Hills, Sudan. *Journal of Hydrology*, 297(1-4): p.p. 256-273.
- Bargar, K.E., 1978. Geology and thermal history of Mammoth Hot Springs, Yellowstone National Park. 1444.

- Barnes, I., 1965. Geochemistry of Birch Creek, Inyo County, California: A travertine depositing creek in an arid climate. *Geochimica et Cosmochimica Acta*, 29: p.p. 85-112.
- Barton, C.A., Zoback, M.D. and Moos, D., 1995. Fluid-flow along potentially active faults in crystalline rock. *Geology*, 23(8): p.p. 683-686.
- Baskar, S., Baskar, R., Mauclaire, L. and McKenzie, J.A., 2006. Microbially induced calcite precipitation in culture experiments: Possible origin for stalactites in Sahastradhara caves, Dehradun, India. *Current Science*, 90(1): p.p. 58-64.
- Bathurst, R.C., 1966. Boring algae, micrite envelopes, and lithification of molluscan biosparites. *Geological Journal*, 5: p.p. 15-32.
- Bathurst, R.C., 1975. Recent Carbonate Algal Stromatolites, Carbonate sediments and their diagenesis Elsevier Scientific, Amsterdam, p.p. 217-230.
- Beal, J.D. and Williams, A.F., 1984. A petrographic description of ten samples from mound springs of the Great Artesian Basin. Report Book/ Department of Mines and Energy, South Australia, 84(53).
- Bell, J.S., 1996. Petro Geoscience 2. In situ stresses in sedimentary rocks.2. Applications of stress measurements. *Geoscience Canada*, 23(3): p.p. 135-153.
- Benbow, M.C., Vitols, V., Barnes, L.C., Krieg, G.W., Rogers, P.A., Pitt, G.M. and Crooks, A.F., 1985. Coober Pedy 1:250,000 Map Sheet. Dalgarno, C.R. and Webb, B.P. (Editors) Adelaide, Department of Mines and Energy, South Australia: Geology.
- Bennett, J.P. and Rathbun, R.E., 1972. Reaeration in open channel flow. Technical report, US Geological Survey Professional Paper 737.

- Berry, K.A. and Armstrong, D., 1995. Hydrogeological investigation and numerical modelling Lake Eyre Region, Great Artesian Basin, Western Mining Corp. (WMC) (now BHPB), Adelaide. 185 p.p.
- BHP Billiton, 2005. Interim Environmental Management Report and Monitoring Report, 1 July 2004 – 30 June 2005. ODENV 026, Adelaide.
- Australian Bureau of Meteorology (BoM.), 2010. Average 9am and 3pm relative humidity. From: <http://reg.bom.gov.au/watl/humidity/>. Commonwealth of Australia, Canberra. First published 2005.
- BoM., 2011a. Average annual and monthly maximum, minimum, and mean temperature. Retrieved 29th June 2011. From:
http://www.bom.gov.au/jsp/ncc/climate_averages/temperature/index.jsp.
- BoM., 2011b. Average annual, seasonal and monthly rainfall. Retrieved 29th June 2011. From:
http://www.bom.gov.au/jsp/ncc/climate_averages/rainfall/index.jsp.
- BoM., 2011c. Rainfall variability. Retrieved 29th June 2011. From:
http://www.bom.gov.au/jsp/ncc/climate_averages/rainfall-variability/index.jsp.
- Bourke, M., Clarke, J., Manga, M., Nelson, P., Williams, K., Fonseca, J. and Fobar, B., 2007. Spring mounds and channels at Dalhousie, Central Australia. 37th Lunar and Planetary Science Conf. Houston, Texas. From:
<http://www.lpi.usra.edu/meetings/lpsc2007/pdf/2174.pdf>
- Boyd, W.E., 1990. Mound Springs. Natural History of the North East Deserts. M.J. Tyler, C. R. Twidale, M. Davies and C.B. Wells. Adelaide, S.A., Royal Society of South Australia Inc.: p.p. 107-118.

- Braithwaite, C.J.R., 1979. Crystal textures of recent fluvial, pisolite and laminated crystalline crusts in Dyfed, South Wales. *Journal of Sedimentary Petrology*, 49(1): p.p. 0181-0194.
- Braun, J. Burbidge, D. R., Gesto, F. N., Sandiford, M., Gleadow, A. J. W., Kohn, B. P., Cummins, P. R., 2009. Constraints on the current rate of deformation and surface uplift of the Australian continent from a new seismic database and low-T thermochronological data. *Australian Journal of Earth Sciences*, 56(2): p.p. 99-110.
- Brogi, A., 2004. Faults linkage, damage rocks and hydrothermal fluid circulation: Tectonic interpretation of the Rapolano Terme travertines (southern Tuscany, Italy) in the context of Northern Apennines Neogene-Quaternary extension. *Eclogae Geologicae Helvetiae*, 97(3): p.p. 307-320.
- Brogi, A. and Capezzuoli, E., 2009. Travertine deposition and faulting: the fault-related travertine fissure-ridge at Terme S. Giovanni, Rapolano Terme (Italy). *International Journal of Earth Sciences*, 98(4): p.p. 931-947.
- Brookes, I.A., 1993. Geomorphology and Quaternary Geology of the Dakhla Oasis Region, Egypt. *Quaternary Science Reviews*, 12(7): p.p. 529-552.
- Buccino, G., D'Agenio, B., Ferreri, V., Brancaccio, L., Ferreri, M., Panichi, C. and Stanzione, D., 1978. I travertini della bassa valle del Tanagro (Campania) Studio geomorphologia, sedimentologio e geochimico. *Bulletin of the Geological Society of Italy*, 97: p.p. 617-646.
- Buhmann, D. and Dreybrodt, W., 1985. The kinetics of calcite dissolution and precipitation in geologically relevant situations of karst areas.1. Open system. *Chemical Geology*, 48(1-4): p.p. 189-211.

- Burbidge, D.R., 2004. Thin plate neotectonic models of the Australian plate. *Journal of Geophysical Research-Solid Earth*, 109(B10).
- Burton, E.A. and Walter, L.M., 1991. The Effects of PCO₂ and Temperature on Magnesium Incorporation in Calcite in Seawater and MgCl₂-CaCl₂ Solutions. *Geochimica Et Cosmochimica Acta*, 55(3): p.p. 777-785.
- Callen, R.A., Forbes, B.G., Krieg, G.W., Rogers, P.A., Aldam, R., Belperio, A.P., Freeman, P.J., Parker, A.J. and Preiss, W., 1992. Curdimurka 1:250,000 Map Sheet. Parker, A.J. (Editor). Adelaide, Department of Mines and Energy, South Australia: Geology.
- Calvet, F. and Julia, R., 1983. V.3 Pisoids in the Caliche Profiles of Tarragona (N.E. Spain). In: Peryt, T. (Editor), Coated Grains. Springer-Verlag, Berlin, p.p. 456-473.
- Carthew, K.D., Taylor, M.P. and Drysdale, R.N., 2003. Are current models of tufa sedimentary environments applicable to tropical systems? - A case study from the Gregory River. *Sedimentary Geology*, 162(3-4): p.p. 199-218.
- Carthew, K.D., Taylor, M.P. and Drysdale, R.N., 2006. An environmental model of fluvial tufas in the monsoonal tropics, Barkly karst, northern Australia. *Geomorphology*, 73(1-2): p.p. 78-100.
- Cartwright, J., James, D. and Bolton, A., 2003. The genesis of polygonal fault systems: a review. In: VanRensbergen, P., Hillis, R.R., Maltman, A.J., Morley, C.K. (Eds.), Subsurface Sediment Mobilization. Geological Society Special Publication, p.p. 223-243.
- Celerier, J., Sandiford, M., Hansen, D.L. and Quigley, M., 2005. Modes of active intraplate deformation, Flinders Ranges, Australia. *Tectonics*, 24(6): p.p. TC6006 1-12.

- Chafetz, H.S. and Folk, R.L., 1984. Travertines; depositional morphology and the bacterially constructed constituents. *Journal of Sedimentary Research* 53(1): p.p. 1527-1404.
- Chafetz, H.S. and Guidry, S.A., 2003. Deposition and diagenesis of Mammoth Hot Springs Travertine, Yellowstone National Park, Wyoming, USA. *Canadian Journal of Earth Sciences*, 40(11): p.p. 1515-1529.
- Chafetz, H.S. and Meredith, J.C., 1983. V2 Recent Travertine Pisoliths (Pisoids) from Southeastern Idaho, USA. In: Peryt, T. (Editor), *Coated Grains*. Springer-Verlag, Berlin, p.p. 451-455.
- Chafetz, H.S., Rush, P.F. and Utech, N.M., 1991. Microenvironmental Controls on Mineralogy and Habit of CaCO₃ Precipitates - an Example from an Active Travertine System. *Sedimentology*, 38(1): p.p. 107-126.
- Chan, P.Y., Goldenfeld, N., 2007. Steady states and linear stability analysis of precipitation pattern formation at geothermal hot springs. *Physical Review E*, 76(4).
- Chen, J., Zhang, D.D., Wang, S., Xiao, T. and Huang, R., 2004. Factors controlling tufa deposition in natural waters at waterfall sites. *Sedimentary Geology*, 166(3-4): p.p. 353-366.
- Chia, Y.P., Chiu, J.J., Chiang, H., Lee, T.P. and Liu, C.W., 2008. Spatial and temporal changes of groundwater level induced by thrust faulting. *Pure and Applied Geophysics*, 165(1): p.p. 5-16.
- Chin, D.A., 2006. *Water Quality Engineering in Natural Systems*. John Wiley & Sons inc., Hoboken, N.J., 610 p.p.

- Choi, J., Hulseapple, S.M., Conklin, M.H. and Harvey, J.W., 1998. Modeling CO₂ degassing and pH in a stream-aquifer system. *Journal of Hydrology*, 209(1-4): p.p. 297-310.
- Clarke, J.D.A. and Bourke, M.C., 2010. Travertine and tufa from Dalhousie Springs (Australia)—Implications for recognizing Martian Springs. In: Garry, W.B. and Bleacher, J.E. (Editors), *Analogs for Planetary Exploration*. Geological Society of America Special Paper 483. Geological Society of America, Boulder, CO, p.p. 231-247.
- Cloetingh, S. and Wortel, R., 1986. Stress in the Indo-Australian Plate. *Tectonophysics*, 132(1-3): p.p. 49-67.
- Cobb, M.A., 1975. Sampling and measurement of mound springs, Great Artesian Basin, South Australia; Progress report 2, Maree, Curdimurka and Billa Kalina sheets. Report Book 75/90. 112 p.p.
- Coblentz, D.D., Sandiford, M., Richardson, R.M., Zhou, S.H. and Hillis, R., 1995. The origins of the intraplate stress-field in continental Australia. *Earth and Planetary Science Letters*, 133(3-4): p.p. 299-309.
- Coblentz, D.D., Zhou, S.H., Hillis, R.R., Richardson, R.M. and Sandiford, M., 1998. Topography, boundary forces, and the Indo-Australian intraplate stress field. *Journal of Geophysical Research-Solid Earth*, 103(B1): p.p. 919-931.
- Cohen, B., 1989. European History. In: Zeider, W., Ponder, W.F. (Eds.), *Natural History of Dalhousie Springs*. South Australian Museum, Adelaide, p.p. 13-18.

- Collon, P., Kutschera, W., Loosli, H.H., Lehmann, B.E., Purtschert, R., Love, A., Sampson, L., Anthony, D., Cole, D., Davids, B., Morrissey, D.J., Sherrill, B.M., Steiner, M., Pardo, R.C. and Paul, M., 2000. Kr-81 in the Great Artesian Basin, Australia: a new method for dating very old groundwater. *Earth and Planetary Science Letters*, 182(1): p.p. 103-113.
- Costelloe, J., F., Grayson, R., B., McMahon, T., A., Argent, R., M., 2005. Spatial and temporal variability of water salinity in an ephemeral, arid-zone river, central Australia. *Hydrological Processes*, 19(16): p.p. 3147-3166.
- Costelloe, J.F., Irvine, E.C., Western, A.W., Herczeg, A.L., 2006. Quantifying near-surface, diffuse groundwater discharge in the south-west of the Great Artesian Basin, GAB Researchers Forum, Adelaide, p.p. 1-6.
- Costelloe, J.F., Irvine, E.C., Western, A.W., Herczeg, A.L., 2009. Groundwater recharge and discharge dynamics in an arid-zone ephemeral lake system, Australia. *Limnology and Oceanography*, 54(1): p.p. 86-100.
- Couwenberg, J., Dommain, R. and Joosten, H., 2010. Greenhouse gas fluxes from tropical peatlands in south-east Asia. *Global Change Biology*, 16(6): p.p. 1715-1732.
- Cowley, W.M. and Martin, A.R., 1991. Kingoonya 1:250,000 Map Sheet. Parker, A.J. (Editor). Adelaide, Department of Mines and Energy, South Australia: Geology.
- Craig, H. and Gordon, L.I., 1965. deuterium and oxygen 18 variations in the ocean and marine atmosphere. In: Tongiorgi, E. (Editor), *Stable Isotopes in Oceanographic Studies and Paleotemperatures*. Lab. Geologia Nucleare, Pisa, Italy, p.p. 9-130.

- Crombie, M.K., Arvidson, R.E., Sturchio, N.C., ElAlfy, Z. and AbuZeid, K., 1997. Age and isotopic constraints on Pleistocene pluvial episodes in the Western Desert, Egypt. *Palaeogeography Palaeoclimatology Palaeoecology*, 130(1-4): p.p. 337-355.
- Crossey, L.J., Fischer, T.P., Patchett, P.J., Karlstrom, K.E., Hilton, D.R., Newell, D.L., Huntoon, P., Reynolds, A.C. and de Leeuw, G.A.M., 2006. Dissected hydrologic system at the Grand Canyon: Interaction between deeply derived fluids and plateau aquifer waters in modern springs and travertine. *Geology*, 34(1): p.p. 25-28.
- Crossey, L.J., Karlstrom, K.E., Springer, A.E., Newell, D., Hilton, D.R. and Fischer, T., 2009. Degassing of mantle-derived CO₂ and He from springs in the southern Colorado Plateau region—Neotectonic connections and implications for groundwater systems. *Geological Society of America Bulletin*, 121(7-8): p.p. 1034-1053.
- Curewitz, D. and Karson, J.A., 1997. Structural settings of hydrothermal outflow: Fracture permeability maintained by fault propagation and interaction. *Journal of Volcanology and Geothermal Research*, 79(3-4): p.p. 149-168.
- Daly, S.J., Crooks, A.F., Benbow, M.C., Flint, R.B. and Forbes B.G., 1985. Tarcoola 1:250,000 Map Sheet. Forbes, B.G. and Johns, R.K. (Editors). Adelaide, Department of Mines and Energy, South Australia: Geology.

- Australian Government Department of the Environment, Water, Heritage and the Arts (DEWHA), 2011a. The community of native species dependent on natural discharge of groundwater from the Great Artesian Basin. Commonwealth Government of Australia, Canberra. From http://www.environment.gov.au/biodiversity/threatened/communities/gabspri_ngs.html
- DEWHA, 2011b. About the EPBC Act. Commonwealth Government of Australia, Canberra. From: <http://www.environment.gov.au/epbc/about/index.html>.
- Davidson, G.J., Bavea, M. and Harris, K., 2011. Ferruginous thermal spring complexes, northwest Tasmania: evidence that far-field stresses acting on a fracture mesh can open and maintain vertical flow in carbonate terrains. *Hydrogeology Journal*, 19(7): p.p. 1367-1386.
- Dias, R.P. and Cabral, J., 2002. Interpretation of recent structures in an area of cryptokarst evolution - neotectonic versus subsidence genesis. *Geodinamica Acta*, 15(4): p.p. 233-248.
- Dilsiz, C., Marques, J.M. and Carreira, P.M.M., 2004. The impact of hydrological changes on travertine deposits related to thermal springs in the Pamukkale area (SW Turkey). *Environmental Geology*, 45(6): p.p. 808-817.
- Drexel, J.F. and Preiss, W.V. (Editors), 1995. The geology of South Australia Volume 2 The Phanerozoic, 2. South Australia Department of Mines and Energy, Adelaide, 347 p.p.
- Drexel, J.F., Preiss, W.V. and Parker, A.J. (Editors), 1993. The geology of South Australia. Volume 1 The Precambrian, 1. South Australian Department of Mines and Energy, Adelaide, 242 p.p.

- Dreybrodt, W. and Buhmann, D., 1991. A Mass-Transfer Model for Dissolution and Precipitation of Calcite from Solutions in Turbulent Motion. *Chemical Geology*, 90(1-2): p.p. 107-122.
- Dreybrodt, W., Eisenlohr, L., Madry, B. and Ringer, S., 1997. Precipitation kinetics of calcite in the system CaCO₃-H₂O-CO₂: The conversion to CO₂ by the slow process H⁺+HCO₃⁻→CO₂+H₂O as a rate limiting step. *Geochimica Et Cosmochimica Acta*, 61(18): p.p. 3897-3904.
- Evans, J.E., 1999. Recognition and implications of Eocene tufas and travertines in the Chadron Formation, White River Group, Badlands of South Dakota. *Sedimentology*, 46(5): p.p. 771-789.
- Fatchen, T., 2001a. Competitive exclusions and dominance changeovers on mound springs after stocking. In: Halliday, L. (Editor), 4th Mound Spring Researchers Forum. Great Artesian Basin Co-ordinating Committee, Adelaide, South Australia, p.p. 9-15. From:
<http://www.gabcc.org.au/tools/getFile.aspx?tbl=tblContentItem&id=47>
- Fatchen, T., 2001b. Vegetated wetland areas as an index of mound spring flows. In: Halliday, L. (Editor), 4th Mound Spring Researchers Forum. Great Artesian Basin Co-ordinating Committee, Adelaide, South Australia, p.p. 5 - 8.
- Folk, R.L., 1974. Petrology of Sedimentary Rocks. Hemphill Publishing company, Austin, 185 p.p.
- Folk, R.L. and Chafetz, H.S., 1983. Pisoliths (pisoids) in Quaternary travertines of Tivoli, Italy. In: Peryt, T. (Editor), Coated Grains. Springer-Verlag, Berlin, p.p. 474-487.
- Forbes, B.G., 1961. Boring on mound springs near Coward Springs RB 651. Mining Review, Adelaide, 111: p.p. 145-149.

- Forbes, B.G., Coats, R.P., Webb, B.P. and Horwitz, R.C., 1965. Maree 1:250,000 Map Sheet. Parkin, L.W. and Barnes, T.A. (Editors). Adelaide, Department of Mines and Energy, South Australia: Geology.
- Forbes, M., Vogwill, R. and Onton, K., 2010. A characterisation of the coastal tufa deposits of south-west Western Australia. *Sedimentary Geology*, 232(1-2): p.p. 52-65.
- Ford, T.D. and Pedley, H.M., 1996. A review of tufa and travertine deposits of the world. *Earth-Science Reviews*, 41(3-4): p.p. 117-175.
- Freytag, I.B., 1966. Proposed Rock Units for Marine Lower Cretaceous Sediments in the Oodnadatta Region of the Great Artesian Basin. In: Geological Survey of South Australia, Quaterly Geological Notes, p.p. 3-7.
- Freytag, I. B., Heath, G.R. and Wopfner, H., 1967. Oodnadatta 1:250,000 Map Sheet. Parkin, L.W. and Barnes, T.A. (Editors). Adelaide, Department of Mines, South Australia: Geology.
- Friedman, G.M., 1959. Identification of carbonate minerals by staining method. *Journal of Sedimentary Petrology*, 29(1): p.p. 87-97.
- Gat, J.R., 1996. Oxygen and hydrogen isotopes in the hydrologic cycle. Annual Review of Earth and Planetary Sciences, 24: p.p. 225-262.
- Genereux, D.P. and Hemond, H.F., 1992. Determination of gas-exchange rate constants for a small stream on walker branch watershed, Tennessee. *Water Resources Research*, 28(9): p.p. 2365-2374.
- Geoscience Australia, 2008. GEODATA 9 Second Digital Elevation Model (DEM-9S) Version 3. Canberra. From: <http://ga.gov.au/>
- Geoscience Australia, 2009. Earthquakes @ Geoscience Australia. Canberra. From: <http://www.ga.gov.au/earthquakes>

- Geoscience Australia 2011, 'Sedimentary basins (National Geoscience Dataset)'. Canberra. From: <http://www.ga.gov.au/meta/ANZCW0703002381.html>
- Gibson, J.J., Edwards, T.W.D. and Prowse, T.D., 1999. Pan-derived isotopic composition of atmospheric water vapour and its variability in northern Canada. *Journal of Hydrology*, 217(1-2): p.p. 55-74.
- Giofiantini, R., 1986. Environmental isotopes in Lake studies. In: Fritz, P. and Fontes, J.C. (Editors), *Handbook of Environmental Isotope Geochemistry*. Volume 2: The Terrestrial Environment, B. Elsevier, Amsterdam, p.p. 113-168.
- Goldenfeld, N., Chan, P.Y. and Veysey, J., 2006. Dynamics of precipitation pattern formation at geothermal hot springs. *Physical Review Letters*, 96(25): 254501: p.p. 1-4
- González-Muñoz, M.T., Rodriguez-Navarro, C., Martínez-Ruiz, F., Arias J.A., Merroun, M.L. and Rodriguez-Gallego, M., 2010. Bacterial biomineralization: new insights from *Myxococcus*-induced mineral precipitation. In: Pedley, H.M. and Rogerson, M. (Editors) *Tufas and Speleothems. Unravelling the Microbial and Physical Controls*. Geological Society, London, Special Publications, 336, p.p. 31-50.
- Goulder, R., 1988. Epilithic bacteria in an acid and calcareous headstream. *Freshwater Biology*, 19: p.p. 405-416.
- Gradzinski, M., 2010. Factors controlling growth of modern tufa: results of a field experiment. In: Pedley, H.M. and Rogerson, M. (Editors) *Tufas and Speleothems. Unravelling the Microbial and Physical Controls*. Geological Society, London, Special Publications, 336, p.p. 143-191.

- Grohmann, C.H. and Campanha, G.A., 2010. OpenStereo: Open Source, Cross-Platform Software for Structural Geology Analysis, presented at 2010 Fall Meeting, American Geophysics Union (AGU). San Francisco, California, 13-17 December. From: <http://www.agu.org/meetings/fm10/>
- Gudmundsson, A., 2000. Active fault zones and groundwater flow. *Geophysical Research Letters*, 27(18): p.p. 2993-2996.
- Gudmundsson, A. and Brenner, S.L., 2001. How hydrofractures become arrested. *Terra Nova*, 13(6): p.p. 456-462.
- Gudmundsson, A., Fjeldskaar, I. and Brenner, S.L., 2002. Propagation pathways and fluid transport of hydrofractures in jointed and layered rocks in geothermal fields. *Journal of Volcanology and Geothermal Research*, 116(3-4): p.p. 257-278.
- Guo, L. and Riding, R., 1998. Hot-spring travertine facies and sequences, Late Pleistocene, Rapolano Terme, Italy. *Sedimentology*, 45(1): p.p. 163-180.
- Habermehl, M.A., 1980. The Great Artesian Basin, Australia. *BMR Journal of Geology and Geophysics* 5: p.p. 9-37.
- Habermehl, M.A., 1982. Springs in the Great Artesian Basin - their origin and nature. Report 235, Bureau of Mineral Resources, Geology and Geophysics. 50 p.p.
- Habermehl, M.A., 1986. Mound Spring deposits of the Great Artesian Basin, Earth Resources in time and space: 8th Geological Convention. Abstracts (Geological Society of Australia) no. 15. Peacock Publications, Flinders University, Adelaide, Australia, p.p. 90.
- Habermehl, M.A., 1989. Hydrogeology of the Great Artesian Basin. *Bureau of Mineral Resources*, 55(2): p.p. 115-117.

- Habermehl, M.A., 1990. Hydrogeology of the Great Artesian Basin - Study of flowing artesian springs and spring deposits. Bureau of Mineral Resources, 56: p.p. 65-67.
- Hagele, D., Leinfelder, R., Grau, J., Burmeister, E.G. and Struck, U., 2006. Oncoids from the river Alz (southern Germany): Tiny ecosystems in a phosphorus-limited environment. *Palaeogeography Palaeoclimatology Palaeoecology*, 237(2-4): p.p. 378-395.
- Halihan, T., Love, A., Keppel, M., Wolaver, B.D. and Berens, V., 2010, Electrical Resistivity Evaluation of South Australian Mound Springs, Geological Society of America North-Central/South-Central Joint Meeting, April 11-13, 2010, Branson, Missouri.
- Hamilton, S.K., Bunn, S.E., Thoms, M.C. and Marshall, J.C., 2005. Persistence of aquatic refugia between flow pulses in a dryland river system (Cooper Creek, Australia). *Limnology and Oceanography*, 50(3): p.p. 743-754.
- Hamilton, S.K., Sippel, S.J. and Melack, J.M., 1995. Oxygen depletion and carbon-dioxide and methane production in waters of the Pantanal wetland of Brazil. *Biogeochemistry*, 30(2): p.p. 115-141.
- Hammer, O., Dysthe, D.K., Jamtveit, B., 2007. The dynamics of travertine dams. *Earth and Planetary Science Letters*, 256(1-2): p.p. 258-263.
- Hammer, D.E. and Kadlec, R.H., 1986. A model for weyland surface-water dynamics. *Water Resources Research*, 22(13): p.p. 1951-1958.
- Hancock, P.L., Chalmers, R.M.L., Altunel, E. and Cakir, Z., 1999. Travitonics: using travertines in active fault studies. *Journal of Structural Geology*, 21(8-9): p.p. 903-916.

- Harris, C.R., 1989. Dalhousie springs - An Introduction. In: Zeider, W., Ponder, W.F. (Eds.), *Natural History of Dalhousie Springs*. South Australian Museum, Adelaide, p.p. 1-4.
- Heimann, A. and Sass, E., 1989. Travertines in the Northern Hula Valley, Israel. *Sedimentology*, 36(1): p.p. 95-108.
- Herczeg, A., and Love, A., (2007). Review of recharge mechanisms for the Great Artesian Basin. Report to the Great Artesian Basin Coordinating Committee under the auspices of a Consultancy Agreement: Commonwealth Dept. of Environment and Water Resources, Canberra. CSIRO Water for a Healthy Country National Research Flagship report. Adelaide: CSIRO, 62 p.p. From: <http://www.clw.csiro.au/publications/waterforahealthycountry/2007/wfhc-Great-Artesian-Basin-recharge-mechanisms.pdf>
- Herczeg, A.L., Torgersen, T., Chivas, A.R. and Habermehl, M.A., 1991. Geochemistry of Ground Waters from the Great Artesian Basin, Australia. *Journal of Hydrology*, 126(3-4): p.p. 225-245.
- Herman, J.S. and Lorah, M.M., 1987. CO₂ Outgassing and Calcite Precipitation in Falling Spring Creek, Virginia, USA. *Chemical Geology*, 62(3-4): p.p. 251-262.
- Hillis, R.R., Meyer, J.J. and Reynolds, S.D., 1998. The Australian Stress Map. *Exploration Geophysics*, 29(4): p.p. 420-427.
- Hillis, R.R. and Reynolds, S.D., 2000. The Australian stress map. *Journal of the Geological Society*, 157: p.p. 915-921.
- Holford, S.P., Hillis, R.R., Hand, M., Sandiford, M., 2011. Thermal weakening localizes intraplate deformation along the southern Australian continental margin. *Earth and Planetary Science Letters*, 305(1-2): p.p. 207-214.

- Holland, H.D., Kirsipu, T.V., Huebner, J.S. and Oxburgh, U.M., 1964. On Some Aspects of the Chemical Evolution of Cave Waters. *Journal of Geology*, 72: p.p. 36-67.
- Holmes, J.W., Williams, A.F., Hall, J.W. and Henscke, C.J., 1981. Measurements of discharges from some of the mound springs in the desert of northern South Australia. *Journal of Hydrology*, 49(3-4): p.p. 329-339.
- Homberg, C., Hu, J.C., Angelier, J., Bergerat, F. and Lacombe, O., 1997. Characterization of stress perturbations near major fault zones: Insights from 2-D distinct-element numerical modelling and field studies (Jura mountains). *Journal of Structural Geology*, 19(5): p.p. 703-718.
- Hori, M., Kawai, T., Matsuoka, J. and Kano, A., 2009. Intra-annual perturbations of stable isotopes in tufas: Effects of hydrological processes. *Geochimica et Cosmochimica Acta*, 73(6): p.p. 1684-1695.
- Horita, J. and Wesolowski, D.J., 1994. Liquid-vapor fractionation of oxygen and hydrogen isotopes of water from the freezing to the critical-temperature. *Geochimica et Cosmochimica Acta*, 58(16): p.p. 3425-3437.
- Howe, P.J., Baird, D.J. and Lyons, D.J., 2008. Hydrogeology of the Southeast Portion of the Arckaringa Basin and Southwest Portion of the Eromanga Basin, South Australia In: Lambert, M. Daniell, T.M. and Leonard, M. (Editors), Proceedings of Water Down Under 2008, Engineers Australia, Adelaide, SA, p.p. 573-585. From:
- <http://search.informit.com.au/documentSummary;dn=566137919732180;res=IELENG>

- Huntsman, S.A. and Sunda, W.G., 1980. The role of trace metals in regulating phytoplankton growth: with emphasis on Fe, Mn and Cu. In: Morris, I. (Editor), *The Physiological Ecology of Phytoplankton*. University of California Press, Berkeley, p.p. 285-328.
- Jack, R.L., 1923. The composition of the waters of the Great Australian Artesian Basin in South Australia and its significance. *Transactions of the Royal Society of South Australia*, p.p. 316-321.
- Jacobsen, R.L. and Usdowski, E., 1975. Geochemical controls on a calcite precipitating spring. *Contributions to Mineralogy and Petrology*, 51(1): p.p. 65-74.
- Jessup, R.W. and Norris, R.M., 1971. Cainozoic stratigraphy of the Lake Eyre Basin and part of the arid region lying to the south. *Journal of the Geological Society of Australia*, 18: p.p. 303-331.
- Jettestuen, E. et al., 2006. Growth and characterization of complex mineral surfaces. *Earth and Planetary Science Letters*, 249(1-2): p.p. 108-118.
- Johns, R.K., Hiern, M.N. and Nixon, L.G., 1966. Andamooka 1:250,000 Map Sheet. Parkin, L.W. and Barnes, T.A. (Editors). Adelaide, Department of Mines, South Australia: Geology.
- Jones, B., 2010. Microbes in caves: agents of calcite corrosion and precipitation. In: Pedley, H.M. and Rogerson, M. (Editors) *Tufas and Speleothems. Unravelling the Microbial and Physical Controls*. Geological Society, London, Special Publications: 336, p.p. 7-30.
- Jones, B. and Renaut, R.W., 2010. Calcareous Springs in Continental Settings. In: Alonso-Zarza A.M. and Tanner L.H. (Editors), *Carbonates in Continental Settings*. Elsevier, Amsterdam, p.p. 177-224.

- Jones, F.G. and Wilkinson, B.H., 1978. Structure and growth of Lacustrine Pisoliths from Recent Michigan Marl Lakes. *Journal of Sedimentary Petrology*, 48(4): p.p. 1103-1110.
- Kadlec, R.H., 1990. Overland-flow in wetlands - vegetation resistance. *Journal of Hydraulic Engineering-ASCE*, 116(5): p.p. 691-706.
- Kadlec, R.H., Hammer, D.E., Nam, I.S. and Wilkes, J.O., 1981. The hydrology of overland-flow in wetlands. *Chemical Engineering Communications*, 9(1-6): p.p. 331-344.
- Kadlec, R.H. and Wallace, S., 2009. *Treatment Wetlands*. CRC Press, Taylor and Francis Group, Boca Raton. 1016 p.p.
- Karlstrom, K.E., Keppel, M.N., Love, A.J. and Crossey, L., 2013. Chapter 4: Structural and Tectonic History. In: Keppel, M.N., Love, A.J., Karlstrom, K.E., Priestley, S. (Editors.), *Hydrogeological Framework of the Western Margin of the Great Artesian Basin, Australia*. National Water Commission, Canberra.
- Kandianis, M.T., Fouke, B.W., Johnson, R.W., Veysey, J. and Inskeep, W.P., 2008. Microbial biomass: A catalyst for CaCO_3 precipitation in advection-dominated transport regimes. *Geological Society of America Bulletin*, 120(3-4): p.p. 442-450.
- Kano, A., Kambayashi, T., Fujii, H., Matsuoka, J., Sakuma, K. and Ihara, T., 1999. Seasonal variation in water chemistry and hydrological conditions of tufa deposition of Shirokawa, Ehime Prefecture, southwestern Japan. *Journal of the Geological Society of Japan*, 105(4): p.p. 289-304.

- Keatings, K.W., Heaton, T.H.E. and Holmes, J.A., 2002. Carbon and oxygen isotope fractionation in non-marine ostracods: results from a ‘natural culture’ environment *Geochimica et Cosmochimica Acta* 66(10): p.p. 1701-1711.
- Kele, S., Demeny, A. Siklosy, Z., Nemeth, T., Toth, M. and Kovacs, M.B., 2008. Chemical and stable isotope composition of recent hot-water travertines and associated thermal waters, from Egerszalok, Hungary: Depositional facies and non-equilibrium fractionation. *Sedimentary Geology* 211(3-4): p.p. 53-72.
- Kellett, J., Veitch, S., McNaught, I. and van der Voort, A., 1999. Hydrogeological Assessment of a Region In Central Northern South Australia, BRS Australia, Canberra. 23 p.p. From:
http://www.ret.gov.au/resources/Documents/radioactive_waste/hydrogeological_assessment_of_a_region_1999.pdf
- Keppel, M., Clarke, J.D.A., Halihan, T., Love, A.J., Werner, A.D., 2010a. Geology and Hydrochemistry of Selected Mound Spring Environments, Lake Eyre South, South Australia. In: Roach, I. (Editor), First Australian Regolith Geoscientists Association Conference. Australian Regolith Geoscientists Association, Arkaroola, South Australia, p.p. 13.
- Keppel, M. Halihan, T., Love, A., Post, V., Werner, A. D., Clarke, J., 2013a. Chapter 3: Formation and evolution of mound springs. In: Love, A.J., Shand, P., Crossey, L.J., Harrington, G.A., Rousseau-Gueutin, P. (Eds.), *Groundwater Discharge of the Western Margin of the Great Artesian Basin, Australia*. 3. National Water Commission, Canberra.

- Keppel, M., Karlstrom, K., Love, A., Priestley, S., Wohling, D., De Ritter, S. (Eds.), 2013b. Hydrogeological Framework of the Western Great Artesian Basin, 1. National Water Commission, Canberra.
- Keppel, M.N., Clarke, J.D.A., Halihan, T., Love, A., Werner, A.D., 2010b. The hydrochemistry of selected mound spring environments, Lake Eyre South region, Great Artesian Basin, South Australia, Groundwater 2010. International Association of Hydrogeologists, National Convention Centre, Canberra.
- Keppel, M.N., Clarke, J.D.A., Halihan, T., Love, A.J., Werner, A.D., 2011. Mound springs in the arid Lake Eyre South region of South Australia: A new depositional tufa model and its controls. *Sedimentary Geology*, 240: p.p. 55-70.
- Keppel, M.N., Post, V., Werner, A. D., Love, A., Clarke, J., Halihan, T., 2012a. The use of water balance and carbonate reaction modelling to predict the initial formation of mound spring structures, central South Australia, International Association of Hydrogeologists 2012 Congress. International Association of Hydrogeologists, Niagra Falls, Canada.
- Keppel, M.N., Post, V.E.A., Love, A.J., Clarke, J.D.A., Werner, A.D., 2012b. Influences on the carbonate hydrochemistry of mound spring environments, Lake Eyre South region, South Australia. *Chemical Geology*, 296-297: p.p. 50-65.
- Kerr, R.C. and Turner, J.S., 1996. Crystallization and gravitationally controlled ponding during the formation of mound springs, terraces, and "black smoker" flanges. *Journal of Geophysical Research-Solid Earth*, 101(B11): p.p. 25125-25137.

- Kinhill Stearns, 1984. Olympic Dam Project Supplementary Environmental Studies: Mound Springs, Kinhill Stearns, Adelaide, SA. 119 p.p.
- Klee, G., Bunger, A., Meyer, G., Rummel, F. and Shen, B., 2011. In Situ Stresses in Borehole Blanche-1/South Australia Derived from Breakouts, Core Discing and Hydraulic Fracturing to 2 km Depth. *Rock Mechanics and Rock Engineering*, 44(5): p.p. 531-540.
- Kominkova, D., Kuehn, K.A., Busing, N., Steiner, D., and Gessner, M.O., 2000. Microbial biomass, growth, and respiration associated with submerged litter of *Phragmites australis* decomposing in a littoral reed stand of a large lake. *Aquatic Microbial Ecology* 22(3): p.p. 271-282.
- Kotwicki, V., 1986. Floods of Lake Eyre. South Australian Engineering and Water Supply Department. Adelaide: 99 p.p.
- Kotwicki, V. and Allan, R.J., 1998. La Niña de Australia - Contemporary and palaeohydrology of Lake Eyre. *Palaeogeography, Palaeoclimatology, Palaeoecology* 144: p.p. 265-280.
- Kotwicki, V. and Kundzewicz, Z.W., 1995. Hydrological uncertainty - floods of Lake Eyre. *New Uncertainty Concepts in Hydrology and Water Resources*. Kundzewicz, Z.W. (Editor) Cambridge, U.K., Cambridge University Press: p.p. 32-38.
- Krieg, G.W., 1989. Geology. In: Zeider, W., Ponder, W.F. (Eds.), *Natural History of Dalhousie Springs*. South Australian Museum, Adelaide, S.A., p.p. 19-26.
- Krieg, G.W., Barnes, L.C., Benbow, M.C., Callen, R.A., Crooks, A.F., Day, S.J., Firman, J.B., Forbes, B.G., Pitt, G.M., Rogers, P.A. and Williams, A.F., 1985. Dalhousie South Australia, Explanatory Notes : 1:250,000 Geological Series - Sheet SG/53-11. Adelaide, Geological Survey South Australia.

- Krieg, G.W., Alexander, E. and Rogers, P.A., 1995. Eromanga Basin. In: Drexel, J.F. and Preiss, W. (Editors), *The Geology of South Australia*. Geological Survey of South Australia, Adelaide, p.p. 101-105.
- Krieg, G.W., Rogers, P.A., Callen, R.A., Freeman, P.J., Alley, N.F., and Forbes, B.G., 1991. Curdimurka, South Australia, Explanatory Notes: 1:250,000 Geological Series - Sheet SH 53-8, Geological Survey South Australia, Adelaide.
- Lange, R.T. and Fatchen, T., (1990). Chapter 11: Vegetation. *Natural History of the North East Deserts*. M. J. Tyler, C. R. Twidale, M. Davies and C. B. Wells (Eds.). Adelaide, Royal Society of South Australia Inc.: p.p. 133-148.
- Langbein, J., Hill, D.P., Parker, T.N. and Wilkinson, S.K., 1993. An Episode of Reinflation of the Long Valley Caldera, Eastern California: 1989-1991. *Journal of Geophysical Research-Solid Earth*, 98(B9): p.p. 15851-15870.
- Langmuir, D., 1971. The geochemistry of some carbonate groundwaters in central Pennsylvania. *Geochimica et Cosmochimica Acta*, 35: p.p. 1023-1045.
- Lebron, I. and Suarez, D.L., 1996. Calcite nucleation and precipitation kinetics as affected by dissolved organic matter at 25 degrees C and pH>7.5. *Geochimica et Cosmochimica Acta*, 60(15): p.p. 2765-2776.
- Leckenby, R.J., Sanderson, D.J. and Lonergan, L., 2005. Estimating flow heterogeneity in natural fracture systems. *Journal of Volcanology and Geothermal Research*, 148(1-2): p.p. 116-129.
- Lee, Y.N., 2003. Calcite production by *Bacillus amyloliquefaciens* CMB01. *Journal of Microbiology*, 41(4): p.p. 345-348.

- Leek, 2002. Management of the Great Artesian Basin in South Australia - Looking Back, Looking Forward, GAB FEST 2002: A resource under pressure Great Artesian Basin Co-ordinating Committee, Toowoomba, Queensland. From: <http://www.gabcc.org.au/tools/getFile.aspx?tbl=tblContentItem&id=23>
- Lehmann, B.E., Love, A., Purtschert, R., Collon, P., Loosli, H. H., Kutschera, W., Beyerle, U., Aeschbach-Hertig, W., Kipfer, R., Frape, S. K., Herczeg, A., Moran, J., Tolstikhin, I. N. and Groning, M., 2003. A comparison of groundwater dating with ^{81}Kr , ^{36}Cl and ^4He in four wells of the Great Artesian Basin, Australia. *Earth and Planetary Science Letters*, 211(3-4): p.p. 237-250.
- Leonard, M., 2008. One hundred years of earthquake recording in Australia. *Bulletin of the Seismological Society of America*, 98(3): p.p. 1458-1470.
- Linares, R., Rosell, J., Roque, C. and Gutierrez, F., 2010. Origin and evolution of tufa mounds related to artesian karstic springs in Isona area (Pyrenees, NE Spain). *Geodynamica Acta*, 23(1-3): p.p. 129-150.
- Lindholm, R.C. and Finkelman, R.B., 1972. Calcite staining: Semiquantitative determination of ferrous iron. *Journal of Sedimentary Petrology*, 42(1): p.p. 239-242.
- Liu, Z.H., Li, Q., Sun, H.L., Liao, C.J., Li, H.J., Wang, J.L. and Wu, K.Y., 2006. Diurnal variations of hydrochemistry in a travertine-depositing stream at Baishuitai, Yunnan, SW China. *Aquatic Geochemistry*, 12(2): p.p. 103-121.
- Liu, Z.H., Liu, X.L. and Liao, C.J., 2008. Daytime deposition and nighttime dissolution of calcium carbonate controlled by submerged plants in a karst spring-fed pool: insights from high time-resolution monitoring of physico-chemistry of water. *Environmental Geology*, 55(6): p.p. 1159-1168.

- Liu, Z.H., Svensson, U., Dreybrodt, W., Yuan, D.X. and Buhmann, D., 1995. Hydrodynamic Control of Inorganic Calcite Precipitation in Huanglong Ravine, China - Field-Measurements and Theoretical Prediction of Deposition Rates. *Geochimica Et Cosmochimica Acta*, 59(15): p.p. 3087-3097.
- Longsworth, S.A., 1991. Measurement of stream reaeration at Pinal Creek, Arizona. In: Mallard, G. and Aronson, D. (Editors), USGS Toxic Substances Hydrology Program. US Geological Survey Water Resources Investigations Report. US Geological Survey, p.p. 492-497.
- Lorah, M.M. and Herman, J.S., 1988. The Chemical Evolution of a Travertine-Depositing Stream - Geochemical Processes and Mass-Transfer Reactions. *Water Resources Research*, 24(9): p.p. 1541-1552.
- Louden, K.E., 1995. Variations in crustal structure related to intraplate deformation - evidence from seismic-refraction and gravity profiles in the Central Indian Basin. *Geophysical Journal International*, 120(2): p.p. 375-392.
- Love, A., Crossey, L.J., Karlstrom, K., Hilton, D.R., Wolaver, B.D. and Rousseau-Gueutin, P., 2009. Toward a new paradigm for the Great Artesian Basin: Hydrologic mixing, partitioned sub-basins, and mantle influences on groundwater quality, The Geological Society of America, 2009 Annual Meeting and Exposition from Volcanoes to Vineyards: Living with Dynamic Landscapes. *Abstracts with Programs*, 41(7): p.p. 28
- Love, A.J., Herczeg, A.L., Sampson, L., Cresswell, R.G. and Fifield, L.K., 2000. Sources of chloride and implications for Cl-36 dating of old groundwater, southwestern Great Artesian Basin, Australia. *Water Resources Research*, 36(6): p.p. 1561-1574.

- Lu, G., Zheng, C., Donahoe, R.J. and Lyons, W.B., 2000. Controlling processes in a CaCO₃ precipitating stream in Huanglong Natural Scenic District, Sichuan, China. *Journal of Hydrology*, 230(1-2): p.p. 34-54.
- Mabbutt, J.A., 1977. *Desert Landforms. An Introduction to systematic Geomorphology*, 2. Australian National University Press, Canberra.
- Manga, M., Rowland, J.C., 2009. Response of Alum Rock springs to the October 30, 2007 Alum Rock earthquake and implications for the origin of increased discharge after earthquakes. *Geofluids*, 9(3): p.p. 37-250.
- Manga, M. and Wang, C.Y., 2007. Earthquake Hydrology. In: Schubert, G. (Editor), *Tretise on Geophysics*. Elsevier B.V., Amsterdam, p.p. 293-320.
- Martinez-Diaz, J.J., 2002. Stress field variation related to fault interaction in a reverse oblique-slip fault: the Alhama de Murcia fault, Betic Cordillera, Spain. *Tectonophysics*, 356(4): p.p. 291-305.
- Mavromatidis, A., 2008. Two layer model of lithospheric compression and uplift/exhumation in an intracratonic setting: an example from the Cooper-Eromanga Basins, Australia. *International Journal of Earth Sciences*, 97(3): p.p. 623-634.
- McCarthy, T.S., Mciver, J.R. and Verhagen, B.T., 1991. Groundwater Evolution, Chemical Sedimentation and Carbonate Brine Formation on an Island in the Okavango Delta Swamp, Botswana. *Applied Geochemistry*, 6(6): p.p. 577-595.
- McGannon, D.E., 1975. Primary fluvial oolites. *Journal of Sedimentary Petrology*, 45: p.p. 719-727.
- McKee, E.D. and Gutschick, R.C., 1969. History of Redwall Limestone of northern Arizona. Memoir, 114. Geological Society of America Boulder, Colorado.

- McMahon, T. Murphy, R., Little, P., Costelloe, J., Peel, M., Chiew, F., Hayes, S., Nathan, R. and Kandel, D., 2005. Hydrology of Lake Eyre Basin, Sinclair Knight Merz, Armadale.
- Merz-Preiss, M. and Riding, R., 1999. Cyanobacterial tufa calcification in two freshwater streams: ambient environment, chemical thresholds and biological processes. *Sedimentary Geology*, 126(1-4): p.p. 103-124.
- Meyer, H.J., 1984. The influence of impurities on the growth rate of calcite. *Journal of Crystal Growth* 66: p.p. 639–646.
- Miller, P.J., 1987. Affinities, origin and adaptive features of the Australian Desert Goby *Chamydogobius ereius* (Zeitz, 1896) (Teleostei: Gobiidae). *Journal of Natural History*, 21: p.p. 687-705.
- Miner, R.E., Nelson, S.T., Tingey, D.G. and Murreli, M.T., 2007. Using fossil spring deposits in the Death Valley region, USA to evaluate palaeoflowpaths. *Journal of Quaternary Science*, 22(4): p.p. 373-386.
- Minissale, A., 1991. Thermal Springs in Italy - Their Relation to Recent Tectonics. *Applied Geochemistry*, 6(2): p.p. 201-212.
- Mogi, K., Mochizuki, H. and Kurokawa, Y., 1989. Temperature-changes in an artesian spring at Usami in the Izu Peninsula (Japan) and their relation to earthquakes. *Tectonophysics*, 159(1-2): p.p. 95-108.
- Monty, C.L., 1981. Spongiostromate vs porostromate stromatolites and oncolites. In: Monty, C.L. (Editor), *Phanerozoic Stromatolites: case histories*. Springer-Verlag, Berlin, p.p. 1-4.
- Mudd, G.M., 2000. Mound Springs of the Great Artesian Basin in South Australia: a case study from Olympic Dam. *Environmental Geology*, 39(5): p.p. 463-476.

- Muir-Wood, R., 1993. Neohydrotectonics. In: Stewart, I., Vita-Finzi, C. and Owen, L. (Editors), International Conference on Neotectonics. Zeitschrift Geomorphologie Supplementband 94. Balogh Scientific Books, burlington House, London, p.p. 275-284.
- Muir-Wood, R. and King, G.C.P., 1993. Hydrological signature of earthquake strain. Journal of Geophysical Research-Solid Earth, 98(B12): p.p. 22035-22068.
- NASA, 2011. Procedure for ASTER GDEM Access and Download. From: <http://asterweb.jpl.nasa.gov/gdem-wist.asp>.
- Neal, C., Watts, C., Williams, R.J., Neal, M., Hill, L. and Wickham, H., 2002. Diurnal and longer term patterns in carbon dioxide and calcite saturation for the River Kennet, south-eastern England. Science of the Total Environment, 282: p.p. 205-231.
- Nelson, P., Manga, M., Bourke, M., and Clarke, J., 2007. A model for mound spring formation and evolution. 37th Lunar and Planetary Science Conference Houston, TX. From: <http://www.lpi.usra.edu/meetings/lpsc2007/pdf/2111.pdf>
- Nicoll, K., Giegengack, R. and Kleindienst, M., 1999. Petrogenesis of Artifact-Bearing Fossil Spring Tufa Deposits from Kharga Oasis, Egypt. Geoarchaeology, 14(8): p.p. 849-863.
- Northern Territory Government (NTG), 2011. Great Artesian Basin Water Allocation Planning Process: Resource Assessment and Technical Review. Draft Report. 01/2011D Northern Territory Government, Palmerston.
- Ollier, C.D., 1995. Tectonics and landscape evolution in southeast Australia. Geomorphology, 12(1): p.p. 37-44.

- Opfergelt, S., Eiriksdottir, E.S., Burton, K.W., Einarsson, A., Siebert, C., Gislason, S.R. and Halliday, A.N., 2011. Quantifying the impact of freshwater diatom productivity on silicon isotopes and silicon fluxes: Lake Myvatn, Iceland. *Earth and Planetary Science Letters* 305(1-2): p.p. 73-82.
- Ozkul, M., Gokgoz, A. and Horvatincic, N., 2010. Depositional properties and geochemistry of Holocene perched springline tufa deposits and associated spring waters: a case study from the Denizli Province, Western turkey. Geological Society, London, Special Publications, 336: p.p. 245-262.
- Parkhurst, D.L. and Appelo, C.A.J., 1999. User's guide to PHREEQC (version 2)-A computer program for speciation, batch-reaction, one-dimensional transport, and inverse geochemical calculations:. 99-4259, U.S. Geological Survey.
- Pedley, H.M., 1990. Classification and Environmental-Models of Cool Fresh-Water Tufas. *Sedimentary Geology*, 68(1-2): p.p. 143-154.
- Pedley, H.M. 1994. Prokaryote-Microphyte Biofilms and Tufas: A sedimentological Perspective. *Kaupia Darmstädter Beiträge zur Naturgeschichte*, 4: p.p. 45-60.
- Pedley, M., 1992. Fresh-Water (Phytoherm) Reefs - the Role of Biofilms and Their Bearing on Marine Reef Cementation. *Sedimentary Geology*, 79(1-4): p.p. 255-274.
- Pedley, M., 1987. The Flandrian (Quaternary) Caewys Tufa, North Wales: An ancient Barrage Tufa Deposit. *Proceedings of the Yorkshire Geological Society*, 46: p.p. 141-152.

- Pedley, M., Andrews, J., Ordonez, S., del Cura, M. A. G., Martin, J. A. G., and Taylor, D., 1996. Does climate control the morphological fabric of freshwater carbonates? A comparative study of Holocene barrage tufas from Spain and Britain. *Palaeogeography Palaeoclimatology Palaeoecology*, 121(3-4): p.p. 239-257.
- Pedley, M. and Hill, I., 2003. The recognition of barrage and paludal tufa systems by GPR: case studies in the geometry and correlation of Quaternary freshwater carbonates. In: Bristow, C.S. and Jol, H.H. (Editors) *Ground Penetrating Radar in Sediments*. Geological Society, London, Special Publications. 211: p.p. 207-223
- Pedley, M., Martin, J.A.G., Delgado, S.O. and Del Cura, M.G., 2003. Sedimentology of Quaternary perched springline and paludal tufas: criteria for recognition, with examples from Guadalajara Province, Spain. *Sedimentology*, 50(1): p.p. 23-44.
- Pedley, H.M. and Rogerson, M., 2010. In vitro investigations of the impact of different temperature and flow velocity conditions on tufa microfabric. In: Pedley, H.M. and Rogerson, M. (Editors) *Tufas and Speleothems. Unravelling the Microbial and Physical Controls*. Geological Society, London, Special Publications. 336: p.p. 193-201.
- Pedley, M., Rogerson, M. and Middleton, R., 2009. Freshwater calcite precipitates from in vitro mesocosm flume experiments: a case for biomediation of tufas. *Sedimentology*, 56(2): p.p. 511-527.
- Pentecost, A., 1988. Observations on Growth-Rates and Calcium-Carbonate Deposition in the Green-Alga Gongrosira. *New Phytologist*, 110(2): p.p. 249-253.

- Pentecost, A., 1992. Carbonate Chemistry of Surface Waters in a Temperate Karst Region - the Southern Yorkshire Dales, Uk. *Journal of Hydrology*, 139(1-4): p.p. 211-232.
- Pentecost, A., 1995. The Quaternary travertine deposits of Europe and Asia minor. *Quaternary Science Reviews*, 14(10): p.p. 1005-1028.
- Pentecost, A., 2005. Travertine. Springer-Verlag, Berlin.445 p.p.
- Pentecost, A. and Coletta, P., 2007. The role of photosynthesis and CO₂ evasion in travertine formation: a quantitative investigation at an important travertine-depositing hot spring, Le Zitelle, Lazio, Italy. *Journal of the Geological Society*, 164: p.p. 843-853.
- Pentecost, A. and Viles, H., 1994. A Review and Reassessment of Travertine Classification. *Geographie Physique Et Quaternaire*, 48(3): p.p. 305-314.
- Pitt, G.M. and Barnes, L.C., 1976. Murloocoppie. 1:250,000 Map Sheet, Thomson, B.P. (Editor). Adelaide, Department of Mines, South Australia: Geology.
- Plummer, L.N.W., Wigley, T.M.L. and Parkhurst, D.L., 1978. The kinetics of calcite dissolution in CO₂ - Water systems at 5° to 60° and 0.0 to 1.0 atm. *American Journal of Science*, 278: p.p. 179-216.
- Ponder, W.F., 1998. Mound Spring Molluscs - Current work in the Australian Museum. In: Niejalke, D. (Editor), 2nd Mound Spring Researchers Forum and Spring Management Workshop. Great Artesian Basin Co-ordinating Committee, Adelaide, South Australia, p.p. 23-24. From:
<http://www.gabcc.org.au/tools/getFile.aspx?tbl=tblContentItem&id=45>

- Ponder, W.F., 2002. Desert Springs of the Australian Great Artesian Basin. In: Sada, D.W. and Sharpe, S.E. (Editors), Conference Proceedings, Spring-fed Wetlands: Important Scientific and Cultural Resources of the Intermountain Region, May 7-9, 2002, Las Vegas, Nevada. From:
http://www.dri.edu/images/stories/conferences_and_workshops/spring-fed-wetlands/spring-fed-wetlands-ponder.pdf
- Pratt, B.R. and James, N.P., 1988. Early Ordovician thrombolite reefs, St. George Group, western Newfoundland. In: Geldsetzer, H.H.J., James, N.P. and Tebbutt, G.E. (Editors), Reefs, Canada and Adjacent Areas, Memoir 13. Canadian Society of Petroleum Geologists, p.p. 1231-1240.
- Preiss, W.V., 1987. The Adelaide Geosyncline - Late Proterozoic Stratigraphy, Sedimentation, Palaeontology and Tectonics. Adelaide, South Australian Geological Survey.
- Preiss, W.V., 2000. The Adelaide Geosyncline of South Australia and its significance in Neoproterozoic continental reconstruction. Precambrian Research 100(1-3): p.p. 21-63.
- Prescott, J.R. and Habermehl, M.A., 2008. Luminescence dating of spring mound deposits in the southwestern Great Artesian Basin, northern South Australia. Australian Journal of Earth Sciences, 55(2): p.p. 167-181.
- Priestley, S. Karlstrom, K.E., Love, A.J., Crossey, L.J., Polyak, V. and Asmerom, Y., (2012). Chapter 5: Paleodischarge inferred from U-series Dating of Spring Travertine Deposits. In: Love, A.J., Shand, P., Crossey, L.J., Harrington, G.A., Rousseau-Gueutin, P. (Eds.), Groundwater Discharge of the Western Great Artesian Basin, Australia. National Water Commission, Canberra.

- Quigley, M., Sandiford, M., Fifield, K. and Alimanovic, A., 2007. Bedrock erosion and relief production in the northern Flinders Ranges, Australia. *Earth Surface Processes and Landforms*, 32(6): p.p. 929-944.
- Quigley, M.C., Clark, D. and Sandiford, M., 2010. Tectonic geomorphology of Australia. In: Bishop, P., Pillans, B. (Eds.), *Australian Landscapes*. Geological Society, London, Special Publications, London, p.p. 243–265.
- Quigley, M.C., Cupper, M.L. and Sandiford, M., 2006. Quaternary faults of south-central Australia: palaeoseismicity, slip rates and origin. *Australian Journal of Earth Sciences*, 53(2): p.p. 285-301.
- Radke, B.M., 1990. Petrology of mound spring complexes, Curdimurka 1:250,000 Sheet Great Artesian Basin. Bureau of Mineral Resources, Canberra.
- Radke, B.M., Ferguson, J., Cresswell, R.G., Ransley, T.R. and Habermehl, M.A., 2000. Hydrochemistry and implied hydrodynamics of the Cadna-owie - Hooray Aquifer, Great Artesian Basin, Australia, Bureau of Rural Sciences, Canberra.
- Raich, J.W. and Schlesinger, W.H., 1992. The global carbon-dioxide flux in soil respiration and its relationship to vegetation and climate. *Tellus Series B-Chemical and Physical Meteorology*, 44(2): p.p. 81-99.
- Reeves, C.C.J., 1968. *Introduction to Paleolimnology*. Developments in Sedimentology, 11. Elsevier, Amsterdam.
- Reynolds, S.D., Coblenz, D.D. and Hillis, R.R., 2002., Tectonic forces controlling the regional intraplate stress field in continental Australia: Results from new finite element modeling. *Journal of Geophysical Research-Solid Earth*, 107(B7).

- Reynolds, S.D., Mildren, S.D., Hillis, R.R. and Meyer, J.J., 2006. Constraining stress magnitudes using petroleum exploration data in the Cooper-Eromanga Basins, Australia. *Tectonophysics*, 415(1-4): p.p. 123-140.
- Reynolds, S.D., Mildren, S.D., Hillis, R.R., Meyer, J.J. and Flottmann, T., 2005. Maximum horizontal stress orientations in the Cooper Basin, Australia: implications for plate-scale tectonics and local stress sources. *Geophysical Journal International*, 160(1): p.p. 331-343.
- Riding, R., 1979. Origin and diagenesis of lacustrine algal bioherms at the margin of the Riess Crater, Upper Miocene, southern Germany. *Sedimentology*, 26(5): p.p. 645-680.
- Riding, R., 2000. Microbial carbonates: the geological record of calcified bacterial-algal mats and biofilms. *Sedimentology*, 47: p.p. 179-214.
- Riedel, W., 1929. Zur Mechanik Geologischer Brucherscheinungen. *Zentral-blatt fur Mineralogie, Geologie und Paleontologie B*: p.p. 354–368.
- Rogers, P.A., Ambrose, G.J., Flint, R.B., Freeman, P.J., Abbot, P., Alley, N.F. Coats, R.P., Daly, S.J., Fairclough, M.C., Krieg, G.W., Morton, J.G.G., Preiss, W., and Belperio, A.P., 1996. Warrina 1:250,000 Map Sheet. Andrejewskis, A.J. (Editor). Adelaide, Department of Mines and Energy, South Australia: Geology.
- Rogers, P.A. and Freeman, P.J., 1994. Report Book 93/10, Explanatory Notes for the Warrina, South Australia, Explanatory Notes: 1:250,000 Geological Map. Geological Survey South Australia, Adelaide.
- Rojstaczer, S., Wolf, S. and Michel, R., 1995. Permeability enhancement in the shallow crust as a cause of earthquake-induced hydrological changes. *Nature*, 373(6511): p.p. 237-239.

- Rowland, J.C., Manga, M. and Rose, T.P., 2008. The influence of poorly interconnected fault zone flow paths on spring geochemistry. *Geofluids*, 8(2): p.p. 93-101.
- South Australian Arid Lands Natural Resources Management Board (SAAL NRMB), 2006. State of the Catchment Report, South Australia. 346 p.p. From: http://www.saalnrm.sa.gov.au/Portals/8/pdf/soc_part1.pdf
- SAAL NRMB, 2009. Water Allocation Plan for the Far North Prescribed Wells Area, South Australian Arid Lands Natural Resources Management Board, South Australia. 62 p.p. From: <http://www.saalnrm.sa.gov.au/Portals/8/pdf/WaterAllocationPlan.pdf>
- Sample, J.C. and Reid, M.R., 1998. Contrasting hydrogeologic regimes along strike-slip and thrust faults in the Oregon convergent margin: Evidence from the chemistry of syntectonic carbonate cements and veins. *Geological Society of America Bulletin*, 110(1): p.p. 48-59.
- Sandiford, M., 2007. The tilting continent: A new constraint on the dynamic topographic field from Australia. *Earth and Planetary Science Letters*, 261: p.p. 152-163.
- Sandiford, M. and Quigley, M., 2009. TOPO-OZ: Insights into the various modes of intraplate deformation in the Australian continent. *Tectonophysics*, 474(1-2): p.p. 405-416.
- Sandiford, M., Quigley, M., de Broekert, P. and Jakica, S., 2009. Tectonic framework for the Cenozoic cratonic basins of Australia. *Australian Journal of Earth Sciences*, 56: p.p. 5-18.

- Schultze- Lam, S. and Beveridge, T.J., 1994. Nucleation of Celestite and Strontianite on a Cyanobacterial S-Layer. *Applied and Environmental Microbiology* 60(2): p.p. 447-453.
- Seidel, G., 1980. Application of the GABHYD groundwater model of the Great Artesian Basin, Australia. *BMR Journal of Geology and Geophysics*, 5: p.p. 39-45.
- Senior, B.R., Habermehl, M.A., 1980. Structure, hydrodynamics and hydrocarbon potential, central Eromanga Basin, Queensland, Australia. *BMR Journal of Geology and Geophysics*, 5: p.p. 47-55.
- Seo, D.C. and DeLaune, R.D., 2010. Effect of redox conditions on bacterial and fungal biomass and carbon dioxide production in Louisiana coastal swamp forest sediment. *Science of the Total Environment*, 408(17): p.p. 3623-31.
- Shepherd, R.G., 1978. Underground water Resources of South Australia. Adelaide, Department of Mines and Energy, Geological Survey of South Australia. 48: p.p. 32-37.
- Shvartsev, S.L., Lepokurova, O.E., Kopylova, Y.G., 2007. Geochemical mechanisms of travertine formation from fresh waters in southern Siberia. *Russian Geology and Geophysics*, 48(8): p.p. 659-667.
- Silcock, J., 2010. Experiencing Waterholes in an Arid Environment, with Particular Reference to the Lake Eyre Basin, Australia: a Review. *Geographical Research* 48(4): p.p. 386-397.
- Simon Coincon, R., Milnes, A.R., Thiry, M. and Wright, M.J., 1996. Evolution of landscapes in northern South Australia in relation to the distribution and formation of silcretes. *Journal of the Geological Society* 153: p.p. 467-480.

- Song, S.R., Ku, W.Y., Chen, Y.L., Liu, C.M., Chen, H.F., Chan, P.S., Chen, Y.G., Yang, T.F., Chen, C.H., Liu, T.K. and Lee, M., 2006. Hydrogeochemical anomalies in the springs of the Chiayi area in west-central Taiwan as possible precursors to earthquakes. *Pure and Applied Geophysics*, 163(4): p.p. 675-691.
- Spiro, B. and Pentecost, A., 1991. One day in the life of a stream - a diurnal inorganic carbon mass balance for a travertine-depositing stream (Waterfall Beck, Yorkshire). *Geomicrobiology Journal*, 9(1): p.p. 1-11.
- Sprigg, R.C., 1957. The Great Artesian Basin in South Australia. *Journal of the Geological Society of Australia*, 5(2): p.p. 88-101.
- Stern, H., de Hoedt, G. and Ernst, J., 2000. Objective classification of Australian climates. *Australian Meteorological Magazine*, 49(2): p.p. 87-96.
- Stratford, C.J., McCartney, M.P. and Williams, R.J., 2004. Seasonal and diurnal hydro-chemical variations in a recreated reed bed. *Hydrology and Earth System Sciences*, 8(2): p.p. 266-275.
- Stuart, J.M., (1865). Exploration in Australia, the Journal of John McDouall Stuart. London, Saunders, Otley and Co.
- Symon, D.E., 1985. Botanical notes on mound springs and bores. In: Greenslade, J., Joseph, L. and Reeves, A. (Editors), *South Australia's Mound Springs*. Nature Conservation Society of South Australia, Adelaide, p.p. 27-43.

- Tap, P. and Niejalke, D., 1998. Invertebrates in Mound Spring: Results of a systematic survey between Maree and Oodnadatta, South Australia. In: Niejalke, D. (Editor), 2nd Mound Spring Researchers Forum and Spring Management Workshop. Great Artesian Basin Co-ordinating Committee, Adelaide, South Australia, p.p. 27-28. From:
<http://www.gabcc.org.au/tools/getFile.aspx?tbl=tblContentItem&id=45>
- Tetzlaff, G. and Bye, J.A.T., 1978. Water balance of Lake Eyre for the flooded period January 1974 - June 1976. Transactions of the Royal Society of Australia, 102: p.p. 91-96.
- Thomson, R. and Barnett, S., 1985. Geology, Geomorphology and Hydrogeology. In: Greenslade, J., Joseph, L. and Reeves, A. (Editors), South Australia's Mound Springs. Nature Conservation Society of South Australia inc, Adelaide, p.p. 3-26.
- Torgersen, T., 1994. Hydraulic Calculation of Groundwater-Flow Velocity and Age - Examination of the Basic Premises - Comment. Journal of Hydrology, 154(1-4): p.p. 403-408.
- Toupin, D., Eadington, P.J., Person, M., Morin, P., Wieck, J. and Warner, D., 1997. Petroleum Hydrogeology of the Cooper and Eromanga Basins, Australia: some insights from mathematical modeling and fluid inclusion data. AAPG Bulletin, 81(4): p.p. 577-603.
- Truesdell, A.H. and Jones, B.F., 1974. WATEQ, A computer program for calculating chemical equilibria of natural waters. Journal of Research, US Geological Survey, 2(2): p.p. 233-248.
- Tsihrintzis, V.A. and Madiedo, E.E., 2000. Hydraulic resistance determination in marsh wetlands. Water Resources Management, 14(4): p.p. 285-309.

- Tsivoglou, E.C., O'Connell, R.L., Walter, C.M., Godsil, P.J. and Logsdon, G.S., 1965. Tracer measurement of atmospheric reaeration. *Journal of the Water Pollution Control Federation*, 37: p.p. 1303-1362.
- Uysal, I.T. Feng, Y., Zhao, J., Isik, V., Nuriel, P., and Golding, S.D., 2009. Hydrothermal CO₂ degassing in seismically active zones during the late Quaternary. *Chemical Geology*, 265(3-4): p.p. 442-454.
- Valero Garces, B.L. Moreno, A., Navas, A., Mata, P., Machin, J., Huertas, A.D., Samperiz, P. G., Schwalb, A., Morellon, M., Cheng, H. and Edwards, R.L., 2008. The Taravilla lake and tufa deposits (Central Iberian Range, Spain) as palaeohydrological and palaeoclimatic indicators. *Palaeogeography Palaeoclimatology Palaeoecology*, 259(2-3): p.p. 136-156.
- Vazquez-Urbez, M. Arenas, C., Sancho, C., Osacar, C., Auque, L. and Pardo, G., 2010. Factors controlling present-day tufa dynamics in the Monasterio de Piedra Natural Park (Iberian Range, Spain): depositional environmental settings, sedimentation rates and hydrochemistry. *International Journal of Earth Sciences*, 99(5): p.p. 1027-1049.
- Viles, H.A. and Goudie, A.S., 1990. Reconnaissance Studies of the Tufa Deposits of the Napier Range, N.W. Australia. *Earth Surface Processes and Landforms*, 15(5): p.p. 425-443.
- Viles, H.A. and Pentecost, A., 2007. Tufa and Travertine. In: Nash, D.J.M. and McLaren, S.J. (Editors), *Chemical Sediments and Landscapes*. Blackwell Publishing Ltd, Malden, Massachusetts, p.p. 173-199.
- Viles, H.A., Taylor, M.P., Nicoll, K. and Neumann, S., 2007. Facies evidence of hydroclimatic regime shifts in tufa depositional sequences from the Naukluft Mountains, Namibia. *Sedimentary Geology*, 195(1-2): p.p. 39-53.

- Waclawik, V.G., 2006. Landscape evolution of the Umbum Creek Catchment, western Lake Eyre, central Australia, University of Adelaide, Adelaide.
- Waclawik, V.G., Lang, S.C. and Krapf, C.B.E., 2008. Fluvial response to tectonic activity in an intra-continental dryland setting: The Neales River, Lake Eyre, Central Australia. *Geomorphology*, 102(1): p.p. 179-188.
- Watterson, J., Walsh, J., Nicol, A., Nell, P.A.R. and Bretan, P.G., 2000. Geometry and origin of a polygonal fault system. *Journal of the Geological Society*, 157: p.p. 151-162.
- Welsh, W.D., 2000. GABFLOW: A steady state groundwater flow model of the Great Artesian Basin. Bureau of Rural Sciences, Canberra, ACT, p.p. 75.
- Whitaker, A.J., Glanville. H.D., English, P.M., Stewart, A.J., Retter, A.J., Connolly, D.P., Stewart, G.A. and Fisher, C.L., 2008 Surface geology of Australia 1:1,000,000 scale, South Australia - 1st edition [Digital Dataset]. Canberra: The Commonwealth of Australia, Geoscience Australia. From:
<http://www.ga.gov.au>
- Williams, A.F., 1973. Noolyeana 1:250,000 Map Sheet. Thomson, B.P. (Editor). Adelaide, Department of Mines, South Australia: Geology.
- Williams, A.F. and Holmes, J.W., 1978. A novel method of estimating the discharge of water from mound springs of the Great Artesian Basin, Central Australia. *Journal of Hydrology*, 38(3): p.p. 263-272.
- Williams, A.F. and Krieg, G.W., 1975. Lake Eyre 1:250,000 Map Sheet. Thomson, B.P. (Editor). Adelaide, Department of Mines, South Australia: Geology.

- Wohling, D., Fulton, S., Love, A., Dailey, M., Halihan, T., Berens, V., Purtschert, R., Shand, P., 2012. Chapter 4: Mountain system recharge. In: Wohling, D., Love, A., Fulton, S., Rousseau-Gueutin, P., De Ritter, S. (Eds.), *Groundwater Recharge, Hydrodynamics and Hydrochemistry of the Western Great Artesian Basin*. National Water Commission, Canberra.
- Wopfner, H., 1972. Depositional history and tectonics of South Australia Sedimentary Basins. Mineral Resources Review. Department of Mines, South Australia, 133: p.p. 32-50.
- Wopfner, H., Freytag, B. and Heath, G.R., 1970. Basal Jurassic-Cretaceous Rocks of the Western Great Artesian Basin, South Australia: Stratigraphy and Environment. *The American Association of Petroleum Geologists Bulletin*, 54(3): p.p. 383-416.
- Wopfner, H. and Twidale, C.R., 1967. Geomorphological History of the Lake Eyre Basin. In: Jennings, J.N. and Mabbutt, J.A. (Editors), *Landform Studies from Australia and New Guinea*. Australian National University Press, Canberra, p.p. 144-182.
- Wright, J.S., 2000. Tufa Accumulations in Ephemeral Streams: observations from the Kimberley, northwest Australia. *Australian Geographer*, 31(3): p.p. 333-347.
- Wright, V.P. and Platt, N.H., 1995. Seasonal Wetland Carbonate Sequences and Dynamic Catenas - a Reappraisal of Palustrine Limestones. *Sedimentary Geology*, 99(2): p.p. 65-71.
- Wright, V.P. and Tucker, M.E., 1991. *Calcrete*. International Association of Sedimentologists Reprint Series, 2. Blackwell Scientific Publications, Oxford U.K.

- Yechiel, Y. and Bein, A., 2002. Response of groundwater systems in the Dead Sea Rift Valley to the Nuweiba earthquake: Changes in head, water chemistry, and near-surface effects. *Journal of Geophysical Research-Solid Earth*, 107(B12): p.p. ETG (4-9)-(4-10).
- Yoshimura, K. Liu, Z., Cao, J., Yuan, D., Inokura, Y. and Noto, M., 2004. Deep source CO₂ in natural waters and its role in extensive tufa deposition in the Huanglong Ravines, Sichuan, China. *Chemical Geology*, 205(1-2): p.p. 141-153.
- Zhang, D.D., Zhang, Y.J., Zhu, A. and Cheng, X., 2001. Physical mechanisms of river waterfall tufa (travertine) formation. *Journal of Sedimentary Research*, 71(1): p.p. 205-216