REFERENCES

Adams MA, Attiwill PM (1984) Role of *Acacia* spp. in nutrient balance and cycling in regenerating *Eucalyptus regnans* F. Muell. forests. II* Field studies of acetylene reduction, Australian Journal of Botany, 32:217-223

Agehara S, Warncke DD (2005) Soil moisture and temperature effects on nitrogen release from organic nitrogen sources, Soil Science Society of America Journal, 69:1844-1855

Airey PL, Calf GE, Hartley PE, Roman D, Spragg WT (1974) Use of environmental isotopes and artificial tracers to study recharge to groundwater in the Burdekin Delta, Queensland. Paper presented at the Isotope Techniques in Groundwater Hydrology, International Atomic Energy Agency, Vienna, 11-15 March 1974

Alderman AR (1973) Southern aspect: An introductory view of South Australian geology, 158 pp, The South Australian Museum, Adelaide

Allen RG, Pereira LS, Raes D, Smith M (1998) Crop evapotranspiration: Guidelines for computing crop water requirements, 300 pp, Food and Agricultural Organization of the United Nations

Aller L, Bennett T, Lehr JH, Petty RJ, Hackett G (1987) DRASTIC - A standardised system for evaluating ground water pollution potential using hydrogeologic settings, 455 pp, U.S. Environmental Protection Agency

Allison GB (1988) A review of some of the physical, chemical and isotopic techniques available for estimating groundwater recharge. Paper presented at the Proceedings of the NATO Advanced Research Workshop on Estimation of Natural Groundwater Recharge, D. Reidel Publishing Company, Antalya, Turkey, 8-15 March 1987

Allison GB, Holmes JW (1973) The environmental tritium concentration of underground water and its hydrological interpretation, Journal of Hydrology, 19:131-143

Allison GB, Holmes JW, Hughes MW (1971) Tritium fallout in southern Australia and its hydrologic implications, Journal of Hydrology, 14:307-321

Allison GB, Holmes JW, Hughes MW (1973) An investigation of recharge to the northern Adelaide plains aquifers using environmental tritium, Journal of the Geological Society of Australia, 19:497-500

Allison GB, Holmes JW, Hughes MW (1975) The base flow of the Glenelg River derived from tritium concentrations, Australian Journal of Soil Research, 13:159-168

Allison GB, Hughes MW (1972) Comparison of recharge to groundwater under pasture and forest using environmental tritium, Journal of Hydrology, 17:81-95

Allison GB, Hughes MW (1974) Environmental tritium in the unsaturated zone: Estimation of recharge to an unconfined aquifer. Paper presented at the Isotope Techniques in Groundwater Hydrology, International Atomic Energy Agency, Vienna, 11-15 March 1974

Allison GB, Hughes MW (1975) The use of environmental tritium to estimate recharge to a South-Australian aquifer, Journal of Hydrology, 26:245-254

Allison GB, Hughes MW (1977) The history of tritium fallout in southern Australia as inferred from rainfall and wine samples, Earth and Planetary Science Letters, 36:334-340

Allison GB, Hughes MW (1978) The use of environmental chloride and tritium to estimate total recharge to an unconfined aquifer, Australian Journal of Soil Research, 16:181-195

Allison GB, Hughes MW (1983) The use of natural tracers as indicators of soil-water movement in a temperate semi-arid region, Journal of Hydrology, 60:157-173

Allison GB, Stone WJ, Hughes MW (1985) Recharge in karst and dune elements of a semi-arid landscape as indicated by natural isotopes and chloride, Journal of Hydrology, 76:1-25

Amberger A, Schmidt HL (1987) Natürliche isotopengehalte von nitrat als indikatoren für dessen herkunft, Geochimica et Cosmochimica Acta, 51:2699-2705

Anderson GC, Fillery IRP, Dolling PJ, Asseng S (1998) Nitrogen and water flows under pasture-wheat and lupin-wheat rotations in deep sands in Western Australia 1. Nitrogen fixation in legumes, net N

mineralisation, and utilisation of soil-derived nitrogen, Australian Journal of Agricultural Research, 49:329-343

Andersson KK, Hooper AB (1983) O_2 and H_2O are each the source of one O in NO_2^- produced from NH_3 by *Nitrosomonas*: ^{15}N-NMR evidence, FEBS Letters, 164:236-240

Antoine D, Thejomoorthy P, Napolean RE, Prabakar TG, Appaji Rao VN, Padmanabhan PN, Kathaperumal V (1993) Nitrite poisoning in cattle, Indian Veterinary Journal, 70:1172-1173

ANZECC, ARMCANZ (2000) Australian and New Zealand guidelines for fresh and marine water quality: Volume 2: Aquatic ecosystems - rationale and background Information (Chapter 8), 472 pp, Australian and New Zealand Environment and Conservation Council and Agriculture and Resource Management Council of Australia and New Zealand

ANZECC, ARMCANZ (2000) Australian guidelines for water quality monitoring and reporting, 252 pp, Australian and New Zealand Agriculture and Resource Management and the Environment and Conservation Council of Australia and New Zealand

APHA (1998) Standard methods for the examination of water and wastewater, American Public Health Association, Washington, DC

Aranibar JN, Anderson IC, Ringrose S, Macko SA (2003) Importance of nitrogen fixation in soil crusts of southern African arid ecosystems: acetylene reduction and stable isotope studies, Journal of Arid Environments, 54:345-358

Aravena R, Evans ML, Cherry JA (1993) Stable isotopes of oxygen and nitrogen in source identification of nitrate from septic systems, Ground Water, 31:180-186

Aravena R, Robertson WD (1998) Use of multiple isotope tracers to evaluate denitrification in ground water: Study of nitrate from a large-flux septic system plume, Ground Water, 36:975-982

Armstrong DW (1998) Using Groundwater Responses to Infer Recharge, 13 pp, CSIRO Publishing, Collingwood

Attiwill PM (1994) The disturbance of forest ecosystems: the ecological basis for conservative management, Forest Ecology and Management, 63:247-300

Attiwill PM, Adams MA (1993) Nutrient cycling in forests, New Phytology, 124:561-582

Bálint À, Heltai G, Nótás E, Tarr Z, Jung K (2002) Modelling of environmental impact of different N-sources in soil/atmosphere system, Microchemical Journal, 73:113-124

Bell S, Robson A (1999) Effect of nitrogen fertilization on growth, canopy density, and yield of *Vitis vinifera* L. cv. Cabernet Sauvignon, American Journal of Enology and Viticulture, 351-358

Bengtsson G, Bengtson P, Mansson F (2003) Gross nitrogen mineralization-, immobilization-, and nitrification rates as a function of soil C/N ratio and microbial activity, Soil Biology and Biochemistry, 35:143-154

Benyon RG, Doody TM (2004) Water use by tree plantations in south east South Australia, final report September 2004, 27 pp, CSIRO

Bergersen FJ, Turner GL (1983) An evaluation of ^{15}N methods for estimating nitrogen fixation in a subterranean clover-perennial ryegrass sward, Australian Journal of Agricultural Research, 34:391-401

Binks B (2000) 1999 Profile of the South East irrigation industry, 77 pp, Government of South Australia

Black AS, Waring SA (1977) The natural abundance of ^{15}N in the soil-water system of a small catchment area, Australian Journal of Soil Research, 15:51-57

Blackburn G (1959) The soils of county Grey, South Australia, 51 pp, CSIRO

Blackburn G (1964) The soils of counties Macdonnell and Robe, South Australia, 46 pp, CSIRO

Blackburn G (1983) Soils. In: Tyler MJ, Twidale CR, Ling JK Holmes JW (Eds.) Natural History of the South East. p 39-48, Royal Society of South Australia, Adelaide

Blackburn G, McLeod S (1983) Salinity of atmospheric precipitation in the Murray-Darling drainage division, Australia, Australian Journal of Soil Research, 21:411-434

BLMC (2006) Blue Lake Management Plan, 90 pp, South East Natural Resources Management Board

Boehm EW, Coombe BG (1995) Vineyard establishment. In: Coombe BG Dry PR (Eds.) Viticulture: Volume 2 Practices. p 23-41,

Böhlke JK (2002) Groundwater recharge and agricultural contamination, Hydrogeology Journal, 10:153-179

Böhlke JK, Denver JM (1995) Combined use of groundwater dating, chemical, and isotopic analyses to resolve the history and fate of nitrate contamination in two agricultural watersheds, Atlantic coastal plain, Maryland, Water Resources Research, 31:2319-2339

Böhlke JK, Ericksen GE, Revesz K (1997) Stable isotope evidence for an atmospheric origin of desert nitrate deposits in northern Chile and southern California, U.S.A., Chemical Geology, 136:135-152

Bolger P, Stevens M (1999) Contamination of Australian groundwater systems with nitrate, 134 pp, Land and Water Resources Research and Development Corporation

Bond W (1998) Soil Physical Methods for Estimating Recharge, 17 pp, CSIRO Publishing, Collingwood

Borah DK, Bera M (2003) Watershed-scale hydrologic and nonpoint-source pollution models: review of mathematical bases, Transactions of the American Society of Agricultural Engineers, 46:1553

Böttcher J, Strebel O, Voerkelius S, Schmidt HL (1990) Using isotope fractionation of nitrate-nitrogen and nitrate-oxygen for evaluation of microbial denitrification in a sandy aquifer, Journal of Hydrology, 114:413-424

Bouillet J, Laclau J, Arnaud M, M'Bou AT, Saint-André L, Jourdan C (2002) Changes with age in the spatial distribution of roots of *Eucalyptus* clone in Congo: Impact on water and nutrient uptake, Forest Ecology and Management, 171:43-57

Box GEP (1979) Robustness in the strategy of scientific model building. In: Launer RL Wilkinson GN (Eds.) Robustness in Statistics. p 296, Academic Press, New York

Bradbury JH (2000) Western Australian stygobiont amphipods (Crustacea: Paramelitidae) from the Mt Newman and Millstream regions, 102 pp, Western Australian Museum, Perth

Bradbury JH, Williams WD (1997) Amphipod (Crustacea) diversity in underground waters in Australia: An Aladdin's cave, Memoirs of the Museum of Victoria., 56:513-519

Bradley J, De Silva J, Foley G, Robinson M, Stadter F (1995) Five Year Technical Review 1991-1995 Border (Groundwater Agreement) Act 1985, Report Book 95/22, 167 pp, Government of South Australia

Brown K, Harrington G, Lawson J (2006) Review of groundwater resource condition and management principles for the Tertiary Limestone Aquifer in the South East of South Australia (Report 2006/02), 92 pp, Government of South Australia

Bruning-Fann CS, Kaneene JB (1993) The effects of nitrate, nitrite, and N-nitroso compounds on animal health, Veterinary and Human Toxicology, 35:237-253

Buhl KJ, Hamilton SJ (2000) Acute toxicity of fire-control chemicals, nitrogenous chemicals, and surfactants to Rainbow Trout, Transactions of the American Fisheries Society, 129:408-418

Burg A, Heaton THE (1998) The relationship between the nitrate concentration and hydrology of a small chalk spring; Israel, Journal of Hydrology, 204:68-82

Burns DA, Kendall C (2002) Analysis of $\delta^{15}N$ and $\delta^{18}O$ to differentiate NO_3^- source in runoff at two watersheds in the Catskill Mountains of New York, Water Resources Research, 38:[10.1029/2001WR000292]

Burritt EA, Provenza FD (2000) Role of toxins in intake of varied diets by sheep, Journal of Chemical Ecology, 26:1991-2005

Buzek F, Kadlecova R, Knezek M (2006) Model reconstruction of nitrate pollution of riverbank filtration using ^{15}N and ^{18}O data, Karany, Czech Republic, Applied Geochemistry, 21:656-674

Campbell DH, Kendall C, Chang CCY, Silva SR, Tonnessen KA (2002) Pathways for nitrate release from an alpine watershed: Determination using $\delta^{15}N$ and $\delta^{18}O$, Water Resources Research, 38:[10.1029/2001WR000294]

Canter LW (1997) Nitrates in groundwater, 263 pp, CRC Lewis, Boca Raton

Carlyle JC (1998) Relationships between nitrogen uptake, leaf area, water status and growth in an 11-year-old *Pinus radiata* plantation in response to thinning, thinning residue, and nitrogen fertiliser, Forest Ecology and Management, 108:41-55

Carrigan MJ, Gardner IA (1982) Nitrate poisoning in cattle fed sudax (*Sorghum* sp. Hybrid) hay, Australian Veterinary Journal, 59:155-156

Carruthers R, Latcham B, Pudney S (2006) Volumetric conversion in the South East of South Australia: Summary of the conversion model and associated conversion rates, 66 pp, Government of South Australia

Casciotti KL, Sigman DM, Galanter M, Böhlke JK, Hilkert A (2002) Measurement of the oxygen isotopic composition of nitrate in seawater and freshwater using the denitrifier method, Analytical Chemistry, 74:4905-4912

Ceplecha ZL, Waskom RM, Bauder TA, Sharkoff JL, Khosla R (2004) Vulnerability assessments of Colorado ground water to nitrate contamination, Water, Air, and Soil Pollution, 159:373-394

Cey EE, Rudolph DL, Aravena R, Parkin G (1999) Role of the riparian zone in controlling the distribution and fate of agricultural nitrogen near a small stream in southern Ontario, Journal of Contaminant Hydrology, 37:45-67

Chang CCY, Kendall C, Silva SR, Battaglin WA, Campbell DH (2002) Nitrate stable isotopes: tools for determining nitrate sources among different land uses in the Mississippi River Basin, Canadian Journal of Fisheries and Aquatic Sciences, 59:1874-1885

Changkakoti A, Lawrence CR (1999) Determination of nutrient sources to the Pirron Yallock Creek through a study of nitrogen isotopes, 27 pp, University of Melbourne, Parkville

Chapman J, Baker P, Wills S (2001) Winery wastewater handbook: production, impacts and management, 127 pp, Winetitles, Adelaide

Chen DJZ, MacQuarrie KTB (2005) Correlation of $\delta^{15}N$ and $\delta^{18}O$ in NO_3^- during denitrification in groundwater, Journal of Environmental Engineering and Science, 4:221-226

Choi W, Han G, Lee S, Lee G, Yoon K, Choi S, Ro H (2007) Impact of land-use types on nitrate concentrations and $\delta^{15}N$ in unconfined groundwater in rural areas of Korea, Agricultural Ecosystems and Environment, 120:259-268

Choi W, Ro H, Lee S (2003) Natural ^{15}N abundances of inorganic nitrogen in soil treated with fertilizer and compost under changing soil moisture regimes, Soil Biology and Biochemistry, 35:1289-1298

Choné X, Van Leeuwen C, Chéry P, Ribéreau-Gayon P (2001) Terroir influence on water status and nitrogen status of non-irrigated Cabernet Sauvignon (*Vitis vinifera*). Vegetative development, must and wine composition (example of a Medoc Top Estate vineyard, Saint Julien area, Bordeaux, 1997), South African Journal of Enology and Viticulture, 22:8-15

Clark ID, Fritz P (1997) Environmental isotopes in hydrogeology, 328 pp, Lewis Publishers, New York

Clewett JF, Clarkson NM, George DA, Ooi SH, Owens DT, Partridge IJ, Simpson GB (2003) Rainman StreamFlow, A comprehensive climate and streamflow analysis package on CD to assess seasonal forecast and manage climate risk, Department of Primary Industries, Queensland, Brisbane, Version 4.3

Cobb M, Brown K (2000) Water resource assessment: Comaum-Caroline Prescribed Wells Area for the South East Catchment Water Management Board, 52 pp, Government of South Australia

Colville JS, Holmes JW (1972) Water table fluctuations under forest and pasture in a karstic region of southern Australia, Journal of Hydrology, 17:61-80

Comly HH (1945) Cyanosis in infants caused by nitrates in well water, Journal of the American Medical Association, 129:112-116

Cook PG, Böhlke JK (2000) Determining timescales for groundwater flow and solute transport. In: Cook PG Herczeg AL (Eds.) Environmental tracers in subsurface hydrology. p 1-30, Kluwer Academic Publishers, Glen Osmond

Cook PG, Herczeg AL (1998) Groundwater chemical methods for recharge studies, 17 pp, CSIRO Publishing, Collingwood

Cook PG, Herczeg AL (2000) Environmental tracers in subsurface hydrology, 529 pp, Kluwer Academic Publishers, Glen Osmond

Coplen TB, Herczeg AL, Barnes C (2000) Isotope engineering - using stable isotopes of the water molecule to solve practical problems. In: Cook PG Herczeg AL (Eds.) Environmental tracers in subsurface hydrology. p 79-110, Kluwer Academic Publishers, Glen Osmond

Craig H (1961) Standard for reporting concentrations of deuterium and oxygen-18 in natural waters, Science, 133:1833-1834

CSIRO (2006) Australian Soil Resource Information System, www.asris.csiro.au, Cited August 2007

Dawson TE, Ehleringer JR (1998) Plants, isotopes and water use: A catchment-scale perspective. In: Kendall C McDonnell JJ (Eds.) Isotope tracers in catchment hydrology. p 165-202, Elsevier Science, Amsterdam

De Silva J (1994) Groundwater recharge assessment of zones 4A and 5A - Border Designated Area, 44 pp, Government of South Australia

Dear BS, Cocks PS, Peoples MB, Swan AD, Smith AB (1999) Nitrogen fixation by subterranean clover (*Trifolium subterraneum* L.) growing in pure culture and in mixtures with varying densities of lucerne (*Medicago sativa* L.) or phalaris (*Phalaris aquatica* L.), Australian Journal of Agricultural Research, 50:1047-1058

Deeb BS, Sloan KW (1975) Nitrates, nitrites, and health, 52 pp, Agricultural Experiment Station, Colleges of Agriculture and Veterinary Medicine, University of Illinois, Urbana-Champaign

Delwiche CC, Steyn PL (1970) Nitrogen isotope fractionation in soils and microbial reactions, Environmental Science and Technology, 4:929-935

Deutsch B, Mewes M, Liskow I, Voss M (2006) Quantification of diffuse nitrate inputs into a small river system using stable isotopes of oxygen and nitrogen in nitrate, Organic Geochemistry, 37:1333-1342

Devito KJ, Fitzgerald D, Hill AR, Aravena R (2000) Nitrate dynamics in relation to lithology and hydrologic flow path in a river riparian zone, Journal of Environmental Quality, 29:1075-1084

Di Berardino S, Caetano L, Converti A (2001) Characterization and anaerobic pretreatment of the effluent from a wine cooperative, Engineering in Life Sciences, 1:127-131

Dijkstra P, Ishizu A, Doucett R, Hart SC, Schwartz E, Menyailo OV, Hungate BA (2006) ^{13}C and ^{15}N natural abundance of the soil microbial biomass, Soil Biology and Biochemistry, 38:3257-3266

Dillon KS, Chanton JP, Smith LK (2007) Nitrogen sources and sinks in a wastewater impacted saline aquifer beneath the Florida Keys, USA, Estuarine, Coastal and Shelf Science, 73:148-164

Dillon P, Benyon R, Cook P, Hatton T, Marvanek S, Gillooly J (2001) Review of research on plantation forest water requirements in relation to groundwater resources in the Southeast of South Australia, 65 pp, CSIRO

Dillon P, Pakrou N, Barry K, Snow V (2000) Monitoring and modelling of leachate beneath a piggery effluent irrigation area, 142 pp, CSIRO

Dillon P, Schrale G, Emmett A, Schmidt L, Lawson J, Bleby T (1996) Wastewater irrigation at sites in southern Australia and the adequacy of guidelines for groundwater quality protection. Paper presented at the Land Application of Wastes in Australia and New Zealand: Research and Practice, CSIRO, Canberra, 29 September - 4 October 1996

Dillon PJ (1988) An evaluation of the sources of nitrate in groundwater near Mount Gambier, South Australia, 62 pp, CSIRO

Dillon PJ (1989) An analytical model of contaminant transport from diffuse sources in saturated porous media, Water Resources Research, 25:1208-1218

Dinçer T, Al-Mugrin A, Zimmermann U (1974) Study of the infiltration and recharge through the sand dunes in arid zones with special reference to the stable isotopes and thermonuclear tritium, Journal of Hydrology, 23:79-709

Dinçer T, Davis GH (1967) Some considerations on tritium dating and the estimates of tritium input function. Paper presented at the 8th Congress of the International Association of Hydrogeologist, IAH, Istanbul, 10-22 September 1967

Dinçer T, Davis GH (1984) Application of environmental isotope tracers to modeling in hydrology, Journal of Hydrology, 68:95-113

Doerfliger N, Zwahlen F (1998) Groundwater vulnerability mapping in karstic regions (ERIK), 56 pp, Swiss Agency for the Environment, Forests and Landscape

Dole M, Lane GA, Rudd DP, Zaukelies DA (1954) Isotopic composition of atmospheric oxygen and nitrogen, Geochimica et Cosmochimica Acta, 6:65-78

Doney SC, Glover DM, Jenkins WJ (1992) A model function of the global bomb tritium distribution in precipitation, 1960-1986, Journal of Geophysical Research, 97:5481-5492

Dorsch MM, Scragg RKR, McMichael AJ, Baghurst PA, Dyer KF (1984) Congenital malformations and maternal drinking water supply in rural South Australia: a case-control study, American Journal of Epidemiology, 199:473-486

Drexel JF, Preiss WV (1995) The geology of South Australia, Volume 2, The Phanerozoic, 347 pp, South Australia Geological Survey, Bulletin, 54

Drexel JF, Preiss WV, Parker AJ (1993) The geology of South Australia, Volume 1, The Precambrian, 242 pp, South Australia Geological Survey, Bulletin, 54

Duke HR, Smika DE, Heermann DF (1978) Ground-water contamination by fertilizer nitrogen, Journal of the Irrigation and Drainage Division, 104:283-291

Dunin FX (1970) Changes in water balance components with pasture management in south-eastern Australia, Journal of Hydrology, 10:90-102

Durka W, Schulze E, Gebauer G, Voerkellus S (1994) Effects of forest decline on uptake and leaching of deposited nitrate determined from ^{15}N and ^{18}O measurements, Nature, 372:765-767

DWLBC (2002) Soil Data Sheets (CD-ROM), Government of South Australia

DWLBC (2004) Land Use Mapping of South Australia; South East (CD-ROM), Government of South Australia

DWLBC (2004) South East Land Resource Information (CD-ROM), Government of South Australia

Egyed MN, Hanji V (1987) Factors contributing to recent outbreaks of acute nitrate poisoning in farm ruminants, Israel Journal of Veterinary Medicine, 43:50-55

Eisenbud M, Bennett B, Blanco RE, Compere EL, Goldberg E, Jacobs DG, Koranda J, Moghissi AA, Rust JH, Soldat JK (1978) Tritium in the environment - NCRP report No. 62. Paper presented at the Behaviour of tritium in the environment, International Atomic Energy Agency, San Francisco, 16-20 October 1978

Emmett AJ, Telfer AL (1994) Influence of karst hydrology on water quality management in southeast South Australia, Environmental Geology, 23:149-155

Emmett BA, Kjønaas OJ, Gundersen P, Koopmans C, Tietema A, Sleep D (1998) Natural abundance of ^{15}N in forests across a nitrogen deposition gradient, Forest Ecology and Management, 101:9-18

Environment Protection (Water Quality) Policy (2003) Government of South Australia

ESRI (2002) ArcMap, ESRI Australia, v8.3

Evans EA (1974) Tritium and its compounds, 822 pp, Butterworth & Co (Publishers) Ltd, London

Exner ME, Spalding RF (1990) Occurence of pesticides and nitrate in Nebraska's ground water, 34 pp, Water Center, Institute of Agriculture and Natural Resources, The University of Nebraska, Lincoln

Fan AM, Steinberg VE (1996) Health implications of nitrate and nitrite in drinking water: An update on methemoglobinemia occurrence and reproductive and developmental toxicity, Regulatory Toxicology and Pharmacology, 23:35-43

Fan AM, Willhite CC, Book SA (1987) Evaluation of the nitrate drinking water standard with reference to infant methemoglobinemia and potential reproductive toxicity, Regulatory Toxicology and Pharmacology, 7:135-148

Feast NA, Hiscock KM, Dennis PF, Andrews JN (1998) Nitrogen isotope hydrochemistry and denitrification within the Chalk aquifer system of north Norfolk, UK, Journal of Hydrology, 211:233-252

Field A (2005) Discovering Statistics Using SPSS, 799 pp, SAGE Publishing, London

Fogg GE, Rolston DE, Decker DL, Louie DT, Grismer ME (1998) Spatial variation in nitrogen isotope values beneath nitrate contamination sources, Ground Water, 36:418-426

Forrester DI, Bauhus J, Cowie AL, Vanclay JK (2006) Mixed-species plantations of *Eucalyptus* with nitrogen-fixing trees: A review, Forest Ecology and Management, 233:211-230

Fukada T, Hiscock KM, Dennis PF (2004) A dual-isotope approach to the nitrogen hydrochemistry of an urban aquifer, Applied Geochemistry, 19:709-719

Fukada T, Hiscock KM, Dennis PF, Grischek T (2003) A dual isotope approach to identify denitrification in groundwater at a river-bank infiltration site, Water Research, 37:3070-3078

GHD (2005) Burial of livestock in shallow pits in the lower south east - assessment of groundwater impact (Consultancy report), 97 pp, Government of South Australia, Adelaide

Girard P, Hillaire-Marcel C (1997) Determining the source of nitrate pollution in the Niger discontinuous aquifers using natural $^{15}N/^{14}N$ ratios, Journal of Hydrology, 199:239-251

Greene EA, LaMotte AE, Cullinan K (2005) Ground-water vulnerability to nitrate contamination at multiple thresholds in the mid-Atlantic region using spatial probability models, 24 pp, USGS

Grierson PF, Adams MA (1999) Nutrient cycling and growth in forest ecosystems of south western Australia, Agroforestry Systems, 45:215-244

Guo R, Silsbury JH, Graham RD (1992) Effect of four nitrogen compounds on nodulation and nitrogen fixation in Faba Beans, White Lupin and Medic plants, Australian Journal of Plant Physiology, 19:501-508

Gupta SK, Gupta RC, Gupta AB, Seth AK, Bassin JK, Gupta A (2000) Recurrent acute respiratory tract infections in areas with high nitrate concentrations in drinking water, Environmental Health Perspectives, 108:363-366

Gupta SK, Gupta RC, Gupta AB, Seth AK, Bassin JK, Gupta A, Sharma ML (2001) Recurrent diarrhoea in children living in areas with high levels of nitrate in drinking water, Archives of Environmental Health, 56:369-373

Hales HC, Ross DS, Lini A (2007) Isotopic signature of nitrate in two contrasting watersheds of Brush Brook, Vermont, USA, Biogeochemistry, 84:51-66

Hallberg GR, Keeney DR (1993) Nitrate. In: Alley WM (Ed.)) Regional ground-water quality. p 297-322, Van Nostrand Reinhold, New York

Hamilton RP, Coombe BG (1998) Harvesting of Winegrapes. In: Coombe BG Dry PR (Eds.) Viticulture: Volume 2 practices. p 302-327, Winetitles, Adelaide

Hantzsche NN, Finnemore EJ (1992) Predicting ground-water nitrate-nitrogen impacts, Ground Water, 30:490-499

Harrington GA (1999) Recharge Mechanisms and Chemical Evolution in an Arid Groundwater System, Central Australia. PhD, Flinders University, Adelaide

Harris WK (1964) A reinterpretation of the stratigraphy of the Comaum No. 2 bore, South Australia, 11 pp, Government of South Australia

Harris WK (1983) Geology. In: Tyler MJ, Twidale CR, Ling JK Holmes JW (Eds.) Natural History of the South East. p 1-6, Royal Society of South Australia, Adelaide

Harvey P (1975) A survey of groundwater pollution in the Coonawarra viticultural area, 21 pp, Government of South Australia

Harvey PD (1979) Water quality management in the south-east of South Australia. MSc, University of Adelaide, Adelaide

Harvey PD (1983) Groundwater pollution relating to land use in a karst area. Paper presented at the International Conference on Groundwater and Management, Department of Resources and Energy, Australian Water Resources Council, Sydney,

Heaton THE (1986) Isotopic studies of nitrogen pollution in the hydrosphere and atmosphere: A review, Chemical Geology (Isotope Geoscience Section), 59:87-102

Helsel DR (1990) Less than obvious: Statistical treatment of data below the detection limit, Environmental Science and Technology, 24:1767-1774

Herczeg AL, Leaney FWJ, Stadter MF, Allan GL, Fifield LK (1997) Chemical and isotopic indicators of point-source recharge to a karst aquifer, South Australia, Journal of Hydrology, 192:271-299

Hill MJ (1991) Nitrates and nitrites from food and water in relation to human disease. In: Hill M (Ed.)) Nitrates and Nitrites in food and water. p 163-193, Ellis Horwood, New York

Hoefs J (2004) Stable isotope geochemistry, 244 pp, Springer-Verlag, Berlin

Högberg P (1997) ^{15}N natural abundance in soil-plant systems, New Phytology, 137:179-203

Holmes JW, Waterhouse JD (1983) Hydrology. In: Tyler MJ, Twidale CR, Ling JK Holmes JW (Eds.) Natural History of the South East. p 49-60, Royal Society of South Australia, Adelaide

Holsinger JR (1993) Biodiversity of subterranean amphipod crustaceans: global patterns and zoogeographic implications, Journal of Natural History, 27:821-835

Hübner H (1986) Isotopic effects of nitrogen in the soil and biosphere. In: Fritz P Fontes JC (Eds.) Handbook of environmental isotope geochemistry: The terrestrial environment. p 361-425, Elsevier, New York

Hutson JL (2003) LEACHM (Leaching Estimation and Chemistry Model): A process-based model of water and solute movement, transformations, plant uptake and chemical reactions in the unsaturated zone. Version 4. Research Series No. R03-1, Department of Crop and Soil Sciences, (May 2005 revision). 135 pp, Cornell University, Ithaca, New York

Hutson JL, Wagenet RJ (1991) Simulating nitrogen dynamics in soils using a deterministic model, Soil Use and Management, 7:74-78

IAEA/WMO (2004) Global Network of Isotopes in Precipitation: the GNIP database. International Atomic Energy Agency, http://isohis.iaea.org, Cited August 2006

Ingraham NL (1998) Isotopic variations in precipitation. In: Kendall C McDonnell JJ (Eds.) Isotope tracers in catchment hydrology. p 87-118, Elsevier Science, Amsterdam

Iqbal MZ, Krothe NC, Spalding RF (1997) Nitrogen isotope indicators of seasonal source variability to groundwater, Environmental Geology, 32:210-218

Johns MW, Lawrence CR (1973) Nitrate-rich groundwater in Australia: A possible cause of methæoglobinæmia in infants, Medical Journal of Australia, 2:925-927

Junk G, Svec HJ (1958) The absolute abundance of the nitrogen isotopes in the atmosphere and compressed gas from various sources, Geochimica et Cosmochimica Acta, 14:234-243

Kaplan N, Magaritz M (1986) A nitrogen-isotope study of the sources of nitrate contamination in groundwater of the Pleistocene Coastal Plain aquifer, Israel, Water Research, 20:131-135

Karr JD, Showers WJ, Jennings GD (2003) Low-level nitrate export from confined dairy farming detected in North Carolina streams using $\delta^{15}N$, Agriculture, Ecosystems and Environment, 95:103-110

Keeney DR (1986) Sources of nitrate to ground water, CRC Critical Reviews in Environmental Control, 16:257-304

Keeney DR (1989) Sources of nitrate to ground water. In: Follett RF (Ed.)) Nitrogen Management and Ground Water Protection. p 23-34, Elsevier, Amsterdam

Keith LH (1991) Environmental sampling and analysis: a practical guide, 129 pp, Lewis Publishers, Chelsea

Kellman L, Hillaire-Marcel C (1998) Nitrate cycling in streams: using natural abundances of NO_3^--$\delta^{15}N$ to measure *in-situ* denitrification, Biogeochemistry, 43:273-292

Kendall C (1998) Tracing nitrogen sources and cycles in catchments. In: Kendall C McDonnell JJ (Eds.) Isotope tracers in catchment hydrology. p 519-576, Elsevier, Amsterdam

Kendall C, Aravena R (2000) Nitrate isotopes in groundwater systems. In: Cook PG Herczeg AL (Eds.) Environmental tracers in subsurface hydrology. p 261-297, Kluwer Academic Publishers, Boston

Kendall C, Caldwell EA (1998) Fundamentals of isotope geochemistry. In: Kendall C McDonnell JJ (Eds.) Isotope tracers in catchment hydrology. p 51-86, Elsevier Science, Amsterdam

Kendall C, McDonnell JJ (1998) Isotopic tracers in catchment hydrology, 839 pp, Elsevier, Amsterdam

Kitchen NR, Blanchard PE, Hughes DF, Lerch RN (1997) Impact of historical and current farming systems on groundwater nitrate in Northern Missouri, Journal of Soil and Water Conservation, 52:272-277

Kjønaas JO, Wright RF (2007) Use of ^{15}N-labelled nitrogen deposition to quantify the source of nitrogen in runoff at a coniferous-forested catchment at Gårdsjön, Sweden, Environmental Pollution, 147:791-799

Kneeling JL (1983a) Comaum sand deposit report no. 1: Reconnaissance auger drilling 1981-2 and survey of existing pits, 69 pp, Government of South Australia

Kneeling JL (1983b) Comaum sand deposit report no. 2: Assessment of construction sand resource sections 358 and 273, Hundred Comaum, 142 pp, Government of South Australia

Knight MS, Tuckwell SB (1988) Controlling nitrate leaching in water supply catchments, Journal of the Institution of Water and Environmental Management, 2:248-252

Knobeloch L, Krenz K, Anderson H, Hovell C (1993) Methemoglobinemia in an infant - Wisconsin, 1992, Morbidity and Mortality Weekly Report, 42:217-219

Knobeloch L, Salna B, Hogan A, Postle J, Anderson H (2000) Blue babies and nitrate-contaminated well water, Environmental Health Perspectives, 108:675-678

Knott SG (1971) Nitrite poisoning in livestock, Queensland Agricultural Journal, 97:485-489

Koba K, Tokuchi N, Wada E, Nakajima T, Iwatsubo G (1997) Intermittent denitrification: the application of a ^{15}N natural abundance method to a forested ecosystem, Geochimica et Cosmochimica Acta, 61:2043-5050

Kolenbrander GJ (1977) Nitrogen in organic matter and fertilizer as a source of pollution, Progress in Water Technology, 8:67-84

Krapac IG, Dey WS, Roy WR, Smyth CA, Storment E, Sargent SL, Steele JD (2002) Impacts of swine manure pits on groundwater quality, Environmental Pollution, 120:475-492

Kreitler CW (1979) Nitrogen-isotope ratio studies of soils and groundwater nitrate from alluvial fan aquifers in Texas, Journal of Hydrology, 42:147-170

Kreitler CW, Jones DC (1975) Natural soil nitrate: The cause of the nitrate contamination of groundwater in Runnels County, Texas, Ground Water, 13:53-61

Kumar S, Nicholas DJD, Williams EH (1983) Definitive ^{15}N NMR evidence that water serves as a source of 'O' during nitrite oxidation by *Nitrobacter agilis*, FEBS Letters, 152:71-74

L'hirondel J, L'hirondel JL (2002) Nitrate and man: toxic, harmless or beneficial? 168 pp, CABI Publishing, New York

Laidlaw AS, Christie P, Lee HW (1996) Effect of white clover cultivar on apparent transfer of nitrogen from clover to grass and estimation of relative turnover rates of nitrogen in roots, Plant and Soil, 179:243-253

Laut P, Heyligers PC, Keig G, Löffler E, Margules C, Scott RM, Sullivan ME (1977) Environments of South Australia: province 1 south east, 126 pp, CSIRO

Lawrence CR (1983) Nitrate-rich groundwaters of Australia, 47 pp, Australian Water Resource Council

Leaney FW, Allison GB (1986) Carbon-14 and stable isotope data for an area in the Murray Basin: its use in estimating recharge, Journal of Hydrology, 88:129-145

Leaney FW, Herczeg AL (1995) Regional recharge to a karst aquifer estimated from chemical and isotopic composition of diffuse and localised recharge, South Australia, Journal of Hydrology, 164:363-387

Leaney FWJ, Allison GB, Dighton JC, Trumbore S (1995) The age and hydrological history of Blue Lake, South Australia, Palaeogeography, Palaeoclimatology, Palaeoecology, 118:111-130

Ledgard SF, Simpson JR, Freney JR, Bergersen FJ (1985) Field evaluation of ^{15}N techniques for estimating nitrogen fixation in legume-grass associations, Australian Journal of Agricultural Research, 36:247-258

Létolle R (1980) Nitrogen-15 in the natural environment. In: Fritz P Fontes JC (Eds.) Handbook of environmental isotope geochemistry: The terrestrial environment. p 407-433, Elsevier, New York

Lindau CW, Spalding RF (1984) Major procedural discrepancies in soil extracted nitrate levels and nitrogen isotopic values, Ground Water, 22:273-278

Lindsay EA, French K (2005) Litterfall and nitrogen cycling following invasion by *Chrysanthemoides monilifera* ssp. *rotundata* in coastal Australia, Journal of Applied Ecology, 42:556-566

Love AJ, Armstrong D, Stadter F (1994) Otway Basin hydrogeological investigation: phase 2 groundwater residence times, 33 pp, Government of South Australia

Love AJ, Armstrong D, Stadter MH (1992) Otway Basin hydrogeological investigation: phase 1 groundwater flow systems, 51 pp, Government of South Australia

Love AJ, Herczeg AL, Armstrong D, Stadter F, Mazor E (1993) Groundwater flow regime within the Gambier Embayment of the Otway Basin, Australia: evidence from hydraulics and hydrochemistry, Journal of Hydrology, 143:297-338

Love AJ, Herczeg AL, Leaney FW, Stadter MF, Dighton JC, Armstrong D (1994) Groundwater residence time and palaeohydrology in the Otway Basin, South Australia: ^{2}H, ^{18}O and ^{14}C data, Journal of Hydrology, 153:157-187

Lucas LL, Unterweger MP (2000) Comprehensive review and critical evaluation of half-life of tritium, Journal of Research of the National Institute of Standards and Technology, 105:541-549

Ludbrook NH (1961) Oil development N.L. Penola No.1 well, subsurface stratigraphy and micropalaeontological study, 10 pp, Government of South Australia

Ludbrook NH (1961) Stratigraphy of the Murray Basin in South Australia, 94 pp, Government of South Australia

Ludbrook NH (1971) Stratigraphy and correlation of marine sediments in the western part of the Gambier Embayment. In: Wopfner H Douglas JG (Eds.) The Otway Basin of southeastern Australia. p 47-66, Geological Survey of South Australia, Adelaide

Lynch DH, Voroney RP, Warman PR (2006) Use of 13C and 15N natural abundance techniques to characterize carbon and nitrogen dynamics in composting and in comport-amended soils, Soil Biology and Biochemistry, 38:103-114

MacDonald CA, Menzies NW, Dart P, Bigwood RC (2004) Nitrogen balance for an agroforestry system irrigated with a saline, high nitrogen effluent. Paper presented at the SuperSoil 2004: 3rd Australian New Zealand Soils Conference, Sydney, 5-9 December 2004

MacKenzie GA (1980) Hundred of Comaum water well survey, 11 pp, Government of South Australia

MacKenzie GA, Stadter MF (1981) South East water resources Coonawarra groundwater investigation progress report No. 1, 31 pp, Government of South Australia

Madison JF (1996) Convert, www.joshmadison.com, v4.10

MAFF (1992) Nitrate, nitrite and N-nitroso compounds in food: second report, 67 pp, HMSO Publishing

Manning AH, Solomon DK, Thiros SA (2005) $^{3}H/^{3}He$ age data in assessing the susceptibility of wells to contamination, Ground Water, 43:353-367

Marco A, Quilchano C, Blaustein AR (1999) Sensitivity to nitrate and nitrite in pond-breeding amphibians from the Pacific Northwest, USA, Environmental Toxicology and Chemistry, 18:2836-2839

Mariotti A, Landreau A, Simon B (1988) ^{15}N isotope biogeochemistry and natural denitrification process in groundwater: application to the chalk aquifer of northern France, Geochimica et Cosmochimica Acta, 52:1869-1878

Mariotti A, Pierre D, Vedy JC, Bruckert S, Guillemot J (1980) The abundance of natural nitrogen 15 in the organic matter of soils along an altitudinal gradient (Chablias, Haute Savoie, France), Catena, 7:293-300

Marrett DJ, Khattak RA, Elseewi AA, Page AL (1990) Elevated nitrate levels in soils of the Eastern Mojave Desert, Journal of Environmental Quality, 19:658-663

Mayer B, Bollwerk SM, Mansfeldt T, Hütter B, Veizer J (2001) The oxygen isotope composition of nitrate generated by nitrification in acid forest floors, Geochimica et Cosmochimica Acta, 65:2743-2756

Mayer B, Boyer EW, Goodale C, Jaworski NA, van Breemen N, Howarth RW, Seitzinger S, Billen G, Lajtha K, Nadelhoffer K, van Dam D, Hetling LJ, Nosal M, Paustian K (2002) Sources of nitrate in rivers draining sixteen watersheds in the northeastern US.: isotopic constraints, Biogeochemistry, 57-58:171-197

Mazor E (1997) Chemical and isotopic groundwater hydrology: the applied approach, 413 pp, Halsted Press, New York

McCarthy MG, Dry PR, Hayes PF, Davidson DM (1998) Soil management and frost control. In: Coombe BG Dry PR (Eds.) Viticulture: Volume 2 practices. p 148-177, Winetitles, Adelaide

McCaskill MR, Ridley AM, Okom AE, White RE, Andrew MH, Michalk DL, Melland AR, Johnston WH, Murphy SR (2003) SGS Nutrient Theme: environmental assessment of nutrient application to extensive pastures in the high rainfall zone of southern Australia, Australian Journal of Experimental Agriculture, 43:927-944

McLaren A (1997) Dry sheep equivalents for comparing different classes of livestock, 4 pp, Government of Victoria

McNeill AM, Zhu C, Fillery IRP (1998) A new approach to quantifying the N benefit from pasture legumes to succeeding wheat, Australian Journal of Agricultural Research, 49:427-436

MDBC (2002) Murray-Darling Basin groundwater quality sampling guidelines, 42 pp, Murray-Darling Basin Commission

Mee AC (2001) The age and origin of terra rossa soils in the Coonawarra region of South Australia. Bachelor of Science (Honours), Flinders University, Adelaide

Mee AC, Bestland EA, Spooner NA (2004) Age and origin of terra rossa soils in the Coonawarra area of South Australia, Geomorphology, 58:1-25

Melland AR, McCaskill MR, White RE, Chapman DF (2008) Loss of phosphorus and nitrogen in runoff and subsurface drainage from high and low input pastures grazed by sheep in southern Australia, Australian Journal of Soil Research, 46:161-172

Mengel K, Steffens D (1985) Potassium uptake of rye-grass (*Lilium perenne*) and red clover (*Trifolium pratense*) as related to root parameters, Biology and Fertility of Soils, 1:53-58

Mengis M, Schiff SL, Harris M, English MC, Aravena R, Elgood RJ, MacLean S (1999) Multiple geochemical and isotopic approaches for assessing ground water NO_3^- elimination in a riparian zone, Ground Water, 37:448-457

Mengis M, Walther U, Bernasconi SM, Wehrli B (2001) Limitations of using $\delta^{18}O$ for the source identification of nitrate in agricultural soils, Environmental Science and Technology, 35:1840-1844

Minasny B, McBratney AB (2003) NeuroTheta, pedotransfer functions for predicting soil hydraulic properties for Australian soils, Australian Centre for Precision Agriculture, The University of Sydney, Version 1.0

Mirvish SS (1977) *N*-nitroso compounds, nitrite, and nitrate: possible implications for the causation of human cancer, Progress in Water Technology, 8:195-208

Mook WG (2004) Environmental isotopes in the hydrological cycle, principles and applications, www.iaea.org Cited April 2005

Moore KB, Ekwurzel B, Esser BK, Hudson GB, Moran JE (2006) Source of groundwater nitrate revealed using residence time and isotope methods, Applied Geochemistry, 21:1016-1029

Moroni MT, Worledge D, Beadle CL (2003) Root distribution of *Eucalyptus nitens* and *E. globulus* in irrigated and droughted soil, Forest Ecology and Management, 177:399-407

Mulligan DR, Sands R (1988) Dry matter, phosphorus and nitrogen partitioning in three *Eucalyptus* species grown under a nutrient deficit, New Phytology, 109:21-28

Mustafa S, Lawson J, Leaney F, Osei-Bonsu K (2006) Land-use impact on water quality and quantity in the Lower South East, South Australia, 238 pp, Government of South Australia

Mustafa S, Lawson JS (2002) Review of Tertiary Gambier Limestone aquifer properties, lower South-East, South Australia, 43 pp, Government of South Australia

Nadelhoffer K, Downs M, Fry B, Magill A, Aber J (1999) Controls on N retention and exports in a forested watershed, Environmental Monitoring and Assessment, 55:187-210

NHMRC, ARMCANZ (1996) Australian drinking water guidelines, 376 pp, Commonwealth of Australia

O'Connell AM (1989) Nutrient accumulation in and release from the litter layer of Karri (*Eucalyptus diversicolor*) forests of southwestern Australia, Forest Ecology and Management, 26:95-111

O'Grady AP, Worledge D, Battaglia M (2005) Temporal and spatial changes in fine root distributions in a young *Eucalyptus globulus* stand in southern Tasmania, Forest Ecology and Management, 214:373-383

Ochota P (1982) Press release, Coonawarra public meeting, 2 pp, Engineering and Water Supply Department, Government of South Australia

Oren O, Yechieli Y, Böhlke JK, Dody A (2004) Contamination of groundwater under cultivated fields in an arid environment, central Arava Valley, Israel, Journal of Hydrology, 290:312-328

Östlund HG, Masin AS (1985) Atmospheric tritium 1968-1984, 143 pp, University of Miami

Ostrom NE, Knoke KE, Hedin LO, Robertson GP, Smucker AJM (1998) Temporal trends in nitrogen isotope values of nitrate leaching from an agricultural soil, Chemical Geology, 146:219-227

Pakrou N (1997) Impact of pastoral land use on groundwater quality. PhD, The Flinders University of South Australia, Adelaide

Pakrou N, Dillon P (1995) Preferential flow, nitrogen transformations and ^{15}N balance under urine-affected areas of irrigated and non-irrigated clover-based pastures, Journal of Contaminant Hydrology, 20:329-347

Pakrou N, Dillon P (2000) Comparison of type and depth of lysimeter for measuring the leaching losses of nitrogen under urine patches, Soil Use and Management, 16:108-116

Pakrou N, Dillon P (2000) Key processes of the nitrogen cycle in an irrigated and a non-irrigated grazed pasture, Plant and Soil, 244:231-250

Pakrou N, Dillon P (2004) Leaching losses of N under grazed irrigated and non-irrigated pastures, Journal of Agricultural Science, 142:503-516

Panno SV, Hackley KC, Hwang HH, Kelly WR (2001) Determination of the sources of nitrate contamination in karst springs using isotopic and chemical indicators, Chemical Geology, 179:113-128

Pardo LH, Kendall C, Pett-Ridge J, Chang CCY (2004) Evaluating the source of streamwater nitrate using $\delta^{15}N$ and $\delta^{18}O$ in nitrate in two watersheds in New Hampshire, USA, Hydrological Processes, 18:2699-2712

Paul KI, Polglase PJ, O'Connell AM, Carlyle JC, Smethurst PJ, Khanna PK (2003) Defining the relation between soil water content and net nitrogen mineralization, European Journal of Soil Science, 54:39-47

Payne WJ (1981) Denitrification, 214 pp, John Wiley and Sons, New York

Penney CL (1983) Climate. In: Tyler MJ, Twidale CR, Ling JK Holmes JW (Eds.) Natural History of the South East. p 85-94, Royal Society of South Australia, Adelaide

Peoples MB, Herridge DF, Ladha JK (1995) Biological nitrogen fixation: an efficient source of nitrogen for sustainable agricultural production? Plant and Soil, 174:3-28

Polglase PJ, Attiwill PM, Adams MA (1992) Nitrogen and phosphorus cycling in relation to stand age of *Eucalyptus regnans* F. Muell, Plant and Soil, 142:167-176

Pudney S (2007) Frost protection in vineyards and volumetric allocations in the South East, 33 pp, Government of South Australia

Pudney S, Latcham B, Carruthers R (2006) Frost protection in vineyards; working with industry to understand water dynamics (Poster), 1 pp, Department of Water, Land and Biodiversity Conservation, Government of South Australia

Pudney S, Latcham B, Carruthers R (2006) Volumetric conversion in the South East of South Australia: calculation of specialised production requirements, 33 pp, Government of South Australia

Ramamurthy LM, Veeh HH, Holmes JW (1985) Geochemical mass balance of a volcanic crater lake in Australia, Journal of Hydrology, 79:127-139

Reid JB, Hashim O, Gallagher JN (1984) Relations between available and extractable soil water and evapotranspiration from a bean crop, Agricultural Water Management, 9:193-209

Reynolds-Vargas J, Fraile-Merino J, Hirata R (2006) Trends in nitrate concentrations and determination of its origin using stable isotopes (^{18}O and ^{15}N) in groundwater of the western Central Valley, Costa Rica, Ambio, 35:229-236

Richardson SB (1990) Groundwater contamination by cheese factory and abattoir effluent. Msc, The Flinders University of South Australia, Adelaide

Ridley AM, White RE, Helyar KR, Morrison GR, Heng LK, Fisher R (2001) Nitrate leaching loss under annual and perennial pastures with and without lime on a duplex (texture contrast) soil in humid southeastern Australia, European Journal of Soil Science, 52:237-252

Rivers CN, Barrett MH, Hiscock KM, Dennis PF, Feast NA, Lerner DN (1996) Use of nitrogen isotopes to identify nitrogen contamination of the Sherwood Sandstone aquifer beneath the city of Nottingham, United Kingdom, Hydrogeology Journal, 4:90-102

Robinson D (2001) $\delta^{15}N$ as an integrator of the nitrogen cycle, TRENDS in Ecology and Evolution, 16:153-162

Rolston DE, Fogg GE, Decker DL, Louie DT (1994) Nitrogen isotope ratios of natural and anthropogenic nitrate in the subsurface. Paper presented at the Water Down Under '94, National Conference Publication - Institute of Engineers, Adelaide, 21-25 November 1994

Sanchez-Echaniz J, Benito-Fernández J, Mintegui-Raso S (2001) Methemoglobinemia and consumption of vegetables in infants, Pediatrics, 107:1024-1028

Schmidt L, Schultz T, Correll R, Schrale G (1998) Diffuse-source nitrate pollution of groundwater in relation to land management systems in the south east of South Australia, 47 pp, Government of South Australia

Schmidt L, Telfer AL, Waters M (1996) Pesticides and nitrate in groundwater in relation to land-use in the South East of South Australia, 4 pp, Government of South Australia

Schneider NR, Hogg A, Britton RA (1990) Excessive nitrate/nitrite exposure: nitrate poisoning and related animal health effects. In: NCE (Ed.)) Perspectives on Nitrates. p 23-27, Nebraska Cooperative Extension, Lincoln

Schreiner RP, Scagel CF, J. B (2006) Nutrient uptake and distribution in a mature 'Pinor noir' vineyard, HortScience, 41:336-345

Schubert C, Knobeloch L, Kanarek MS, Anderson HA (1999) Public response to elevated nitrate in drinking water wells in Wisconsin, Archives of Environmental Health, 54:242-247

Scott RG (2001) Understanding nitrogen metabolism, Acres Australia, 9:23-24

Scragg RKR, Dorsch MM, McMichael AJ, Baghurst PA (1982) Birth defects and household water supply: epidemiological studies in the Mount Gambier region of South Australia, The Medical Journal of Australia, 2:577-579

SECWMB (2001) Water allocation plan for the Comaum-Caroline Prescribed Wells Area, 76 pp, South East Catchment Water Management Board

SECWMB (2003) South East catchment water management plan 2003-2008, 204 pp, South East Catchment Water Management Board

SENRCC (2003) South East natural resources management plan, 324 pp, South East Natural Resource Consultative Committee

Shearer G, Kohl DH (1986) N_2-fixation in field settings: Estimations based on natural ^{15}N abundance, Australian Journal of Plant Physiology, 13:699-756

Shearer G, Kohl DH (1989) Estimates of N_2 fixation in ecosystems: the need for and basis of the ^{15}N natural abundance method. In: Rundel PW, Ehleringer JR Nagy KA (Eds.) Stables Isotopes in ecological research. p 342-374, Springer-Verlag, New York

Shearer G, Kohl DH (1990) The ^{15}N natural abundance method for measuring biological nitrogen fixation: practicalities and possibilities. Paper presented at the International symposium on the use of stable isotopes in plant nutrition, soil fertility and environmental studies, International Atomic Energy Agency, Vienna, 1-5 October 1990

Shepherd RG (1966) The effect of retaining ponds on groundwater in the vicinity of Penola Swamp, Hundred of Comaum, 3 pp, Government of South Australia

Shuval HI, Gruener N (1977) Infant methemoglobinemia and other health effects of nitrates in drinking water, Progress in Water Technology, 8:183-194

Sigman DM, Altabet MA, Michener R, McCorkle DC, Fry B, Holmes RM (1997) Natural abundance-level measurement of the nitrogen isotopic composition of oceanic nitrate: an adaptation of the ammonia diffusion method, Marine Chemistry, 57:227-242

Silva SR, Ging PB, Lee RW, Ebbert JC, Tesoriero AJ, Inkpen EL (2002) Forensic applications of nitrogen and oxygen isotopes in tracing nitrate sources in urban environments, Environmental Forensics, 3:125-130

Skewes M (2006) Definition of net irrigation requirements in the South East of South Australia, 57 pp, Government of South Australia

SKM (2001) Environmental water requirements of groundwater dependant ecosystems, 122 pp, Sinclair Knight Merz, Commonwealth of Australia, Canberra

Smart DR, Schwass E, Lakso A, Morano L (2006) Grapevine rooting patterns: a comprehensive analysis and a review, American Journal of Enology and Viticulture, 57:89-104

Smethurst P, Holz G, Moroni M, Baillie C (2004) Nitrogen management in *Eucalyptus nitens* plantations, Forest Ecology and Management, 193:63-80

Solomon DK, Cook PG, Sanford WE (1998) Dissolved gases in subsurface hydrology. In: Kendall C McDonnell JJ (Eds.) Isotope tracers in catchment hydrology. p 1-43, Elsevier Science, Amsterdam

Spalding RF, Exner ME (1993) Occurrence of nitrate in groundwater - a review, Journal of Environmental Quality, 22:392-402

Spalding RF, Exner ME, Lindau CW, Eaton DW (1982) Investigation of sources of groundwater nitrate contamination in the Burbank-Wallula area of Washington, USA, Journal of Hydrology, 58:307-324

Spalding RF, Exner ME, Martin GE, Snow DD (1993) Effects of sludge disposal on groundwater nitrate concentrations, Journal of Hydrology, 142:213-228

Spayd SE, Nagel CW, Edwards CG (1995) Yeast growth in Riesling juice as affected by vineyard nitrogen fertilization, American Journal of Enology and Viticulture, 46:49-55

Spoelstra J, Schiff SL, Elgood RJ, Semkin RG, Jeffries DS (2001) Tracing the sources of exported nitrate in the Turkey Lakes watershed using $^{15}N/^{14}N$ and $^{18}O/^{16}O$ isotopic ratios, Ecosystems, 4:536-544

Sprent JI (1987) The ecology of the nitrogen cycle, 160 pp, Cambridge University Press, Cambridge

Sprigg RC (1952) The geology of the South East Province, South Australia, with special reference to Quaternary coast-line migrations and modern beach developments, 133 pp, Government of South Australia

SPSS (2003) SPSS, www.spss.com, Chicago, v12.0.1

Stace HCT, Hubble GD, Brewer R, Northcote KH, Sleeman JR, Mulcahy MJ, Hallsworth EG (1972) A handbook of Australian soils, 435 pp, Rellim Technical Publications, Glenside

Stace HCT, Rogers LER (1954) Morphological, chemical and mineralogical data for some South Australian terra rossa and rendzina soils, 38 pp, CSIRO

Sweeney RE, Kalil EK, Kaplan IR (1980) Characterisation of domestic and industrial sewage in southern California coastal sediments using nitrogen, carbon, sulphur and uranium tracers, Marine Environmental Research, 3:225-243

Thomas GW, Smith S, Phillips RE (1989) Impact of soil management practices on nitrogen leaching. In: Follett RF (Ed.)) Nitrogen management and ground water protection. p 247-276, Elsevier, Amsterdam

Tredoux G (1993) A preliminary investigation of the nitrate content of groundwater and limitation of the nitrate input, 76 pp, Groundwater Programme Division of Water Technology, CSIR, Stellenbosch

Turner J, Lambert MJ (2002) Litterfall and forest floor dynamics in *Eucalyptus pilularis* forests, Austral Ecology, 27:192-199

Turner JV (1979) The hydrologic regime of Blue Lake, southeastern Australia. PhD, The Flinders University of South Australia, Adelaide

Turner JV, Allison GB, Holmes JW (1983) Environmental isotope methods for the determination of lake-groundwater relations: applications to determine the effects of man's activities. Paper presented at the International Conference on Groundwater and Man, Australian Government Publishing Services, Sydney, 5-9 December 1983

Turoczy NJ (2002) Calcium chemistry of Blue Lake, Mt Gambier, Australia, and relevance to remarkable seasonal colour changes, Archiv für Hydrobiologie, 156:1-9

URS (2000) Groundwater dependent ecosystems: prepared for South East Catchment Water Management Board, 151 pp, URS Australia Pty Ltd, Adelaide

van der Akker J (2005) Padthaway salt accession study. Volume two: results, 88 pp, Government of South Australia

van Genuchten MT (1980) A closed-form equation for predicting the hydraulic conductivity of unsaturated soils, Soil Science Society of America Journal, 44:892-898

Vogel JC (1966) Investigation of groundwater flow with radiocarbon. Paper presented at the Symposium on Isotopes in Hydrology, International Atomic Energy Agency, Vienna, 14-18 November 1966

Wakida FT, Lerner DN (2005) Non-agricultural sources of groundwater nitrate: a review and case study, Water Research, 39:3-16

Walker G, Nott R, King H, Barnett S, Stadter F (2001) SA/VIC Border Groundwater Review Committee Five Year Technical Review 1996 - 2000, 92 pp, Government of South Australia

Walker GR, Jolly ID, Stadter MH, Leaney FW, Stone WJ, Cook PG, Davie RF, Fifield LK (1987) Estimation of diffuse recharge in the Naracoorte Ranges region, South Australia: an evaluation of chlorine-36 for recharge studies, 50 pp, Australian Water Research Advisory Council, Canberra

Wassenaar LI (1995) Evaluation of the origin and fate of nitrate in the Abbotsford Aquifer using the isotopes of ^{15}N and ^{18}O in NO_3^-, Applied Geochemistry, 10:391-405

Waterhouse JD (1977) The hydrogeology of the Mount Gambier Area, 61 pp, Government of South Australia

Wells ER, Krothe NC (1989) Seasonal fluctuation in $\delta^{15}N$ of groundwater nitrate in a mantled karst aquifer due to macropore transport of fertiliser-derived nitrate, Journal of Hydrology, 112:191-201

White RE, Christy BP, Ridley AM, Okom AE, Murphy SR, Johnston WH, Michalk DL, Sanford P, McCaskill MR, Johnson IR, Garden DL, Hall DJM, Andrew MH (2003) SGS Water Theme: influence of soil, pasture type and management on water use in grazing systems across the high rainfall zone of southern Australia, Australian Journal of Experimental Agriculture, 43:907-926

Widory D, Kloppmann W, Chery L, Bonnin J, Rochdi H, Guinamant J (2004) Nitrate in groundwater: an isotopic multi-tracer approach, Journal of Contaminant Hydrology, 72:165-188

Williams AF (1978) Well completion report, Comaum primary school production well, 17 pp, Government of South Australia

Williard KWJ, DeWalle DR, Edwards PJ, Sharpe WE (2001) ^{18}O isotopic separation of stream nitrate sources in mid-Appalachian forested watersheds, Journal of Hydrology, 252:174-188

Wilson GB, Andrews JN, Bath AH (1994) The nitrogen isotope composition of groundwater nitrates from the East Midlands Triassic Sandstone aquifer, England, Journal of Hydrology, 157:35-46

Winbury MM (1981) Pharmacology of nitrates in relation to antianginal action. In: Lichtlen PR, Engel HJ, Schrey A Swan HJC (Eds.) Nitrates III cardiovascular effects. p 2-11, Springer-Verlag, Berlin

Wood R (2000) Winter dormancy of grapevines, The Australian Grapegrower and Winemaker, 438a:41-44

Wopfner H, Douglas JG (1971) The Otway Basin of southeastern Australia, 464 pp, Geological Survey of South Australia and Victoria, Adelaide

Worrall F, Burt TP (1999) The impact of land-use change on water quality at the catchment scale: the use of export coefficient and structural models, Journal of Hydrology, 221:75-90

Worrall F, Burt TP (2001) Inter-annual controls on nitrate export from an agricultural catchment - how much land-use change is safe? Journal of Hydrology, 243:228-241

Zhang L, Dawes WR, Walker GR (2001) Response of mean annual evapotranspiration to vegetation changes at catchment scale, Water Resources Research, 37:701-708

Zhang M, Geng S, Smallwood KS (1998) Assessing groundwater nitrate contamination for resource and landscape management, Ambio, 27:170-174