

References

- ABARE. 2006. Australian Fisheries Statistics. Australian Bureau of Agricultural and Resource Economics. Canberra. Online at http://abareconomics.com/publications_html/fisheries/fisheries_06/AusFishStats_05.pdf [accessed December 2006].
- ABARE. 2007. Australian Fisheries Statistics. Australian Bureau of Agricultural and Resource Economics. Canberra. Online at http://www.abareconomics.com/publications_html/fisheries/fisheries_07/07_fishstats.pdf [accessed July 2007].
- Aebischer, N.J. 1999. Multi-way comparisons and generalised linear models of nest success: extensions of the Mayfield method. *Bird Study*. 46: 22-31.
- Andelt, W.F., & Hopper, S.N. 1996. Effectiveness of alarm-distress calls for frightening herons from a fish rearing facility. *The Progressive Fish Culturist*. 58: 258-262.
- Annett, C., & Pierotti, R. 1989. Chick hatching as a trigger for dietary switching in the Western Gull. *Colonial Waterbirds*. 12(1): 4-11.
- Annett, C. & Pierotti, R. 1999. Long term reproductive output in Western Gulls: consequences of alternate tactics in diet choice. *Ecology*. 80(1): 288-297.
- Anonymous. 1996. Electronic sound systems rid platforms of seagulls. *The Oil and Gas Journal*. 94(24): 64. June 10.
- (APHIS) Animal & Plant Health Inspection Service. 2001. Egg Oil: An Avian Population Control Tool. United States Department of Agriculture. Wildlife Services Technical Note.
- Aquafin Cooperative Research Centre (Aquafin CRC), 2006. Statement from Brian Jeffries. Online at www.aquafincrc.com.au [accessed December 2006].
- Armstrong, D. NPWS ranger, Department for Environment and Heritage. Personal communication.
- Asseld, B.S., Drapeau, L., Crawford, R.J.M., Dyer, B.M., Hila, A., Mwinyi, A.A., Shinula, P., & Upfold, L. 2006. The food of three seabirds at Latham Island, Tanzania, with observations on foraging by Masked Boobies *Sula dactylatra*. *African Journal of Marine Science*. 28(1): 109-114.
- Auman, H.J., Meathrel, C.E., & Richardson, A. 2008. Supersize me: Does anthropogenic food change the body condition of Silver Gulls? A comparison between urbanized and remote, non-urbanized areas. *Waterbirds*. 31(1): 122-126.
- Australian Museum, 2008. Birds in Backyards – Pacific Gull. Online at <http://birdsinbackyards.net/species/Larus-pacificus> [accessed August 2009].

ATSB (Australian Safety Transport Bureau), 2002. The hazard posed to aircraft by birds. Online at <http://www.atsb.gov.au/aviation/research/birdstrike.cfm> [accessed June 2007].

ATSB (Australian Safety Transport Bureau), 2005. Silver Gulls: Managing bird strike at Australian airports . ATSB Bird Information Sheet No. 1. Online at www.atsb.gov.au [accessed June 2007].

ATSB (Australian Safety Transport Bureau), 2007. Bird strike data. Online at www.atsb.gov.au [accessed June 2007].

Avery, M.L. 2002. Behavioural and ecological considerations of managing bird damage to cultivated fruit. In: *Seed Dispersal and Frugivory: Ecology, Evolution and Conservation* (ed. By D.J. Levy, W.R. Silva, & M. Galetti), pp. 467-477. CAB International, Oxon, UK.

Barker, R.D., & Vestjens, W.J.M. 1989. *The Food of Australian Birds: Non-Passerines*. CSIRO Division of Wildlife and Ecology. Parchment Press. Melbourne. Pp. 279-283.

Barret, R.T., Anker-Nilssen, T., Gabrielsen, G.W., & Chapeldeine, G. 2002. Food consumption by seabirds in Norwegian waters. *ICES Journal of Marine Science*. 59: 43-57.

Baxter, C.I. 2003. Banded Stilt *Cladorynchus leucocephalus* breeding at Lake Eyre north in year 2000. *South Australian Ornithologist*. 34(2&3): 33-56.

Beals, E.W. 1984. Bray-Curtis ordination: an effective strategy for analysis of multivariate ecological data. *Advances in Ecological Research*. 14: 1-55.

Belant, J.L. 1997. Gulls in urban environments: landscape-level management to reduce conflict. *Landscape and Urban Planning*. 38: 245-258.

Belant, J.L., & Ickes, S.K. 1996. Overhead wires reduce roof-nesting by Ring-billed Gulls and Herring Gulls. *Proceedings of the 17th Vertebrate Pest Conference*. Timm, R.M., & Crabb, A.C. (Eds). University of California. Pp. 108-112.

Belant, J.L., Ickes, S.K., & Seamans, W. 1998. Importance of landfills to urban-nesting Herring and Ring-billed Gulls. *Landscape and Urban Planning*. 43: 11-19.

Belant, J.L., Tyson, L.A., & Mastrangelo, P.A. 2000. Effects of lethal control at aquaculture facilities on populations of piscivorous birds. *Wildlife Society Bulletin*. 28(2): 379-384.

Bertelloti, M., Yorio, P. 2000. Utilisation of fishery waste by Kelp Gulls attending coastal trawl and longline vessels in northern Patagonia, Argentina. *Ornis Fennica*. 77: 105-115.

Bertelloti, M., Yorio, P., Blanco, G., & Giaccardi, M. 2001. Use of tips by nesting gulls at a growing colony in Patagonia. *Journal of Field Ornithology*. 72(3): 338-348.

- Blaber, S.J.M., Milton, D.A., Smith, G.C. & Farmer, M.J. 1995. Trawl discards in the diet of tropical seabirds of the northern Great Barrier Reef, Australia. *Marine Ecology Progress Series*. 127: 1-13.
- Blackwell, B.F., Seamans, T.W., Helon, D.A., & Dolbeer, R.A. 2000. Early loss of herring gull clutches after egg-oiling. *Wildlife Society Bulletin*. 28(1): 70-75.
- Bland, M.J., & Altman, D.G. 1986. Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet*. i: 307-310. Online at <http://www-users.york.ac.uk/~mb55/meas/ba.htm> [accessed March 2007].
- Blokpeal, H., & Hamilton, R.M.G. 1989. Effects of applying white mineral oil to chicken and gull eggs. *Wildlife Society Bulletin*. 17(4): 435-440.
- Blokpeal, H., & Tessier, G.D. 1984. Overhead wires and monofilament lines exclude Ring-billed Gulls from public places. *Wildlife Society Bulletin*. 12 (1): 55-58.
- Bochenski, Z. 1995. The effect of fishponds on the regional bird fauna. *Acta Hydrobiologica*. 37(1): 75-82.
- Bogdanova, M.I., Nager, R.G. & Monaghan, P. 2007. Age of the incubating parents affects nestling survival: an experimental study of the herring gull *Larus argentatus*. *Journal of Avian Biology*. 38: 83-93.
- Bolton, M. 1991. Determinants of chick survival in the lesser black-backed gull: relative contributions of egg size and parental quality. *Journal of Animal Ecology*. 60: 949-960.
- Bomford, M. 1990. A role for fertility control in wildlife management. Bureau of Rural Resources, No. 7.
- Bomford, M., & Sinclair, R. 2003. Australian research on bird pests: impact, management and future directions. *Emu*. 102: 29-45.
- Bosch, M., Oro, D., Cantos, F.J., & Zabala, M. 2000. Short-term effects of culling on the ecology and population dynamics of the Yellow-legged Gull. *Journal of Applied Ecology*. 37: 369-385.
- Bosch, M., Oro, D., & Ruiz, X. 1994. Dependence of Yellow-legged Gulls (*Larus cachinnans*) on food from human activity in two Western Mediterranean colonies. *Avocetta*. 18: 135-139.
- Caithness, T.A. 1968. Poisoning gulls with alpha-chloralose near a New Zealand airfield. *Journal of Wildlife Management*. 32: 279-286.
- Carragher, J. F. Personal Communication. Principal Scientist – Seafood Product Quality and Value Adding. South Australian Research Development Institute.
- Carss, D.N. 1993. Grey Heron, *Ardea cinerea* L., predation at cage fish farms in Argyll, west Scotland. *Aquaculture and Fisheries Management*. 24: 29-45.

- Catry, P., Phillips, R.A., Phalan, B., Silk, J.R.D., & Croxall, J.P. 2004. Foraging strategies of Grey-headed Albatrosses *Thalassarche chrysostoma*: integration of movements, activity and feeding events. *Marine Ecology Progress Series*. 280: 261-273.
- CDC (Centers for Disease Control and Prevention). 2000. Compendium of measures to control *Chlamydia psittaci* infection among humans (psittacosis) and pet birds (avian chlamydiosis), 2000 and Compendium of animal rabies prevention and control, 2000: National Association of State Public Health Veterinarians, Inc. *Morbidity and Mortality Weekly Report*. 49(8).
- Chabrzyk, G., & Coulson, J.C. 1976. Survival and recruitment in the Herring Gull *Larus argentatus*. *Journal of Animal Ecology*. 45(1): 187-203.
- Cherel, Y., Bocher, P., Trouve, C., & Weimerskirch. 2002. Diet and feeding ecology of Blue Petrels *Halobaena caerulea* at Iles Kerguelen, Southern Indian Ocean. *Marine Ecology Progress Series*. 228: 283-299.
- Christens, E., Blokpeal, H., Rason, G., & Jarvie, S.W.D. 1995. Spraying white mineral oil on Canada Goose eggs to prevent hatching. *Wildlife Society Bulletin*. 23(2): 228-230.
- Christidis, L., & Boles, W.E. 2008. *Systematics and Taxonomy of Australian Birds*. CSIRO Publishing, Melbourne.
- Clark, A. Regional Ecologist – Deserts. Department of Environment and Natural Resources SA. Personal communication.
- Clark, L., & Shah, P.S. 1993. Chemical bird repellents: possible use in cyanide ponds. *Journal of Wildlife Management*. 57: 657-664.
- Clark, L., Shah, P.S., Mason, J.R. 1991. Chemical repellency in birds: relationship between chemical structure and avoidance response. *Journal of Experimental Zoology*. 260: 310-322.
- Clean Seas Tuna Limited. 2008^a. Southern Bluefin Tuna born in world-first artificial breeding regime. News Release. March 5, 2008. Online at <http://www.cleaneastuna.com.au/> [accessed August 2009].
- Clean Seas Tuna Limited. 2008^b. European Breakthrough on Bluefin Tuna Boosts Clean Seas' Artificial Breeding Regime. News Release. July 9, 2008. Online at <http://www.cleaneastuna.com.au/> [accessed August 2009].
- Cocking, L.J., Double, M.C., Milburn, P.J. & Brando, V.E. 2008. Seabird bycatch mitigation and blue-dyed bait: A spectral and experimental assessment. *Biological Conservation*. 141(5): 1354-1364.
- Collex Waste Management, personal communication (2004-2007). Contracted by the City of Port Lincoln to run the Resource Recovery Centre (dump).

Connecticut Department of Environmental Protection. 2007. Do not feed the waterfowl. Online at www.ct.gov/dep [accessed September 2007].

Coulson, R., & Coulson, G. 1998. Population changes among Pacific, Kelp and Silver Gulls using natural and artificial feeding sites in south-eastern Tasmania. *Wildlife Research*. 25: 183-198.

Coulson, J.C., Duncan, N., & Thomas, C. 1982. Changes in the breeding biology of the Herring Gull (*Larus argentatus*) induced by reduction in the size and density of the colony. *Journal of Animal Ecology*. 51: 739-756.

Crespin, L., Harris, M.P., Lebreton, J-D., Frederiksen, M. & Wanless, S. 2006. Recruitment to a seabird population depends on environmental factors and on population size. *Journal of Animal Ecology*. 75: 228-238.

DAFF (Australian Government Department of Agriculture, Fisheries and Forestry), 1997. Pest Bird Control; National Consultative Committee on Animal Welfare (NCCAW) Position Statement. Commonwealth of Australia.

Deagle, B.E., Gales, N.J., Evans, K., Jarman, S.N., Robinson, S., Trebilco, S., Trebilco, R., & Hindell, M.A. 2007. Studying seabird diet through genetic analysis of faeces: A case study on Macaroni Penguins (*Eudyptes chrysolophus*). *PLoS ONE*. 2(9):e831.

Deagle, B.E., Kirkwood, R., & Jarman, S.N. 2009. Analysis of Australian fur seal diet by pyrosequencing prey DNA in faeces. *Molecular Ecology*. 18(9): 2022-2038.

del Hoyo, J., Elliot, A., & Sargatal, J. (Eds.). 1996. *Handbook of the Birds of the World*. Vol. 3. Hoatzin to Auks. Lynx Edicions. Barcelona. Pp. 24-32.

DEPHA (Tasmanian Department of Environment, Parks, Heritage and the Arts), 2008. White-Breasted Sea Eagle, *Haliaeetus leucogaster* fact sheet. Online at www.parks.tas.gov.au [accessed September 2009].

DEWHA (Australian Department of the Environment, Water, Heritage and the Arts), 2001. Impacts of Aquaculture. South East Regional Marine Plan. Online at www.environment.gov.au [accessed September 2009].

Dolbeer, R.A. 2006. Birds and other wildlife hazards at airports: Liability issues for airport managers. Proceedings of the ASW Conference, November 2006. Online at www.faa.gov [accessed June 2007].

Dolbeer, R.A., Woronecki, P.P., Stearns, T.W., & Clark, L. 1992. Pen tests of methyl anthranilate as a bird repellent in water. Proceedings of Fifth East Wildlife Management Damage Control Conference. 5: 112-116.

DPIWE (Department of Tourism, Parks, Heritage and the Arts). 2003. Wildlife: Short-tailed Shearwater *Puffinus tenuirostris*. Parks and Wildlife Service Tasmania Fact Sheet.

- Draulans, D. 1987. The effectiveness of attempts to reduce predation by fish eating birds: a review. *Biological Conservation*. 41: 219-232.
- Duhem, C., Vidal, E., Legran, J., & Tatoni, T. 2003. Opportunistic feeding responses of the Yellow-legged Gull *Larus michahellis* to accessibility of refuse dumps. *Bird Study*. 50: 61-67.
- Duncan, N. 1978. The effects of culling Herring Gulls (*Larus argentatus*) on recruitment and population dynamics. *Journal of Applied Ecology*. 15: 697-713.
- Dunlop, J.N. 1986. The comparative breeding biology of sympatric Crested Terns *Sterna bergii* (Lichtenstein) and Silver Gulls *Larus novaehollandiae* (Stephens) in south-western Australia. PhD Thesis, Murdoch University, Perth.
- Edgar, G.J., Macleod, C.K., Mawbey, R.B., Shields, D. 2005. Broad-scale effects of marine salmonid aquaculture on macrobenthos and the sediment environment in southeastern Tasmania. *Journal of Experimental Marine Biology and Ecology*. 327: 70-90.
- Egan, K. 1990. Predation of eggs of Little Terns by Silver Gulls and other feeding behaviour. *Australian Birds*. 24: 41.
- Ehrlich, P.R., Dobkin, D.S., & Wheye, D. 1988. Feeding Birds. Birds of Stanford Website, Stanford University, California. Online at <http://www.stanford.edu.au/group/stanfordbirds> [accessed January 2007].
- Ellis, D. Personal Communication (2004-2008). Tuna Boat Owners of South Australia (now ASBTIA).
- Ellis, D., & Rough, K. 2005. Aquafin CRC – SBT Aquaculture Subprogram: quality and nutritional evaluation of baitfish used for tuna farming. Final Report Aquafin CRC Project 1A.2 (FRDC Project No. 2000/221). Tuna Boat Owners Association of South Australia, Australia. 13pp.
- Environment Australia. 1998. Threat abatement plan for the incidental catch (or by-catch) of seabirds during oceanic longline fishing operations. Report prepared by the Biodiversity Group, Environment Australia in consultation with the Threat Abatement Team. Australian Government Department of Environment and Water Resources. Online at <http://www.environment.gov.au> [accessed March 2007].
- Epstein, J.H., McKee, J., Shaw, P., Hicks, V., Micalizzi, G., Daszak, P., Kilpatrick, A.M., & Kaufman, G. 2006. The Australian White Ibis (*Threskiornis molucca*) as a reservoir of zoonotic and livestock pathogens. *Ecohealth*. 3(4): 290-298.
- European Inland Fisheries Advisory Commission (EIFAC). 1988. Report of the EIFAC Working Party on prevention and control of bird predation in aquaculture and fisheries operations. Food and Agriculture Organisation EIFAC Technical Paper. 51: 1-79.
- Farlam, D. 2003. Personal Communication and Unpublished Data. Department of

Environment and Heritage, Regional Conservation, National Parks and Wildlife, South Australia. Port Lincoln Office.

Fernandes, M., Angove, M., Sedawie, T., Cheshire, A. 2007^a. Dissolved nutrient release from solid wastes of southern bluefin tuna (*Thunnus maccoyii*, Castelnau) aquaculture. *Aquaculture Research*. 38: 388-397.

Fernandes, M., Lauer, P., Cheshire, A., & Angove, M. 2007^b. Preliminary model of nitrogen loads from southern bluefin tuna aquaculture. *Marine Pollution Bulletin*. 54: 1321-1332.

Field, I.C., Bradshaw, C.J.A., van de Hoff, J., Burton, H.R., & Hindell, M.A. 2007. Age-related shifts in the diet composition of the southern elephant seals expand overall foraging niche. *Marine Biology*. 150: 1441-1452.

Fishonline Tasmania: Online at www.fishonline.tas.gov.au [accessed July 2003].

Fleury, B.E., & Sherry, T.W. 1995. Long-term population trends of colonial wading birds in the southern United States: the impact of crayfish aquaculture on Louisiana populations. *The Auk*. 112(3): 613-633.

(FAO) Food and Agriculture Organization of the United Nations, *The State of World Fisheries and Aquaculture*, FAO Fisheries Department, Rome 2007, (cited hereafter as FAO Fisheries Report).

Folpp, H., & Lowry, M. 2006. Factors affecting recreational catch rates associated with fish aggregating device (FAD) off the NSW coast, Australia. *Bulletin of Marine Science*. 78(1): 185-194.

Foote, D. Personal Communication (2004-2008). Tuna Boat Owners of South Australia (now ASBTIA) technician.

Ford, H.A., Forde, N., & Harrington, S. 1982. Non-destructive methods to determine the diets of birds. *Corella*. 6(1): 6-10.

Freeman, A.N.D. 1998. Diet of Westlands Petrels *Procellaria westlandica*: the importance of fisheries waste during chick rearing. *Emu*. 98: 36-43.

Frith, H.J. (Eds.). 1976. *Reader's Digest Complete Book of Australian Birds*. Reader's Digest Services Pty Ltd, Surry Hills, Australia. Pp 206-207.

Furness, R.W. 1996. Interactions between aquaculture and seabirds in sea lochs. *Aquaculture and Sea Lochs*. Scottish Association for Marine Sciences, Oban (UK). Pp. 50-55.

Furness, R.W. 2003. Impacts of fisheries on seabird communities. *Scientia Marina*, 67(2): 33-45.

Furness, R.W., Hudson, A.V., & Ensor, K. 1988. Interactions between scavenging seabirds and commercial fisheries around the British Isles. 15pp. University of

Glasgow. Online at www.gla.ac.uk/~gbza22/interact.html [accessed March 2003].

Furness, R.W., & Monaghan, P. (Eds.). 1987. *Seabird Ecology – (Tertiary Level Biology)*. Blackie and Son Limited. Published by Chapman and Hall, New York. Pp 3-98.

Galbraith, C. 1992. Mussel farms: Their management alongside Eider Ducks. Scottish Natural Heritage. Edinburgh, Scotland.

Garthe, S., Camphuysen, K.C.J. & Furness, R.W. 1996. Amounts of discards by commercial fisheries and their significance as food for seabirds in the North Sea. *Marine Ecology Progress Series*. 136: 1-11.

Gilman, E. 2001. VIEWPOINT: Integrated management to address the incidental mortality of seabirds in longline fisheries. *Aquatic Conservation: Marine and Freshwater Ecosystems*. 11: 391-414.

Glahn, J.F., Werner, S.J., Hanson, T., & Engle, C.R. 2002. Cormorant depredation losses and their prevention at catfish farms: economic considerations. *Human Conflicts with Wildlife: Economic Considerations Conference*, Fort Collins, Colorado, 1-3 August, 2000.

Glahn, J.F., Mason, J.R., & Woods, D.R. 1989. Dimethyl anthranilate as a bird repellent in livestock feed. *Wildlife Society Bulletin*. 17: 313-320.

Glahn, J.F., Rasmussen, E.S., Tosma, T., & Preusser, K.J. 1999. Distribution and relative impact of avian predators at aquaculture facilities in the Northeastern United States. *North American Journal of Aquaculture*. 61: 340-348.

Gonzalez-Solis, J. 1997. Trophic niche width and overlap of two sympatric gulls in the southwestern Mediterranean. *Oecologia*. 112: 75-80.

Gonzalez-Solis, J. 2003. Impact of fisheries on activity, diet and predatory interactions between Yellow-legged and Audouin's gulls breeding at the Chafarinas Islands. *Scientia Marina*. 67(2): 83-88.

Gonzalez-Zevallos, D., Yorio, P., & Caille, G. 2007. Seabird mortality at trawler warp cables and a proposed mitigation measure: A case of study in Golfo San Jorge, Patagonia, Argentina. *Biological Conservation* 136: 108-116.

Green, K., Slip, D.J., & Moore, G.J. The take of fish species by seabirds and marine mammals in the Australian Fisheries Zone around Heard Island: the potential for competition with a commercial fishery. *Polar Biology*. 20: 273-280.

Guillemette, M., & Brousseau, P. 2001. Does culling predatory gulls enhance the productivity of breeding common terns? *Journal of Applied Ecology*. 38: 1-8.

Hall, S.G., & Price, R.R. 2003. 'Scarebot' reduces bird predation on ponds. *Louisiana Agriculture*. 46: 4-6.

Harpaz, S. & Clark, L. 2006. Effects of addition of a bird repellent to fish diets on

- their growth and bioaccumulation. *Aquaculture Research*. 37: 132-138.
- Harrison, S.J. 2003. The interactions between seabirds and tuna farms near Port Lincoln. Unpublished BSc. Honours Thesis, Flinders University.
- Harrison, S.J., Robertson, J., Carragher, J., & Svane, I. 2005. Silver Gulls and tuna farms. *Southern Bluefin Tuna Aquaculture Subprogram Newsletter*. 11-2005.
- Hedd, A., & Gales, R. 2001. The diet of the Shy Albatross (*Thalassarche cauta*) at Albatross Island, Tasmania. *Journal of the Zoological Society of London*. 253: 69-90.
- Higgins, P.J., & Davies, S.J.J.F. (Eds.). 1996. *Handbook of Australian, New Zealand and Antarctic Birds (HANZAB). Volume 3: Snipe to Pigeons*. Oxford University Press, Melbourne. pp 517-545.
- Hill, B.J., & Wassenberg, T.J. 1990. Fate of discards from prawn trawlers in Torres Strait. *Australian Journal of Marine and Freshwater Research*. 41: 53-64.
- Howard, J. 2001. How a landfill and composting site became gull-free. *Biocycle*. 42(7): 55-56.
- Howell, D.L., & Munford, J.G. 1991. Predator control on finfish farms. *Aquaculture and the Environment*. N. De Pauw & J. Joyce (Eds). European Aquaculture Society Special Publication. No. 16.
- Huner, J.V. 1997. US farmers get the bird – predators causing problems in the south. *Fish Farming International*. 24(11): 14-15.
- Huon Aquaculture, Personal Communication 2007. Peter Bender. Co-owner and founder of Huon Aquaculture Group. www.huonaqua.com.au
- Huppopp, O., & Wurm, S. 2000. Effects of winter fishery activities on resting numbers, food and body condition of large gulls *Larus argentatus* and *L. marinus* in the south-eastern North Sea. *Marine Ecology Progress Series*. 194: 241-247.
- Ickes, S.K., Belant, J.L., & Dolbeer, R.A. 1998. Nest disturbance techniques to control nesting by gulls. *Wildlife Society Bulletin*. 26(2): 269-273.
- Igual, J.M., Forero, M.G., Gomez, T., & Oro, D. 2007. Can an introduced predator trigger an evolutionary trap in a colonial seabird? *Biological Conservation*. 137(2): 189-196.
- Islam, Shahidul. M.D. 2005. Nitrogen and phosphorus budget in coastal and marine cage aquaculture and impacts of effluent loading on ecosystem: review and analysis toward model development. *Marine Pollution Bulletin*. 50(1): 48-61.
- Jahncke, J., Coyle, K.O., & Hunt Jr, G.L. 2005. Seabird distribution, abundance and diets in the eastern and central Aleutian Islands. *Fisheries Oceanography*. 14(1): 160-177.

Jaquemet, S., Le Corre, M., & Weimerskirch, H. 2004. Seabird community structure in a coastal tropical environment: importance of natural factors and fish aggregating devices. *Marine Ecology Progress Series*. 268: 281-292.

Jeanes, T. 2006. Hobart's seagulls get fat from too many hot chips. ABC online. Wednesday, 29 March.

Johnson, J.H., Ross, R.M., & Farquhar, J. 2000. The effects of egg oiling on fish consumption by Double-breasted Cormorants on Little Galloo Island, Lake Ontario. NYSDEC Special Report, 1st March.

King, T. 2005. Interactions between the American White Pelican and Aquaculture in the Southeastern United States: an Overview. *Waterbirds*. 28(1): 83-86.

Komdeur, J., Bertelsen, J., & Cracknell, G. (Eds). 1992. Manual for Aeroplane and Ship Surveys of Waterfowl and Seabirds. IWRB Special Publication. 19, Slimbridge, UK, 37pp.

Koteja, P. 1991. On the relation between basal and field metabolic rates in birds and mammals. *Functional Ecology*. 5: 56-64.

Lekuona, J.M. 2002. Food intake, feeding behaviour and stock losses of cormorants, *Phalacrocorax carbo*, and Grey Herons, *Ardea cinerea*, at a fish farm in Arcachon Bay (Southwest France) during breeding and non-breeding season. *Folia Zoologica*. 51(1): 23-34.

Lindsay, M.C.M., & Meathrel, C.E. 2008. Where, when and how? Limitations of the techniques used to examine dietary preference of Pacific Gulls (*Larus pacificus*) using non-consumed parts of prey and regurgitated pellets of prey remains. *Waterbirds*. 31(4): 611-619.

Lokkeborg, S., & Robertson, G. 2002. Seabird and longline interactions: effects of bird-scaring streamer line and line shooter on the incidental capture of Northern Fulmars *Fulmarus glacialis*. *Biological Conservation*. 106: 359-364.

Love, G., & Langenkamp, D. 2003. Australian Aquaculture: Industry Profile for Selected Species. ABARE Economics. Pp. 71-75. Available online at www.abareconomics.com [accessed September 2003].

McLeay, L. SARDI Aquatic Sciences PhD Student. 2008. Personal Communication.
Martin, T.E. 1987. Food as a limit on breeding birds: A life history perspective. *Annual Review of Ecology and Systematics*. 18: 453-487.

Martin, J., & Dawes, J. 2005. Egg oil: A tool for the management of pest bird populations. Proceedings of the 13th Australasian Vertebrate Pest Conference, Wellington, New Zealand, 2-6 May.

Martin, J.M., French, K., & Major, R.E. 2007. The pest status of Australian White Ibis (*Threskiornis molucca*) in urban situations and the effectiveness of egg-oil in reproductive control. *Wildlife Research*. 34: 319-324.

- Martinez-Abraín, A., Maestre, R. & Oro, D. 2002. Demersal trawling waste as a food source for western Mediterranean seabirds during the summer. *ICES Journal of Marine Sciences*. 59: 529-537.
- Mason, J.R., Glahn, J.F., Dolbeer, R.A., & Reidinger, R.F. 1985. Field evaluation of dimethyl anthranilate as a bird repellent livestock feed additive. *Journal of Wildlife Management*. 49: 636-642.
- Mayfield, H.F. 1961. Nesting success calculated from exposure. *Wilson Bulletin*. 73: 255-261.
- Mayfield, H.F. 1975. Suggestions for calculating nesting success. *Wilson Bulletin*. 87: 456-466.
- Meathrel, C.E. 1991. Variation in eggs and the period of rapid yolk deposition of the Silver Gull *Larus novaehollandiae* during a protracted laying period. *Journal of the Zoological Society of London*. 223: 501-508.
- Melvin, E.F. 2000. Streamer lines to reduce seabird bycatch in longline fisheries. Sea Grant Washington. University of Washington Board.
- Menkhorst, P.W., Kerry, K.R., & Hall, E.F. 1988. Mud Islands, Port Phillip Bay, Victoria. *Corella*. 12: 72-77.
- Mills, J.A. 1973. The influence of age and pair-bond on the breeding biology of the Red-billed Gull, *Larus novaehollandiae scopulinus*. *Journal of Animal Ecology*. 42: 147-162.
- Mills, J.A. 1979. Factors affecting the egg size of Red-billed Gulls *Larus novaehollandiae scopulinus*. *Ibis*. 121: 53-67.
- Moller, A.P., Flensted-Jensen, E., & Mardal, W. 2007. Agriculture, fertilizers and life history of a coastal seabird. *Journal of Animal Ecology*. 76: 515-525.
- Monaghan, P., & Nager, R.G. 1997. Why don't birds lay more eggs? *Trends in Ecology and Evolution*. 12(7): 270-274.
- Montague, Peter. 2006. CEO of Aquafin CRC. Use of Pelleted Feed for Farmed SBT. Personal communication.
- Montague, T.L., & Cullen, J.M. 1988. The diet of the Little Penguin *Eudyptula minor* at Phillip Island, Victoria. *Emu*. 88: 138-149.
- Moore, D.S., & McCabe, G.P. 2006. *Introduction to the Practice of Statistics (5th Edition)*. W.H. Freeman and Company, New York. Pp. 555-578.
- Moore, D.J., Williams, T.D., & Morris, R.D. 2000. Mate provisioning, nutritional requirements for egg production, and primary reproductive effort of female Common Terns *Sterna hirundo*. *Journal of Avian Biology*. 31: 183-196.

- Morris, R.D., & Siderius, J. 1990. A treatment for prevention of hatching in field-incubated Ring-billed Gull eggs. *Journal of Wildlife Management*. 54(1): pp. 124-130.
- Mudge, G.P., & Ferns, P.N. 1982. The feeding ecology of five species of gull (Aves: Larini) in the inner Bristol Channel. *London Journal of Zoology*. 197: 497-510.
- Nash, C.E., Iwamoto, R.N., Mahnken, C.V.W. 2000. Aquaculture risk management and marine mammal interactions in the Pacific Northwest. *Aquaculture*. 183: 307-323.
- Nemtsov, S.C., & Olsvig-Whittaker, I. 2003. The use of netting over fishponds as a hazard to waterbirds. *Waterbirds*. 26: 416-423.
- Nicholls, C.A. 1974. Double brooding in a Western Australian population of the Silver Gull, *Larus novaehollandiae* Stephens. *Australian Journal of Zoology*. 22: 63-70.
- Octoman, T. Cleanseas Tuna Limited. Personal communication.
- Oro, D. 1996. Effects of trawler discard availability on egg laying and breeding success in the Lesser Black-backed Gull *Larus fuscus* in the Western Mediterranean. *Marine Ecology Progress Series*. 132: 43-46.
- Oro, D., Bosch, M., & Ruiz, X. 1995. Effects of a trawling moratorium on the breeding success of the Yellow-legged Gull *Larus cachinnans*. *Ibis*. 137: 547-549.
- Oro, D., Genovart, X., Ruiz, X., Jimenez, J., & Garcia-Gans, J. 1996. Differences in diet, population size and reproductive performance between two colonies of Audouin's Gull *Larus audouinni* affected by a trawling moratorium. *Journal of Avian Biology*. 27: 245-251.
- Oro, D., Jover, L., & Ruiz, X. 1996. Influence of trawling activity on the breeding ecology of a threatened seabird, Audouin's Gull *Larus audouini*. *Marine Ecology Progress Series*. 139: 19-29.
- Oro, D. & Pradel, R. 2000. Determinants of local recruitment in a growing colony of Audouin's gull. *Journal of Animal Ecology*. 69: 119-132.
- Oro, D., Pradel, R. & Leberton, J-D. 1999. Food availability and nest predation influence life history traits in Audouin's Gull, *Larus audouini*. *Oecologia*. 118: 438-445.
- Ottaway, J.R., Carrick, R., & Murray, M.D. 1985. Dispersal of Silver Gulls, *Larus novaehollandiae* Stephens, from breeding colonies in South Australia. *Australian Wildlife Research*. 12(2): 279-289.
- Ottaway, J.R., Carrick, R., & Murray, M.D. 1988. Reproductive ecology of Silver Gulls, *Larus novaehollandiae* Stephens, in South Australia. *Australian Wildlife Research*. 15: 541-560.

Overstreet, R. M., S. S. Curran, L. M. Pote, D. T. King, C. K. Blend & W. D. Grater. 2002. *Bolbophorus damnificus* n. sp. (Digenea Bolbophoridae) from the channel catfish *Ictalurus punctatus* and American white pelican *Pelecanus erythrorhynchos* in the USA based on life-cycle and molecular data. *Systematic Parasitology*. 52: 81-96.

Page, B. SARDI Senior Research Scientist. Personal communication.

Page, B., McKenzie, J., & Goldsworthy, S.D. 2005. Dietary resource partitioning among sympatric New Zealand and Australian Fur Seals. *Marine Ecology Progress Series*. 293: 283-302.

Pallant, J. 2005. *SPSS Survival Manual*. Second Edition. Allen & Unwin. NSW, Australia.

Parsons, J. 1970. Relationship between egg size and post hatching mortality in the Herring Gull *Larus argentatus*. *Nature*, London. 228: 1221-1222.

Parsons, J. 1972. Egg size, laying date and incubation period in the Herring Gull. *Ibis*. 114: 536-541.

Parson, J. 1976. Factors determining the number and size of eggs laid by the Herring Gull. *The Condor*. 78: 481-492.

Pemberton, D., & Shaughnessy, P.D. 1993. Interaction between seals and marine fish-farms in Tasmania, and management of the problem. *Aquatic Conservation: Marine and Freshwater Ecosystems*. 3(2): 149-158.

Phillips, R.A. 2006. Efficacy and effects of diet sampling of albatross chicks. *Emu*. 106: 30-308.

Pierotti, R. 1982. Habitat selection and its effect on reproductive output in the Herring Gull in Newfoundland. *Ecology*. 63(3): 854-868.

Pierotti, R., & Annett, C.A. 1987. Reproductive consequences of dietary specialisation and switching in an ecological generalist. Pages 417-442 in A.C. Kamil, J. Krebs, & R. Pulliam, eds. *Foraging Behaviour*. Plenum Press, New York.

Pierotti, R., & Annett, C.A. 1991. Diet choice in the Herring Gull: constraints imposed by reproductive and ecological factors. *Ecology*. 72(1): 319-328.

Pierre, J.P., & Norden, W.S. 2006. Reducing seabird bycatch in longline fisheries using a natural olfactory deterrent. *Biological Conservation*. 130(3): 406-415.

PIRSA Aquaculture. 2003, 2005 & 2006 map of tuna leases. Passed on by David Ellis. TBOASA.

Pochop, P.A., Cummings, J.L., Yoder, C.A., & Steuber, J.E. 1998^a. Effectiveness of several oils to reduce hatchability of chicken eggs. *Journal of Wildlife Management*. 62(1): 395-398.

- Pochop, P.A., Cummings, J.L., Yoder, C.A., & Steuber, J.E. 1998^b. Comparison of white mineral oil and corn oil to reduce hatchability in Ring-billed Gull eggs. Proceedings of the 18th Vertebrate Pest Conference. University of California.
- Pons, J-M. 1992. Effects of changes in the availability of human refuse on breeding parameters in a Herring Gull *Larus argentatus* population in Brittany, France. *Ardea*. 80: 143-150.
- Prado, J. 2000. How seabird mortality can be reduced when longlining. FAO Fisheries Report. No. 588, pp. 77-88.
- Price, I.M., & Nickum, J.G. 1995. Aquaculture and birds: The context for controversy. *Colonial Waterbirds*. 18(1): 33-45.
- Pyk, T.M., Bunce, A., & Norman, F.I. 2007. The influence of age on reproductive success and diet in Australasian Gannets (*Morus serrator*) breeding at Pope's Eye, Port Phillip Bay, Victoria. *Australian Journal of Zoology*. 55: 267-274.
- Risch, T.S., & Rohwer, F.C. 2000. Effects of parental quality and egg size on growth and survival of Herring Gull chicks. *Canadian Journal of Zoology*. 78: 967-973.
- Robertson, G., Kent, S., & Seddon, J. 1994. Effects of water offloading technique on Adele Penguins. *Journal of Field Ornithology*. 65: 376-380.
- Robinson, T., Canty, P., Mooney, T., & Rudduck, P. 1996. South Australia's Offshore Islands. Department of Environment and Natural Resources, South Australia.
- Roconni, R.A., St Clair, C.C., O'Hara, P.D., & Burger, A.E. 2004. Waterbird deterrence at oil spills and other hazardous sites: potential applications of a radar-activated on-demand deterrence system. *Marine Ornithology*. 32: 25-33.
- Rome, M.S., & Ellis, J.C. 2004. Foraging ecology and interactions between Herring Gulls and Great Black-backed Gulls in New England. *Waterbirds*. 27(2): 200-210.
- Rudstam, L.G., VanDeValk, A.J., Adams, C.M., Coleman, J.T.H., Forney, J.L., & Richmond, M.E. 2004. Cormorant predation and the population dynamics of walleye and yellow perch in Oneida Lake. *Ecological Applications*. 14(1): 149-163.
- Schoder, Madeline. 2006. Owner of Louth Island. Personal Communication.
- Schwemmer, P., & Garthe, S. 2005. At sea distribution and behaviour of a surface feeding seabird, the Lesser Black-backed Gull *Larus fuscus*, and its association with different prey. *Marine Ecology Progress Series*. 285: 245-258.
- Serventy, D.L., Serventy, V. & Warham, J. 1971. *The Handbook of Australian Seabirds*. A.H & A.W Reed, Sydney, Australia.
- Shaughnessy, P.D. 1993. *The Action Plan for Australian Seals*. CSIRO Wildlife and Ecology.

- Shaw, P.P. Integrated management systems for Australian White Ibis (*Threskiornis molucca*) on the Gold Coast, Queensland, Australia. Bird Strike '99 – Proceedings.
- Skira, I.J., & Wapstra, J.E. 1990. Control of Silver Gulls in Tasmania. *Corella*. 14(4): 124-129.
- Skov, H., & Durinck, J. 2001. Seabird attraction to fishing vessels is a local process. *Marine Ecology Progress Series*. 214: 289-298.
- Slater, P.J.B. 1980. Bird behaviour and scaring by sounds. p. 105-114. In: *Bird problems in agriculture*. Wright, E.N., I.R. Inglis, & C.J. Feare (Eds.). British Crop Protection Council, Croydon. 210p.
- Smith, G.C. 1995. The biology and management of the Silver Gull (*Larus novaehollandiae novaehollandiae*) in NSW. New South Wales National Parks and Wildlife Service. Species Management Report number 17.
- Smith, G.C., & Carlile, N. 1992. Silver Gulls breeding at two colonies in the Sydney-Wollongong region, New South Wales. *Wetlands (Australia)*. 11: 33-45.
- Smith, G.C., Carlile, N. & Tully, S. 1992. Breeding and movements of wing-tagged Silver Gulls (*Larus novaehollandiae*) at the largest colony in New South Wales. *Wildlife Research*. 19: 161-167.
- Smith, G.C., & Carlile, N. 1993. Methods for population control within a Silver Gull colony. *Wildlife Research*. 20: 219-226.
- Smith, G.C., & Carlile, N. 1993. Food and feeding ecology of breeding Silver Gulls in urban Australia. *Colonial Waterbirds*, 16(1): 9-17
- Smith, G.C., Carlile, N., & Louwse, I. 1991. The importance of human refuse as a food source for Silver Gulls *Larus novaehollandiae*. *Australian Birdwatcher*. 14: 24-27.
- Soldatini, C., Albores-Barajas, Y.V., Torricelli, P., Mainardi, D. 2008. Testing the efficacy of deterring systems in two gull species. *Applied Animal Behaviour Science*. 110(3-4): 330-340.
- Spaans, A.L. 1971. On the feeding ecology of the Herring Gull *Larus argentatus* Pont. In the northern part of the Netherlands. *Ardea*, 59: 75-186.
- Svane, I. 2005. Occurrences of dolphins and seabirds and their consumption of bycatch during prawn trawling in Spencer Gulf, South Australia. *Fisheries Research*. 76: 317-327.
- Svane, I., & Barnett, J. 2008. The occurrence of benthic scavengers and their consumption at tuna farms off Port Lincoln, South Australia. *Journal of Experimental Marine Biology and Ecology*. 363: 110-117.
- Taylor, I.R., & Roe, E.L. 2004. Feeding ecology of Little Terns *Sterna albifrons* in

south-eastern Australia and the effects of pilchard mass mortality on breeding success and population size. *Marine and Freshwater Research*. 55: 799-808.

Temby, I. 2003. Flora and Fauna Notes: Problems caused by the Silver Gull. State of Victoria, Department of Sustainability and Environment. 2 pages.

Temby, I.D. 2004. Urban wildlife issues in Australia. Proceedings of the 4th International Urban Wildlife Symposium. Shaw *et al.* Eds. Pp. 26-34.

The Advertiser. 2004. Flap over Call to Cull Dive-Bomb Seagulls. 11 November, 2004.

Tuna farm managers. Personal Communication. Various SBT companies.

(USDA) United States Department of Agriculture. 2003. Wildlife Services: Managing Bird Damage to America's Resources. Program Aid No. 1750.

Valeiras, J. 2003. Attendance of scavenging seabirds at trawler discards of Galicia, Spain. *Scientia Marina*. 67(2): 77-82.

Vanpatten, K.A., Nunan, L.M., & Lightner, D.V. 2004. Seabirds as potential vectors of penaeid shrimp viruses and the development of a surrogate laboratory model utilizing domestic chickens. *Aquaculture*. 241: 31-46.

van Vessem, J., Draulans, D., & de Bont, A.F. 1985. The effects of killing and removal on the abundance and of Grey Herons at fish farms. Pp. 337-343. In: Proceedings of the XVIIth Congress of the International Union of Game Biologists. Brussels, September 17-21, 1985. 1097p.

Verboven, N., Evans, N.P., D'Alba, L., Nager, R.G., Blount, J.D., Surai, P.F. & Monaghan, P. 2005. Intra-specific interactions influence egg composition in the Lesser Black-backed Gull (*Larus fuscus*). *Behavioural Ecology and Sociobiology*. 57: 357-365.

Vita, R., & Marin, A. 2007. Environmental impact of capture-based bluefin tuna aquaculture on benthic communities in the western Mediterranean. *Aquaculture Research*. 38: 331-339.

Votier, S.C., Bearhop, S., MacCormick, A., Ratcliffe, N., & Furness, R.W. 2003. Assessing the diet of Great Skuas, *Catharacta skua*, using five different techniques. *Polar Biology*. 26: 20-26.

Votier, S.C., Bearhop, S., Crane, J.E., Manual Arcos, J., Furness, R.W. 2007. Seabird predation by Great Skuas *Stercorarius skua* – intra-specific competition for food. *Journal of Avian Biology*. 38: 234-246.

Votier, S.C., Furness, R.W., Bearhop, S., Crane, J.E., Caldow, R.W.G., Catry, P., Ensor, K., Hamer, K.C., Hudson, A.V., Kalmbach, E., Klomp, N.I., Pfeiffer, S., Phillips, R.A., Prieto, I. & Thompson, D.R. 2004. Changes in fisheries discard rates and seabird communities. *Nature*. 427: 727-730.

- Wanless, S., Harris, M.P., Calladine, J., & Rothery, P. 1996. Modelling responses of Herring Gull and Lesser Black-backed Gull populations to reduction of reproductive output: implications for control measures. *Journal of Applied Ecology*. 33: 1420-1432.
- Wanless, S., & Langslow, D.R. 1983. The effects of culling on the Abbeystead and Mallowdale gullery. *Bird Study*. 30(1): 17-23.
- Warrer-Hansen, I. 1982. Evaluation of matter discharged from trout farming in Denmark. In: Alabaster, J.S. (Ed.), Report of the FIFAC Workshop on Fish Farm Effluents, Denmark, May 1981. FIFAC Technical Paper. 41: 113-121.
- Weimerskirch, H., & Cherel, Y. 1998. Feeding ecology of Short-tailed Shearwaters: breeding in Tasmania and foraging in Antarctica. *Marine Ecology Progress Series*. 167: 261-274.
- Werner, S.J. 2004. Diel foraging behaviour of American White Pelicans *Pelecanus erythrorhynchos* on experimental aquaculture ponds. *Journal of the World Aquaculture Society* 35(4): 513-517.
- Werner, S.J., & Dorr, B.S. 2006. Influence of fish stocking density on the foraging behaviour of Double-crested Cormorants. *Journal of the World Aquaculture Society*. 37(1): 121-125.
- Werner, S.J., Harrel, J.B., & Wooten, D.E. 2005. Foraging behaviour and monetary impact of wading birds at Arkansas baitfish farms. *Journal of the World Aquaculture Society*. 36(3): 354-362.
- Wheeler, W.R., & Watson, I. 1963. The Silver Gull. *The Emu*. 63(2): 99-173.
- White, G.C., & Burnham, K.P. 1999. Program MARK: survival estimation from populations of marked animals. *Bird Study*. 46 (supplement): 120-138.
- Williams, T.D. 1994. Intraspecific variation in egg size and egg composition in birds: effects on offspring fitness. *Biological Reviews*. 69: 35-59.
- Wilson, R.P. 1984. An improved stomach pump for penguins and other seabirds. *Journal of Field Ornithology*. 55(1): 109-112.
- Wilson, R.P., Gremillet, D., Syder, J., Kierspel, M.A.M., Garthe, S., Weimerskirch, H., Schafer-Neth, C., Alejandro Scolaro, J., Bost, C-A., Plotz, J., & Nel, D. 2002. Remote-sensing systems and seabirds: their use, abuse and potential for measuring marine environmental variables. *Marine Ecology Progress Series*. 228: 241-261.
- Wood, K.A. 1991. Gulls and terns (*Laridae*) off Wollongong, New South Wales: seasonal abundance, scavenging behaviour and depth zonation. *Corella*. 15(4): 93-102.
- Wooller, R.D., & Dunlop, J.N. 1979. Multiple laying by the Silver Gull, *Larus nonaehollandiae* Stephens, on Carnac Island, Western Australia. *Australian Wildlife*

Research. 6: 325-335.

Wooller, R.D., & Dunlop, J.N. 1981. Annual variation in the clutch and egg sizes of Silver Gull eggs, *Larus novaehollandiae*. Australian Wildlife Research. 8: 431-433.

Wooller, R.D., & Dunlop, J.N. 1980. The use of simple measurements to determine the age of Silver Gull eggs. Australian Wildlife Research. 7: 113-115.

Yorio, P., & Caille, G. 2004. Fish waste as an alternative resource for gulls along the Patagonian coast: availability, use and potential consequences. Marine Pollution Bulletin. 48: 778-783.

Yves, C., Hobson, K.A., & Hassani, S. 2005. Isotopic discrimination between food and blood feathers of wild and captive penguins: Implications for dietary studies in the wild. Physiological and Biochemical Zoology. 78(1): 106-115.

