Page, S.M. The Influence of Psychological Factors on Adjustment to Pain in Cancer Patients Receiving Palliative Care

Regression coefficients, standard error, wald statistics odds ratio for each step in Weeks 3 and 5.

Week 3 Step 1

Variables in the Equation

		В	S.E.	Wald	df	Sig.	Exp(B)
Step	Pain3	.531	.120	19.443	1	.000	1.700
1(a)	painfreq3	052	.180	.084	1	.772	.949
	Constant	-2.805	.561	24.954	1	.000	.061

a Variable(s) entered on step 1: Pain3, painfreq3.

Week 3 Step 2

Variables in the Equation

		В	S.E.	Wald	df	Sig.	Exp(B)
Step 1(a)	Pain3	.456	.125	13.258	1	.000	1.577
	painfreq3	033	.184	.032	1	.857	.967
	symptoms3	.637	.293	4.735	1	.030	1.890
	Constant	-3.700	.714	26.885	1	.000	.025

a Variable(s) entered on step 1: symptoms3.

Week 3 Step 3

Variables in the Equation

		В	S.E.	Wald	df	Sig.	Exp(B)
Step	Pain3	.206	.148	1.943	1	.163	1.229
1(a)	painfreq3	190	.223	.727	1	.394	.827
	symptoms3	.340	.384	.783	1	.376	1.405
	neg3	409	.129	10.119	1	.001	.664
	pos3	.157	.140	1.253	1	.263	1.170
	Constant	-2.807	.877	10.235	1	.001	.060

a Variable(s) entered on step 1: neg3, pos3.

Week 3 Step 4

Variables in the Equation

		В	S.E.	Wald	df	Sig.	Exp(B)
Step	Pain3	.352	.199	3.146	1	.076	1.422
1(a)	painfreq3	.186	.309	.361	1	.548	1.204
	symptoms3	.733	.425	2.968	1	.085	2.081
	neg3	-1.769	.704	6.306	1	.012	.171
	pos3	239	.694	.119	1	.731	.787
	Pain3 by neg3	.025	.089	.078	1	.779	1.025
	neg3 by painfreq3	.251	.152	2.720	1	.099	1.286
	neg3 by symptoms3	.354	.237	2.228	1	.136	1.425
	Pain3 by pos3	050	.094	.279	1	.598	.952
	painfreq3 by pos3	.069	.158	.188	1	.664	1.071
	pos3 by symptoms3	.210	.269	.614	1	.433	1.234
	Constant	-4.870	1.277	14.539	1	.000	.008

Page, S.M. The Influence of Psychological Factors on Adjustment to Pain in Cancer Patients Receiving Palliative Care

a Variable(s) entered on step 1: Pain3 * neg3 , neg3 * painfreq3 , neg3 * symptoms3 , Pain3 * pos3 , painfreq3 * pos3 , pos3 * symptoms3 .

Regression coefficient, standard error, wald statistics odds ratio for each step in Week 5.

Week 5 Step 1

Variables in the Equation

		В	S.E.	Wald	df	Sig.	Exp(B)
Step	pain5	.503	.146	11.855	1	.001	1.654
1(a)	FREQ5	073	.220	.110	1	.741	.930
	Constant	-3.065	.671	20.861	1	.000	.047

a Variable(s) entered on step 1: pain5, FREQ5.

Week 5 Step 2

Variables in the Equation

		В	S.E.	Wald	df	Sig.	Exp(B)
Step 1(a)	pain5	.488	.157	9.670	1	.002	1.629
	FREQ5	070	.220	.102	1	.750	.932
	symptoms5	.092	.337	.074	1	.786	1.096
	Constant	-3.190	.815	15.327	1	.000	.041

a Variable(s) entered on step 1: symptoms5.

Week 5 Step 3

Variables in the Equation

		В	S.E.	Wald	df	Sig.	Exp(B)
Step	pain5	.300	.177	2.852	1	.091	1.350
1(a)	FREQ5	.009	.259	.001	1	.972	1.009
	symptoms5	550	.407	1.823	1	.177	.577
	neg5	.313	.127	6.129	1	.013	1.368
	pos5	257	.147	3.032	1	.082	.774
	Constant	-2.284	.955	5.727	1	.017	.102

a Variable(s) entered on step 1: neg5, pos5.

Week 5 Step 4

Variables in the Equation

		В	S.E.	Wald	df	Sig.	Exp(B)
Step	pain5	.442	.247	3.190	1	.074	1.555
1(a)	FREQ5	401	.393	1.039	1	.308	.670
	symptoms5	745	.637	1.367	1	.242	.475
	neg5	608	.449	1.836	1	.175	.544
	pos5	927	.589	2.478	1	.115	.396
	neg5 by pain5	003	.089	.001	1	.976	.997
	FREQ5 by neg5	.419	.156	7.229	1	.007	1.521
	neg5 by symptoms5	.008	.217	.001	1	.971	1.008
	pain5 by pos5	.099	.107	.849	1	.357	1.104
	FREQ5 by pos5	.207	.176	1.390	1	.238	1.230
	pos5 by symptoms5	086	.272	.099	1	.753	.918
	Constant	-1.672	1.346	1.543	1	.214	.188

a Variable(s) entered on step 1: neg5 * pain5 , FREQ5 * neg5 , neg5 * symptoms5 , pain5 * pos5 , FREQ5 * pos5 , pos5 * symptoms5.

Page, S.M. The Influence of Psychological Factors on Adjustment to Pain in Cancer Patients Receiving Palliative Care