

References

- [1] (2005) Google Earth. [Online]. Available: <http://earth.google.com/>
- [2] (2006) ADAM Healthcare Center. [Online]. Available: <http://adam.about.com/encyclopedia/index.htm>
- [3] (2006) DePuy Orthopaedics: All about arthritis. [Online]. Available: <http://www.allaboutarthritis.com>
- [4] (2006) Salter-Harris classification of epiphyseal injuries. [Online]. Available: http://www.mja.com.au/public/issues/182_12_200605/you10261_fm-1.gif
- [5] (2006) University of Glasgow Institute of Biomedical and Life Sciences. [Online]. Available: <http://www.gla.ac.uk/ibls/fab/public/docs/xbone1x.html>
- [6] (2006) WebMD. [Online]. Available: http://www.webmd.com/hw/health_guide_atoz/tp10201.asp
- [7] (2007) Wayne State College, School of Natural and Social Sciences. [Online]. Available: <http://academic.wsc.edu/faculty/jatodd1/351/>
- [8] M. Akhtar and M. Atiquzzaman, “Determination of line length using Hough transform,” *IEE Electronic Letters*, vol. 28, no. 1, pp. 94 – 96, 1992.
- [9] L. Alvarez, F. Guichard, P.-L. Lions, and J.-M. Morel, “Axioms and fundamental equations of image processing,” *Archives for Rational Mechanics*, vol. 123, no. 3, pp. 199–257, 1993.
- [10] L. Alvarez, P.-L. Lions, and J.-M. Morel, “Image selective smoothing and edge detection by nonlinear diffusion,” *SIAM Journal of Numerical Analysis*, vol. 29, no. 3, pp. 845–866, 1992.

- [11] R. L. Arenson, K. P. Andriole, D. E. Avrin, and R. G. Gould, “Computers in imaging and health care: Now and in the future,” *Journal of Digital Imaging*, vol. 13, no. 4, pp. 145–156, 2000.
- [12] M. Atiquzzaman, “Multiresolution Hough transform - An efficient method of detecting pattern in images,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 14, no. 11, pp. 1090 – 1095, 1992.
- [13] ——, “Pipelined implementation of the multiresolution Hough transform in a pyramid multiprocessor,” *Pattern Recognition Letters*, vol. 15, no. 9, pp. 841–851, 1994.
- [14] M. Atiquzzaman and M. Akhtar, “Complete line segment description using the Hough transform,” *Image and Vision Computing*, vol. 12, no. 5, pp. 267 – 273, 1994.
- [15] ——, “A robust Hough transform technique for complete line segment description,” *Real Time Imaging*, vol. 1, pp. 419 – 426, 1995.
- [16] S. Baker and S. Harkissoon, “The causes of malpractice suits in radiology: The contemporary records of 5300 radiologists,” in *Radiological Society of North America*, Chicago, 2004.
- [17] K. S. Berbaum, E. A. Brandser, J. Franken, E. A., D. D. Dorfman, R. T. Caldwell, and E. A. Krupinski, “Gaze dwell times on acute trauma injuries missed because of satisfaction of search,” *Academic Radiology*, vol. 8, no. 4, pp. 304 –314, 2001.
- [18] K. S. Berbaum, G. Y. el Khoury, J. Franken, E. A., M. Kathol, W. J. Montgomery, and W. Hesson, “Impact of clinical history on fracture detection with radiography,” *Radiology*, vol. 168, no. 2, pp. 507–511, 1988.
- [19] K. S. Berbaum, J. Franken, E. A., and G. Y. el Khoury, “Impact of clinical history on radiographic detection of fractures: A comparison of radiologists and orthopedists.” *American Journal of Roentgenology*, vol. 153, no. 6, pp. 1221–1224, 1989.

- [20] L. Berlin, "Malpractice and radiologists, update 1986: An 11.5-year perspective," *American Journal of Roentgenology*, vol. 147, no. 2, pp. 1291–1298, 1986.
- [21] ——, "Reporting the "missed" radiologic diagnosis: Medicolegal and ethical considerations," *Radiology*, vol. 192, no. 1, pp. 183–187, 1994.
- [22] R. N. Bracewell, *Two-dimensional imaging*. London: Prentice-Hall, 1995.
- [23] J. C. Buckland-Wright, J. A. Lynch, J. Rymer, and I. Fogelman, "Fractal signature analysis of macroradiographs measures trabecular organization in lumbar vertebrae of postmenopausal women," *Calcified Tissue International*, vol. 54, no. 2, pp. 106–112, 1994.
- [24] P. Caligiuri, M. L. Giger, and M. Favus, "Multifractal radiographic analysis of osteoporosis," *Medical Physics*, vol. 21, no. 4, pp. 503–508, 1994.
- [25] J. Canny, "A computational approach to edge detection," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 8, no. 6, pp. 679–698, 1986.
- [26] F. Catte, P.-L. Lions, J.-M. Morel, and T. Coll, "Image selective smoothing and edge detection by nonlinear diffusion," *SIAM Journal of Numerical Analysis*, vol. 29, no. 1, pp. 182–93, 1992.
- [27] R. Ceccarelli, "Pedestrian head detection using automatic scale selection for feature detection and statistical edge curvature analysis," Ph.D. dissertation, Ecole Polytechnique Federale De Lausanne, 2004.
- [28] F. Chabat, D. M. Hansell, and G.-Z. Yang, "Computerized decision support in medical imaging," *IEEE Engineering in Medicine and Biology Magazine*, vol. 19, no. 5, pp. 89–96, 2000.
- [29] Y. Chen, Y. Giga, and S. Goto, "Uniqueness and existence of viscosity solutions of generalized mean curvature flow equations," *Journal of Differential Geometry*, vol. 33, pp. 749–786, 1991.

- [30] L. S. Chipchase, K. McCaul, and T. C. Hearn, “Hip fracture rates in South Australia: Into the next century,” *Australian and New Zealand Journal of Surgery*, vol. 70, no. 2, pp. 117–119, 2000.
- [31] L. Cohen, “Note on active contour models and balloons,” *Computer Vision and Image Understanding*, vol. 53, no. 2, pp. 211–218, 1991.
- [32] C. L. Colton, “Fracture classification,” *Journal of Bone and Joint Surgery*, vol. 79-B, no. 5, pp. 708–709, 1997.
- [33] L. da Fontoura Costa, D. Ben-Tzvi, and M. Sandler, “Performance improvements to the Hough transform,” in *UK IT 1990 Conference*, Southampton , UK, 1990, pp. 98–103.
- [34] R. de Luis-Garcia, M. Martin-Fernandez, J. I. Arribas, and C. Alberola-Lopez, “A fully automatic algorithm for contour detection of bones in hand radiographs using active contours,” in *IEEE International Conference on Image Processing*, Barcelona, Spain, 2003.
- [35] R. Deans, Stanley, “Hough transform from the Radon transform,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 3, no. 2, pp. 185 – 188, 1981.
- [36] K. Doi, “Current status and future potential of computer-aided diagnosis in medical imaging,” *British Journal of Radiology*, vol. 78, no. S3-S19, 2005.
- [37] R. O. Duda and P. E. Hart, “Use of the Hough transformation to detect lines and curves in pictures,” *Communications of the ACM*, vol. 15, no. 1, pp. 11 – 15, 1972.
- [38] E. A. El-Kwae, A. Tzacheva, and J. F. Kellam, “Model-based bone segmentation from digital x-ray images,” in *Second Joint EMBS/BMES Conference*, Houston, Texas, USA, 2002, pp. 2529–2530.

- [39] B.-C. Fan, C.-W. Hsieh, T.-L. Jong, and C.-M. Tiu, “Automatic bone age estimation based on carpal-bone image - A preliminary report,” *Chinese Medical Journal (Taipei)*, vol. 64, no. 4, pp. 203–208, 2001.
- [40] W. Geraets, P. Van der Stelt, and P. Elders, “The radiographic trabecular bone pattern during menopause,” *Bone*, vol. 14, no. 6, pp. 859–864, 1993.
- [41] M. L. Giger, “Computer-aided diagnosis in medical imaging - A new era in image interpretation,” World Markets Research Centre, Tech. Rep., 2000.
- [42] H. Goto and H. Aso, “The efficient sampling interval of the scanning parameter in the Hough transform,” *Systems and Computers in Japan*, vol. 29, no. 11, pp. 9–19, 1998.
- [43] F. Guichard and J.-M. Morel, “Image analysis and PDE’s,” in *Two week tutorials on Geometrically Based Motions (GBM)*. University of California, Los Angeles (UCLA): Institute for Pure and Applied Mathematics (IPAM), 2001.
- [44] R. Gustilo and J. Anderson, “Prevention of infection in the treatment of one thousand and twenty-five open fractures of long bones: retrospective and prospective analyses.” *Journal of Bone and Joint Surgery*, vol. 58, no. 4, pp. 453–8, 1976.
- [45] P. Hansen and N. Mladenovi, “J-means: a new local search heuristic for minimum sums of squares clustering,” *Pattern Recognition*, vol. 34, pp. 405–413, 2001.
- [46] M. Hollins, *Medical physics*. Basingstoke, Hampshire: Macmillan, 1990.
- [47] P. V. C. Hough, “Methods and means for recognising complex patterns,” U.S. Patent 3 069 654, 1962.
- [48] H. Howe, G. Poole, K. Hansen, T. Clark, G. Plonk, L. Koman, and T. Pennell, “Salvage of lower extremities following combined orthopedic and vascular trauma. A predictive salvage index.” *American Journal of Surgery*, vol. 53, pp. 205–8, 1987.

- [49] J. Illingworth and J. Kittler, “The adaptive Hough transform,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 9, no. 5, pp. 690 – 698, 1987.
- [50] ——, “A survey of the Hough transform,” *Computer Vision, Graphics and Image Processing*, vol. 44, no. 1, pp. 87 – 116, 1988.
- [51] Y. Jia and Y. Jiang, “Active contour model with shape constraints for bone fracture detection,” in *International Conference on Computer Graphics, Imaging and Visualization (CGIV’06)*, Sydney, Australia, 2006, pp. 90–95.
- [52] K. Johansen, M. Daines, T. Howey, D. Helfet, and S. J. Hansen, “Objective criteria accurately predict amputation following lower extremity trauma,” *Journal of Trauma Nursing*, vol. 30, pp. 568–73, 1990.
- [53] M. Kass, A. Witkin, and D. Terzopoulos, “Snakes: Active contour models,” *International Journal of Computer Vision*, vol. 1, no. 4, pp. 321–331, 1988.
- [54] J. Kaufman, A. Chiabrera, M. Hatem, N. Hakim, M. Figueiredo, P. Nasser, S. Lattuga, A. Pilla, and R. Siffert, “A neural network approach for bone fracture healing assessment,” *IEEE Engineering in Medicine and Biology*, vol. 9, pp. 23–30, 1990.
- [55] P. Khosrovi, A. J. Kahn, H. K. Genant, and S. Majumdar, in *American Society for Bone and Mineral Research*, L. Raisz, Ed. Kansas, USA: Mary Ann Liebert, Inc., 1994, p. S156.
- [56] J. J. Koenderink, “The structure of images,” *Biological Cybernetics*, vol. 50, pp. 363–370, 1984.
- [57] H. J. Kreder, D. P. Hanel, M. McKee, J. Jupiter, G. McGillivray, and M. F. Swiontkowski, “Consistency of AO fracture classification for the distal radius,” *Journal of Bone and Joint Surgery*, vol. 78-B, no. 5, pp. 726–731, 1996.

- [58] H. Li, M. A. Lavin, and R. J. Le Master, “Fast Hough transform: A hierarchical approach,” *Computer Vision, Graphics and Image Processing*, vol. 36, no. 2 - 3, pp. 139 – 161, 1986.
- [59] S. E. Lim, Y. Xing, Y. Chen, W. K. Leow, T. S. Howe, and M. A. Png, “Detection of femur and radius fractures in x-ray images,” in *2nd International conference on Advances in Medical Signal and Information Processing*, Malta G.C., 2004.
- [60] T. Lindeberg, “Scale-space: A framework for handling image structures at multiple scales,” CERN School of Computing, Tech. Rep., September 1996.
- [61] ——, “Edge detection and ridge detection with automatic scale selection,” *International Journal of Computer Vision*, vol. 30, no. 2, pp. 117–156, 1998.
- [62] ——, “Feature detection with automatic scale selection,” *International Journal of Computer Vision*, vol. 30, no. 2, pp. 79–116, 1998.
- [63] T. Link, S. Majumdar, W. Konermann, N. Meier, J. Lin, D. Newitt, X. Ouyang, P. Peters, and H. Genant, “Texture analysis of direct magnification radiographs of vertebral specimens: Correlation with bone mineral density and biomechanical properties,” *Academic Radiology*, vol. 4, no. 3, pp. 167–176, 1997.
- [64] S. Loncaric, “A survey of shape analysis techniques,” *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 31, no. 8, pp. 983–1001, 1998.
- [65] V. L. F. Lum, W. K. Leow, Y. Chen, T. S. Howe, and M. A. Png, “Combining classifiers for bone fracture detection in x-ray images,” in *International Conference on Image Processing (ICIP-05)*, Genoa, Italy.
- [66] J. A. Lynch, D. J. Hawkes, and J. C. Buckland-Wright, “Analysis of texture in macroradiographs of osteoarthritic knees using the fractal signature,” *Physics in Medicine and Biology*, vol. 36, no. 6, pp. 709–722, 1991.
- [67] E. N. Marieb, *Human anatomy and physiology*, 4th ed. Menlo Park, Calif.: Benjamin/Cummings, 1998.

- [68] D. Marr and E. C. Hildreth, “Theory of edge detection,” *Proceedings of the Royal Society, London B*, vol. 207, pp. 187–217, 1980.
- [69] D. Marr, *Vision: A computational investigation into the Human Representation and Processing of Visual Information*. New York: W. H. Freeman and Company, 1982.
- [70] A. Matani, T. Okamoto, and K. Chihara, “Evaluation of a trabecular structure using a multiresolution analysis,” in *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 1998, pp. 632–633.
- [71] A. Materka, P. Cichy, and J. Tuliszkiewicz, “Texture analysis of x-ray images for detection of changes in bone mass and structure,” in *Texture Analysis in Machine Vision*, M. K. Pietikainen, Ed. Singapore: World Scientific, 2000.
- [72] MathWorks, “Matlab,” 1994-2007.
- [73] T. McInerney and D. Terzopoulos, “Deformable models in medical image analysis: A survey,” *Medical Image Analysis*, vol. 1, no. 2, pp. 91–108, 1996.
- [74] G. R. Milner, R. K. Levick, and R. Kay, “Assessment of bone age: A comparison of the Greulich and Pyle, and the Tanner and Whitehouse methods.” *Clinical Radiology*, vol. 37, no. 2, pp. 119–121, 1986.
- [75] M. E. Muller, S. Nazarian, P. Koch, and J. Schatzker, *The comprehensive classification of fractures of long bones*. Berlin: Springer-Verlag, 1990.
- [76] D. Nain, A. Yezzi, and G. Turk, “Vessel segmentation using a shape driven flow,” in *Medical Image Computing and Computer Assisted Intervention (MICCAI)*, St. Malo, France, 2004.
- [77] W. Niblack and T. Truong, “Finding line segments by surface fitting to the Hough transform,” in *MVA '90 IAPR Workshop of Machine Vision Applications*, Tokyo, 1990.
- [78] M. Niemeijer, B. v. Ginneken, C. Maas, F. Beek, and M. Viergever, “Assessing the skeletal age from a hand radiograph: Automating the Tanner-Whitehouse

- method," *Proceedings of SPIE on Medical Imaging*, vol. 5032, no. 5032, pp. 1197–1205, 2003.
- [79] F. O'Gorman and M. Clowes, "Finding picture edges through collinearity of feature points," *IEEE Transactions on Computers*, vol. 25, no. 4, pp. 449 – 456, 1976.
- [80] X. Ouyang, S. Majumdar, T. M. Link, P. A. Y. Lu, J. C. Lin, D. C. Newitt, and H. K. Genant, "Morphometric texture analysis of spinal trabecular bone structure assessed using orthogonal radiographic projections," *Medical Physics*, vol. 25, no. 10, pp. 2037–2045, 1998.
- [81] N. R. Pal and S. K. Pal, "A review on image segmentation techniques," *Pattern Recognition*, vol. 26, no. 9, pp. 1277–1294, 1993.
- [82] S. Peer, U. Neitzel, S. M. Giacomuzzi, S. Pechlaner, K. H. Kunzel, R. Peer, E. Gassner, I. Steingruber, O. Gaber, and W. Jaschke, "Direct digital radiography versus storage phosphor radiography in the detection of wrist fractures." *Clinical Radiology*, vol. 57, no. 4, pp. 258–262, 2002.
- [83] P. Perona and J. Malik, "Scale-space and edge detection using anisotropic diffusion," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 12, no. 7, pp. 629–639, 1990.
- [84] J. M. Prewitt and M. L. Mendelsohn, "The analysis of cell images," *Ann. New York Acad. Sci.*, vol. 128, pp. 1025–1053, 1966.
- [85] J. Radon, "Über die bestimmung von funktionen durch ihre integralwerte längs gewisser mannigfaltigkeiten," *Ber. Ver. Schs. Akad*, vol. 69, pp. 262–277, 1917.
- [86] A. Randell, P. N. Sambrook, T. V. Nguyen, H. Lapsley, G. Jones, P. J. Kelly, and J. A. Eisman, "Direct clinical and welfare costs of osteoporotic fractures in elderly men and women," *Osteoporosis International*, vol. 5, no. 6, pp. 427–432, 1995.

- [87] T. Ridler and S. Calvard, “Picture thresholding using an iterative selection method,” *IEEE Transactions on Systems, Man and Cybernetics*, vol. 8, no. 8, pp. 630–632, 1978.
- [88] L. F. Rogers and R. W. Hendrix, “Evaluating the multiply injured patient radiographically,” *Orthopaedic Clinics of North America*, vol. 21, no. 3, pp. 437–447, 1990.
- [89] T. P. Ruedi and W. M. Murphy, *AO Principles of Fracture Management*. New York: Thieme, 2000.
- [90] W. Russell, D. Sailors, T. Whittle, D. J. Fisher, and R. Burns, “Limb salvage versus traumatic amputation. A decision based on a seven-part predictive index.” *Annals of Surgery*, vol. 213, pp. 473–81, 1991.
- [91] D. Ryder, S. King, C. Olliff, and E. Davies, “A possible method of monitoring bone fracture and bone characteristics using a non-invasive acoustic technique,” in *International Conference on Acoustic Sensing and Imaging*, 1993, pp. 159–163.
- [92] R. Salter and W. Harris, “Injuries involving the epiphyseal plate,” *Journal of Bone and Joint Surgery*, vol. 45, pp. 587–632, 1963.
- [93] S. Samuel, H. L. Kundel, C. F. Nodine, and L. C. Toto, “Mechanism of satisfaction of search: Eye position recordings in the reading of chest radiographs,” *Radiology*, vol. 194, no. 3, pp. 895–902, 1995.
- [94] K. M. Sanders, G. C. Nicholson, A. M. Ugoni, J. A. Pasco, E. Seeman, and M. A. Kotowicz, “Health burden of hip and other fractures in Australia beyond 2000. Projections based on the Geelong Osteoporosis Study,” *Medical Journal of Australia*, vol. 170, no. 10, pp. 467–70, 1999.
- [95] J. Serra, “Introduction to mathematical morphology,” *Computer Vision, Graphics and Image Processing*, vol. 35, no. 3, pp. 283–305, 1986.

- [96] V. Singh and S. Chauhan, “Early detection of fracture healing of a long bone for better mass health care.” in *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 1998, pp. 2911–2912.
- [97] J. Skingley and A. Rye, “The Hough transform applied to SAR images for thin line detection,” *Pattern Recognition Letters*, vol. 6, no. 1, pp. 61 – 67, 1987.
- [98] I. E. Sobel, “Camera models and machine perception,” Ph.D. dissertation, Stanford University, 1970.
- [99] J. Song, M. Cai, M. R. Lyu, and S. Cai, “A new approach for line recognition in large-size images using Hough transform,” in *16th International Conference on Pattern Recognition (ICPR'02)*, vol. 1, Quebec City, QC, Canada, 2002.
- [100] L. F. Squire, “Perception related to learning radiology in medical school,” *Radiologic Clinics of North America*, vol. 7, no. 3, pp. 485–97, 1969.
- [101] D. Terzopoulos, J. Platt, A. Barr, and K. Fleischer, “Elastically deformable models,” in *International Conference on Computer Graphics and Interactive Techniques*, vol. 21, 1987, pp. 205–214.
- [102] D. Terzopoulos, A. Witkin, and M. Kass, “Constraints on deformable models: Recovering 3-D shape and nonrigid motions,” *Artificial Intelligence*, vol. 36, pp. 91–123, 1988.
- [103] A. Tezmol, H. Sari-Sarraf, S. Mitra, R. Long, and A. Gururajan, “Customized Hough transform for robust segmentation of cervical vertebrae from x-ray images,” in *Fifth IEEE Southwest Symposium on Image Analysis and Interpretation (SSIAI'02)*, Santa Fe, New Mexico, 2002.
- [104] T. P. Tian, “Detection of femur fracture in x-ray images,” Ph.D. dissertation, National University of Singapore, 2002.
- [105] T. P. Tian, Y. Chen, W. K. Leow, W. Hsu, T. S. Howe, and M. A. Png, “Computing neck-shaft angle of femur for x-ray fracture detection.” in *International Conference on Computer Analysis of Images and Patterns*, 2003.

- [106] T. M. Van Veen and F. C. A. Groen, “Discretization errors in the Hough transform,” *Pattern Recognition*, vol. 14, no. 1 - 6, pp. 137 – 145, 1981.
- [107] J. Veenland, T. Link, W. Konermann, N. Meier, J. Grashuis, and E. Gelsema, “Unraveling the role of structure and density in determining vertebral bone strength,” *Calcified Tissue International*, vol. 61, no. 6, pp. 474–479, 1997.
- [108] C. J. Vyborny, M. L. Giger, and R. M. Nishikawa, “Computer-aided detection and diagnosis,” *Radiologic Clinics of North America*, vol. 38, pp. 725–740, 2000.
- [109] G.-Z. Yang, “Medical imaging-Opportunities for the new millennium,” *IEEE Engineering in Medicine and Biology Magazine*, vol. 19, no. 5, pp. 12–13, 2000.
- [110] D. W.-H. Yap, Y. Chen, and W. K. Leow, “Detecting femur fractures by texture analysis of trabeculae,” in *17th International Conference on Pattern Recognition (ICPR'04)*, Cambridge, UK, 2004.
- [111] Y. J. Zhang and J. J. Gerbrands, “Objective and quantitative segmentation evaluation and comparison,” *Signal Processing*, vol. 39, no. 1-2, pp. 43–54, 1994.