

## Reference List

---

ABARE, 2012a. Department of Agriculture, Fisheries and Forestry. In: Australian Fisheries Statistics 2011, Australian Bureau of Agricultural and Resource Economics and Sciences. Canberra, Australia.

Aihua, L., Buchmann, K., 2001. Temperature and salinity-dependent development of a Nordic strain of *Ichthyophthirius multifiliis* from rainbow trout. J. Appl. Ichthyol. 17, 273-276.

Alderman, D.J., 1985. Malachite green: a review. J. Fish Dis. 8, 289-298.

Altinok, I., 2004. Toxicity and therapeutic effects of chloramine-T for treating *Flavobacterium columnare* infection of goldfish. Aquaculture 239, 47-56.

Anshary, H., Ogawa, K., Higuchi, M., Fujii, T., 2001. A study of long-term changes in summer infection levels of Japanese flounder *Paralichthys olivaceus* with the monogenean *Neoheterobothrium hirame* in the central Sea of Japan, with an application of a new technique for collecting small parasites from the gill filaments. Fish Path. 36, 27-32.

AQUAVETPLAN, 2004. Department of Agriculture, Fisheries and Forestry. Enterprise manual (Version 1.1). In: Australian Aquatic Veterinary Emergency Plan (AQUAVETPLAN), Edition 1, Australian Government Department of Agriculture, Fisheries and Forestry, Canberra, Australia.

Ashburner, L.D., 1976. Fish diseases and potential fish diseases in Australia. Anim. Quarantine 5, 1-7.

Athanassopoulou, F., Pappas, I.S., Bitchava, K., 2009. An overview of the treatments for parasitic disease in Mediterranean aquaculture. Options Méditerranéennes A. 86, 65-83.

Avendaño-Herrera, R., Magariños, B., Irgang, R., Toranzo, A.E., 2006. Use of hydrogen peroxide against the fish pathogen *Tenacibaculum maritimum* and its effect on infected turbot (*Scophthalmus maximus*). Aquaculture 257(1), 104-110.

Barki, A., Harpaz, S., Hulata, G., Karplus, I., 2000. Effects of larger fish and size grading on growth and size variation in fingerling silver perch. Aquacult. Int. 8, 391-401.

Barton, B.A., Iwama, I.W., 1991. Physiological changes in fish from stress in aquaculture with emphasis on the response and effects of corticosteroids. A. Rev. Fish Dis. 1, 3-26.

Bauer, O.N., 1958. Biologie und Bekämpfung von *Ichthyophthirius multifiliis* Fouquet. Zeitschr Fisch. Hilfswissenschaft 7, 575-581.

Benbrook, C.M., Groth, E., Holloran, J.M., Hansen, M.K., Marquardt, S., 1996. *Pest Management at the Crossroads*. Consumers Union. Yonkers, New York.

Bills, T.D., Marking, L.L., Dawson, V.K., Howe, G.E., 1988a. Effects of organic matter and loading rates of fish on the toxicity of chloramine-T. US Dept. Int. Fish Wildlf. Serv. Invest. Fish Cont. 96, 1-4.

Bills, T.D., Marking, L.L., Dawson, V.K., Rach, J.J., 1988b. Effects of environmental factors on the toxicity of chloramine- T to fish. US Dept. Int. Fish Wildlf. Serv. Invest. Fish Cont. 96, 1-6.

Birdsong, C.L., Avault, J.W., 1971. Toxicity of certain chemicals to juvenile pompano. Prog. Fish-Cult. 33, 76-80.

Bishop, D.E., Stern, G., Fleischman, M., Marshall, S., 1968. Hydrogen peroxide catalytic oxidation of refractory organics in municipal water. Ind. Eng. Chem. Process Des. Dev. 7, 110-117.

Block, S.S. 1991. *Disinfection, sterilization, and preservation*, fourth ed. Lea & Febiger Pubs, Philadelphia.

Bodensteiner, L.R., Sheehan, R.J., Wills, P.S., Brandenburg, A.M., Lewis, W.M., 2000. Flowing water: an effective treatment for ichthyophthiriasis. J. Aquat. Anim. Health 12(3), 209-219.

Bonga, S.W., 1997. The stress response in fish. Physiol. Rev. 77(3), 591-625.

Booth, N.H., MacDonald, L.E., 1988. *Veterinary Pharmacology and Therapeutics*, sixth ed. Iowa State University Press, Ames.

Bostek, C.C., 1983. Oxygen toxicity: an introduction. *J. Am. Assoc. Nurse Anesth.* 57, 231-237.

Bostock, J., McAndrew, B., Richards, R., Jauncey, K., Telfer, T., Lorenzen, K., Little, D., Ross, L., Handisyde, N., Gatward, I., Corner, R., 2010. Aquaculture: global status and trends. *Philos. T. R. Soc. B* 365, 2897-2912.

Bowker, J., Erdahl, D., 1998. Observations on the efficacy of chloramine-T treatment to control mortality in a variety of salmonids. *Prog. Fish-Cult.* 60, 63-66.

Boyd, C.E., 1990. *Water Quality in Ponds for Aquaculture*. Auburn University, Alabama.

Brown, D., Van Landeghem, K., Schuele, M., 1997. *Australian Aquaculture: Industry Profiles for Selected Species*, ABARE Research Report 97.3, Canberra, Australia.

Buchmann, K., Bresciani, J., 1998. Microenvironment of *Gyrodactylus derjavini* on rainbow trout *Oncorhynchus mykiss*: association between mucous cell density in skin and site selection. *Parasitol. Res.* 84, 17-24.

Buchmann, K., Kristensson, R.T., 2003. Efficacy of sodium percarbonate and formaldehyde bath treatments against *Gyrodactylus derjavini* infestations of rainbow trout. North Am. J. Aquacult. 65, 25-27.

Buchmann, K., Nielsen, M.E., 1999. Chemoattraction of *Ichthyophthirius multifiliis* (Ciliophora) to host molecules. Int. J. Parasitol. 29, 1415-1423.

Buchmann, K., Mellergaard, S., Køie, M., 1987. *Pseudodactylogyrus* infections in eel: a review. Dis. Aquat. Org. 3, 51-57.

Buchmann, K., Lindenstrøm, T., Sigh, J. 1999. Partial cross protection against *Ichthyophthirius multifiliis* in *Gyrodactylus derjavini* immunized rainbow trout. J. Helminthol. 73, 189-195.

Buchmann, K., Sigh, J., Nielsen, C.V., Dalgaard, M., 2001. Host responses against the fish parasitizing ciliate *Ichthyophthirius multifiliis*. Vet. Parasitol. 100, 105-116.

Buchmann, K., Jensen, P.B., Kruse, K.D., 2003. Effects of sodium percarbonate and garlic extract on *Ichthyophthirius multifiliis* theronts and tomocysts: *in vitro* experiments. N. Am. J. Aquacult. 65, 21-24.

Bullock, G.L., Herman, G.L., Waggy, C., 1991. Hatchery efficacy trials with chloramine-T for control of bacterial gill disease. J. Aquat. Anim. Health 3, 48-50.

Buschkiel, A.L., 1910. Beiträge zur Kenntnis des *Ichthyophthirius multifiliis* Fouquet.

Arch. Protistenk 21, 61-102.

Bush, A.O., Lafferty, K.D., Lotz, J.M., Shostak, A.W., 1997. Parasitology meets ecology on its own terms: Margolis et al. revisited. *J. Parasitol.* 83(4), 575-83.

Butcher, A.D., 1947, Ichthyophiriasis in Australian trout hatchery. *Prog. Fish-Cult.* 9, 21-26.

Bychowsky, B.E., 1957. Monogenetic Trematodes, their Classification and Phylogeny [in Russian]. Academy of Sciences, Moscow. English Translation by Hargis W.J., Oustinoff P.C., 1961. American Institute of Biological Sciences, Washington.

Callinan, R.B., Rowland, S.J., 1995. Diseases of silver perch, in: Rowland, S.J., Bryant, C. (Eds.), *Silver Perch Culture*, Austasia Aquaculture, Sandy Bay, pp. 67-75.

Callinan, R.B., Humphrey, J.D., Langdon, J.S. 1986. Diseases of native Australian fishes, in: Humphrey, J.D., Langdon, J.S. (Eds.), *Diseases of Australian fish and shellfish. Proceedings of the first Australian workshop on diseases of fish and shellfish*, Australian Fish Health reference Laboratory, Benalla, pp. 102-117.

Capinpin, E.C., 1995. Gill lesions in Nile Tilapia associated with acute malathion poisoning. *SEAFDEC Asian Aquacult.* 17, 4-6.

Chertoff, M., 2007. Appendix to chemical facility anti-terrorism standards; final rule. *Federal register*. Department of Homeland Security 72(223): 65420-65435.

Chiayvareesajja, S., Boyd, C.E., 1993. Effects of zeolite, formalin, bacterial augmentation, and aeration on total ammonia nitrogen concentrations. *Aquaculture* 116, 33-45.

Chisholm, L.A., Whittington, I.D., 2002. Efficacy of praziquantel bath treatments for monogenean infections of the *Rhinobatos typus*. *J. Aquat. Anim. Health* 14, 230-234.

Cioli, D., Pica-Mattoccia, L., 2002. *Praziquantel. Parasitol. Res.* 90, 3-9.

Conlong, D.E., Rutherford, R.S., 2009. Conventional and new biological and habitat interventions for integrated pest management systems: Review and case studies using *Eldana saccharina* Walker (Lepidoptera: Pyralidae), in: Peshin, R., Dhawan, A.K. (Eds.), *Integrated Pest Management: Innovation-Development Process Volume 1*. Springer, pp. 241-261.

Conte, F.S., 2004. Stress and the welfare of cultured fish. *Appl. Anim. Behav. Sci.* 86, 205-223.

Costello, M.J., 1993. Controlling sea-lice infestations on farmed salmon in northern Europe: options and the use of cleaner fish. *World Aquacult.* 24, 49-55.

Cribb, T.H., Chisholm, L.A., Bray, R.A., 2002. Diversity in the Monogenea and Digenea: does lifestyle matter? *Int. J. Parasitol.* 32, 321-328.

Cross, D.G., Hursey, P.A., 1973. Chloramine-T for the control of *Ichthyophthirius multifilis* (Fouquet). J. Fish Biol. 5, 789-798.

Cusack, R., Cone, D.K., 1986. A review of parasites as vectors of viral and bacterial diseases of fish. J. Fish Dis. 9(2), 169-171.

Darwish, A.M., Straus, D.L., Griffin, B.R., 2005. Histological evaluation of the safety of copper sulfate to channel catfish. N. Am. J. Aquacult. 67, 122-128.

Day, T.A., Bennett, J.L., Pax, R.A., 1992. Praziquantel: the enigmatic antiparasitic. Parasitol. Today 8, 342-344.

Delucchi, V., 1987. *Integrated Pest Management. Quo Vadis? An International Perspective*. Parasitis, Geneva.

Derksen, J.A., Ostland, V.E., Ferguson, H.W., 1999. Effects of hydrogen peroxide on clearance of formalin-killed *Flavobacterium branchiophilum* from the gills of rainbow trout, *Oncorhynchus mykiss* (Walbaum). J. Fish Dis. 22, 59-67.

Desdevises, Y., Morand, S., Oliver, G., 2001. Linking specialisation to diversification in the Diplectanidae Bychowsky 1957 (Monogenea, Platyhelminthes). Parasitol. Res. 87, 223-230.

DeWitt, T.H., Wellman, K.F., Wildman, T., Armstrong, D.A., Bennett, L.F., 1997. An evaluation of the feasibility of using integrated pest management to control burrowing

shrimp in commercial oyster beds. Report prepared for the Washington Department of Ecology by Batelle, Pacific Northwest Division, Richland, Washington.

Dezfuli, B.S., Giari, L., Simoni, E., Menegatti, R., Shinn, A. P., Manera, M. 2007.

Gill histopathology of cultured European sea bass, *Dicentrarchus labrax* (L.), infected with *Diplectanum aequans* (Wagener 1857) Diesing 1958 (Diplectanidae: Monogenea). Parasitol. Res. 100(4), 707-713.

Dickerson, H.W., Clark, T.G., 1996. Immune response of fishes to ciliates. Ann. Rev. Fish Dis. 6, 107-120.

Dickerson, H.W., Dawe, D.L., 1995. *Ichthyophthirius multifiliis* and *Cryptocaryon irritans* (Phylum Ciliophora), in: Woo P.T.K. (Ed) *Fish diseases and disorders Vol. 1*, Cambridge University Press, Cambridge, pp.181-226.

Dickerson, H.W., Clark, T.G., Leff, A.A., 1993. Serotypic variation among isolates of *Ichthyophthirius multifiliis* based on immobilization. J. Eukaryot. Microbiol. 40(6), 816-820.

Domingues, M.V., Boeger, W.A. 2008. Phylogeny and revision of Diplectanidae Monticelli, 1903 (Platyhelminthes: Monogenoidea). Zootaxa 1698, 1-40.

Dumbauld, B.R., Booth, S., Cheney, D., Suurbier, A., Beltran, H., 2006. An integrated pest management program for burrowing shrimp control in oyster aquaculture. Aquaculture 261, 976-992.

Ecobichon, D.J., 1996. Toxic effects of pesticides, in: Klaassen, C.D. (Eds.) *Casarett and Doull's toxicology*, 5<sup>th</sup> ed., McGraw-Hill, New York, pp. 643-698.

Edsall, D.A., Smith, C.E., 1990. Performance of rainbow trout and Snake River cutthroat trout reared in oxygen-supersaturated water. *Aquaculture* 90, 251-259.

Ekanem, A.P., Obiekezie, A., Kloas, W., Knopf, K., 2004. Effects of crude extracts of *Mucuna pruriens* (Fabaceae) and *Carica papaya* (Caricaceae) against the protozoan fish parasite *Ichthyophthirius multifiliis*. *Parasitol. Res.* 92, 361-366.

Eul, W., Moeller, A., Steiner, N., 2001. Hydrogen peroxide, in: *Kirk-Othmer encyclopedia of chemical technology*. John Wiley & Sons, Inc, [online] DOI:10.1002/0471238961.0825041808051919.a01.pub2, (<http://onlinelibrary.wiley.com>)

Ewing, M.S., Kocan, K.M., 1987. *Ichthyophthirius multifiliis* (Ciliophora) exit from gill epithelium. *J. Protozool.* 34, 309-312.

Ewing, M.S., Kocan, K.M., 1992. Invasion and development strategies of *Ichthyophthirius multifiliis*, a parasitic ciliate of fish. *Parasitol. Today* 8, 204-208.

Ewing, M.S., Kocan, K.M., Ewing, S.A., 1985. *Ichthyophthirius multifiliis* (Ciliophora) invasion of gill epithelium. *J. Protozool.* 32, 305-310.

FAO, 2012. Cultured Aquatic Species Information Programme. *Oncorhynchus mykiss*. Cultured Aquatic Species Information Programme, in: Cowx, I.G. (Ed.) FAO Fisheries and Aquaculture Department [online].

[http://www.fao.org/fishery/culturedspecies/Oncorhynchus\\_mykiss/en](http://www.fao.org/fishery/culturedspecies/Oncorhynchus_mykiss/en)

FAO, 2014a. Food and Agriculture Organization of the United Nations. Integrated Pest Management [online]. <http://www.fao.org/agriculture/crops/thematic-sitemap/theme/pests/ipm/en/>

FAO, 2014b. Fisheries and aquaculture software. FishStatJ – software for fishery statistical time series. In: FAO Fisheries and Aquaculture Department [online]. Rome. Updated 3 July 2014. [Cited 17 July 2014].

Ewing, M.S., Lynn, M.E., Ewing, S.A., 1986. Critical periods in development of *Ichthyophthirius multifiliis* (Ciliophora) populations. J. Protozool. 33, 388-391.

Fletcher, A.S., Whittington, I.D., 1998. A parasite-host checklist for Monogenea from freshwater fishes in Australia, with comments on biodiversity. Sys. Parasitol. 41, 159-168.

Foley, D.A., Rowland, S.J., Glenn Wilson, G., Winters, P., Nixon, M., Mifsud, C., 2010. New production strategy for silver perch (*Bidyanus bidyanus*); over-wintering fingerlings in a tank-based recirculating aquaculture system. Aquacult. Res. 41(11), 1574-1581.

Forwood, J.M., Harris, J.O., Deveney, M.R., 2012. Host impact of the monogenean *Lepidotrema bidyana* infection and intensity estimates for onsite monitoring. Dis. Aquat. Org. 100 (1), 51-57.

Forwood, J.M., Harris, J.O., Deveney, M.R., 2013. Efficacy of bath and orally administered praziquantel and fenbendazole against *Lepidotrema bidyana* (Murray), a monogenean parasite of silver perch, *Bidyanus bidyanus* (Mitchell). J. Fish Dis. 36, 939-947.

Frances, J., Tennent, R., Nowak, B.F., 1997. Epitheliocystis in silver perch, *Bidyanus bidyanus* (Mitchell). J. Fish Dis. 20(6), 453-457.

From, J., 1980. Chloramine-T for control of bacterial gill disease. Prog. Fish-Cult. 42, 85-86.

Gaertig, J., Gao, Y., Tishgarten, T., Clark, T.G., Dickerson, H.W., 1999. Surface display of a parasite antigen in the ciliate *Tetrahymena thermophila*. Nature Biotech. 17(5), 462-465.

Gaikowski, M.P., Rach, J.J. Ramsay R.T., 1999. Acute toxicity of hydrogen peroxide treatments to selected lifestages of cold-, cool-, and warmwater fish. Aquaculture 178, 191-207.

Gaikowski, M.P., Larson, W.J., Gingerich, W.H., 2008. Survival of cool and warm freshwater fish following chloramine-T exposure. Aquaculture 275, 20-25.

Gaikowski, M.P., Densmore, C.L., Blazer, V.S., 2009. Histopathology of repeated, intermittent exposure of chloramine-T to walleye (*Sander vitreum*) and (*Ictalurus punctatus*) channel catfish. Aquaculture 287, 28-34.

González-Lanza, C., Alvarez-Pellitero, P., Sitjà-Bobadilla, A., 1991. Diplectanidae (Monogenea) infestations of sea bass, *Dicentrarchus labrax* (L.), from the Spanish Mediterranean area. Parasitol. Res. 77(4), 307-314.

Grant, A.N., 1983. Basic husbandry on fish farms, in: Brown, L.A. (Eds.) *Aquaculture for veterinarians: fish husbandry and medicine*. Pergamon Press, Oxford, pp 33-41.

Grant, A.N., 2002. Medicines for sea lice. Pest Manag. Sci. 58(6), 521-527.

Guimarães, A.T.B., Silva de Assis, H.C., Boeger, W., 2007. The effect of trichlorfon on acetylcholinesterase activity and histopathology of cultivated fish *Oreochromis niloticus*. Ecotoxicol. Environ. Saf. 68, 57-62.

Guo, R., Mather, P. B., Capra, M. F., 1995. Salinity tolerance and osmoregulation in the silver perch, *Bidyanus bidyanus* Mitchell (Teraponidae), an endemic Australian freshwater teleost. Mar. Freshwater Res. 46, 947-952.

Haas, W., Haberl, B., Hofmann, M., Kerschensteiner, S., Ketzer, U., 1999.

*Ichthyophthirius multifiliis* invasive stages find their hosts with complex behaviour patterns and in response to different chemical signals. Eur. J. Protistol. 35, 29-135.

Hakalahti-Sirén, T., Mikheev, V.N., Valtonen, E.T., 2008. Control of freshwater fish louse *Argulus coregoni*: a step towards an integrated management strategy. Dis. Aquat. Org. 82, 67-77.

Harris, J.O., Powell, M.D., Attard, M., Green, T.J., 2004. Efficacy of chloramine-T as a treatment for amoebic gill disease (AGD) in marine Atlantic salmon (*Salmo salar* L.). Aquacult. Res. 35, 1448-1456.

Heinecke, R.D., Buchmann, K., 2009. Control of *Ichthyophthirius multifiliis* using a combination of water filtration and sodium percarbonate: Dose-response studies. Aquaculture 288, 32-35.

Heit, M.C., Riviere, J.E., 1995. Antiseptics and disinfectants, in: Adams, H.R. (Eds.) *Veterinary Pharmacology and Therapeutics*, seventh ed. Iowa State University Press, Ames, pp. 741-752.

Heuch, P.A., Gettinby, G., Revie, C.W., 2011. Counting sea lice on Atlantic salmon farms – Empirical and theoretical observations. Aquaculture 320, 149-153

Hines, R.S., Spira, D.T., 1973a. *Ichthyophthirius multifiliis* (Fouquet) in the mirror carp. I. Course of infection. J. Fish Biol. 5, 385-392.

Hines, R.S., Spira, D.T., 1973b. *Ichthyophthirius multifiliis* (Fouquet) in the mirror carp. II. Leukocyte response. J. Fish Biol. 5, 527-534.

Hines, R.S., Spira, D.T., 1974a. Ichthyophthiriasis in the mirror carp *Cyprinus carpio* (L.). III. Pathology. J. Fish Biol. 6, 189-196.

Hines, R.S., Spira, D.T., 1974b. Ichthyophthiriasis in the mirror carp *Cyprinus carpio* (L.). IV. Physiological dysfunction. J. Fish Biol. 6, 365-371.

Hirazawa, N., Ohtaka, T., Hata, K., 2000. Challenge trials on the anthelmintic effect of drugs and natural agents against the monogenean *Heterobothrium okamotoi* in the tiger puffer *Takifugu rubripes*. Aquaculture 188, 1-13.

Hirazawa, N., Mitsuboshi, T., Hirata, T., Shirasu, K., 2004. Susceptibility of spotted halibut *Verasper variegatus* (Pleuronectidae) to infection by the monogenean *Neobenedenia girellae* (Capsalidae) and oral therapy trials using praziquantel. Aquaculture 238, 83-95.

Hoffer, W., 2009. Chemistry of metrifonate and dichlorvos. Acta Pharmacol. Tox. 49, 7-14.

Hohreiter, D.W., Rigg, D.K., 2001. Derivation of ambient water quality criteria for formaldehyde. Chemosphere 45, 471-486.

Horsberg, T.E., Høy, T., Nafstad, I., 1989. Organophosphate poisoning of Atlantic salmon in connection with treatment against sea lice. *Acta Vet. Scand.* 30, 385-390

Howe, G.E., Marking, L.L., Bills, T.D., Schreier, T.M., 1995. Efficacy and toxicity of formalin solutions containing paraformaldehyde for fish and egg treatments. *Prog. Fish-Cult.* 57, 147-152.

Hoy, M.A., 1998. Myths, models and mitigation of resistance to pesticides. *Philos. T. R. Soc. B* 353, 1787-1795.

Imanda, R., Muroga, K., 1979. *Pseudodactylogyrus microchis* (Monogenea) on the gills of cultured eels - III. Experimental control by trichlorphon. *B. Jpn. Soc. Sci. Fish.* 45, 25-29.

Ingram, B.A., Gavine, F., Lawson, P., 2005. Fish Health Management Guidelines for Farmed Murray Cod, in: *Fisheries Victoria Research Report Series No. 32*. Victoria, Australia.

Janse, M.J., Borgsteade, F.H.M., 2003. Praziquantel treatment of captive white-spotted eagle rays (*Aetobatus narinari*) infested with monogenean trematodes. *Bull. Eur. Assoc. Fish Pathol.* 23, 152-156.

Johnson, S.C., Constible, J.M., Richard, J., 1993. Laboratory investigations on the efficacy of hydrogen peroxide against the salmon louse *Lepeophtheirus salmonis* and

its toxicological and histopathological effects on Atlantic salmon *Salmo salar* and chinook salmon *Oncorhynchus tshawytscha*. Dis. Aquat. Org. 17, 197-204.

Jørgensen, T.R., Buchmann, K., 2007. Stress response in rainbow trout during infection with *Ichthyophthirius multifiliis* and formalin bath treatment. Acta Ichthyol. Pisc. 37 (1), 25-28.

Katharios, P., Papandroulakis, N., Divanach, P., 2006. Treatment of *Microcotyle* sp. (Monogenea) on the gills of cage-cultured red porgy, *Pagrus pagrus* following baths with formalin and mebendazole. Aquaculture 251, 167-171.

Kearn, G.C., 1994. Evolutionary expansion of the Monogenea. Int. J. Parasitol. 24 (8), 1227-1271.

Kiemer, M.C.B., Black, K.D., 1997. The effects of hydrogen peroxide on the gill tissues of Atlantic salmon, *Salmo salar* L. Aquaculture 153, 181-189.

Kim, K.H., Kim, C.S., Kim, J.W., 2001. Depletion of praziquantel in plasma and muscle tissue of cultured rockfish *Sebastes schlegeli* after oral and bath treatment. Dis. Aquat. Org. 45, 203-207.

Kimura, T., Sameshima, M., Nomura, Y., Morita, J., Mizoguchi, H., Ishihara, M., 2006. Efficacy of orally administered Febantel against monogenean *Heterobothrium okamotoi* infection of cultured Tiger puffer *Takifugu rubripes*. Fish Path. 41(4), 147-151.

Kitis, M., 2004. Disinfection of wastewater with peracetic acid: a review. Environ. Int. 30, 47-55.

Kogan, M., 1998. Integrated Pest Management: Historical perspectives and contemporary developments. Annu. Rev. Entomol. 43, 243-270.

Koivunen, J., Heinonen-Tanski, H., 2005. Peracetic acid (PAA) disinfection of primary, secondary and tertiary treated municipal wastewaters. Water Res. 39, 4445-4453.

Kozel, T.R., 1986. Scanning electron microscopy of theronts of *Ichthyophthirius multifiliis*: their penetration into host tissues. T. Am. Microsc. Soc. 105:357-364.

Lahnsteiner, F., Weismann, T., 2007. Treatment of ichthyophthiriasis in rainbow trout and common carp with common and alternative therapeutics. J. Aquat. Anim. Health 19, 186-194.

Laird, L.M., Needham, T., 1988. *Salmon and trout farming*, University of California. California.

Landos, M., Rowland, S.J., Nixon, M., Read, P., Mifsud, C., 2007. Evaluation of trichlorfon to treat infestations of the monogenean gill fluke, *Lepidotrema bidyana*, in silver perch (*Bidyanus bidyanus*) In: *Development of a health management strategy for the silver perch aquaculture industry*. Rep. Fish Res. Dev. Corp. Proj. 2000/267

and 2004/089. NSW Dep. Prim. Indust., Fish Final Rep. Ser. No. 93., Cronulla, pp. 125-134.

Lategan, M.J., Torpy, F.R., Gibson, L.F., 2004. Biocontrol of saprolegniosis in silver perch *Bidyanus bidyanus* (Mitchell) by *Aeromonas media* strain A199. Aquaculture 235(1), 77-88.

Lin, T.L., Dickerson, H.W., 1992. Purification and partial characterization of immobilization antigens from *Ichthyophthirius multifiliis*. J. Protozool. 39, 457-463.

Lin, T., Clark, T.G., Dickerson, H.W., 1996. Passive immunization of channel catfish (*Ictalurus punctatus*) against the ciliated protozoan parasite *Ichthyophthirius multifiliis* by use of marine monoclonal antibodies. Infect. Immun. 64, 4085-4090.

Ling, F., Wang, J., Wang, G., Gong, X., 2011. Effect of potassium ferrate (VI) on survival and reproduction of *Ichthyophthirius multifiliis* tomonts. Parasitol. Res. 109, 1423-1428.

Lom, J., Čerkosová, A., 1974. Host-finding in invasive stages of *Ichthyophthirius multifiliis*. J. Protozool. 21, 457.

Lumsden, J.S., Ostland, V.E., Ferguson, H.W., 1998. Use of hydrogen peroxide to treat experimentally induced bacterial gill disease in rainbow trout. J. Aquat. Anim. Health 10, 230-240

MacLennan, R.F., 1937. Growth in the ciliate *Ichthyophthirius multifiliis*. I.

Maturity and encystment. J. Exp. Zool. 76. 423-440.

MacLennan, R.F., 1942. Growth in the ciliate *Ichthyophthirius multifiliis*. II. Volume.

J. Exp. Zool. 91, 1-13.

Madsen, H.C.K., Buchmann, K., Mellergaard, S., 2000. Treatment of trichodiniasis in eel (*Anguilla anguilla*) reared in recirculation systems in Denmark: alternatives to formaldehyde. Aquaculture 186, 221-23.

Maki, J.L., Brown, C.C., Dickerson, H.W., 2001. Occurrence of *Ichthyophthirius multifiliis* within the peritoneal cavities of infected channel catfish *Ictalurus punctatus*. Dis. Aquat. Org. 44, 41-45.

Mansell, B., Powell, M.D., Ernst, I., Nowak, B.F., 2005. Effects of the gill monogenean *Zeuxapta seriolae* (Meserve, 1938) and treatment with hydrogen peroxide on pathophysiology of kingfish, *Seriola lalandi* Valenciennes, 1833 J. Fish Dis. 28, 253-262.

Marchand, P.A., Phan, T.M., Straus, D.L., Farmer, B.D., Stüber, A., Meinelt, T., 2012. Reduction of in vitro growth in *Flavobacterium columnare* and *Saprolegnia parasitica* by products containing peracetic acid. Dis. Aquat. Org. 86, 51-56.

Masters, A.L., 2004. A review of methods for detoxification and neutralization of formalin in water. N. Am. J. Aquacult. 66, 325-333.

Mataqueiro, M.I., Satiko Okada Nakaghi, L., De Souza, J.P., Da Cruz, C., De Oliveira, G.H., Urbinati, E.C., 2009. Histopathological changes in the gill, liver and kidney of pacu (*Piaractus mesopotamicus*, Holmberg, 1887) exposed to various concentrations of trichlorfon. *J. Appl. Ichthyol.* 25(1), 124-127.

Matthews, R.A., 1994. *Ichthyophthirius multifiliis* Fouquet, 1876: Infection and protective responses within the fish host, in: Pike, A.W., Lewis, J.W. (Eds.), *Parasitic diseases of fish*, Samara Publishing, Dyfed, pp.17-42.

Matthews, R.A., 2005. *Ichthyophthirius multifiliis* Fouquet and ichthyophthiriosis in freshwater teleosts. *Adv. Parasitol.* 59, 159-241.

McCallum, H.I., 1982. Infection dynamics of *Ichthyophthirius multifiliis*. *Parasitology* 85, 475-488.

Meinelt, T., Richert, I., Stüber, A., Bräunig, I., 2007a. Application of peracetic acid to the parasite *Ichthyophthirius multifiliis* in Sander (*Sander lucioperca*) breeding. *Deut. Tierärztl. Woch.* 114, 244-251.

Meinelt, T., Staaks, J., Staaks, G., Stüber, A., Bräunig, I., 2007b. Anti-parasitic effects of peracetic acid (PAA) to free infective stages (Theronts) of the white spot disease, *Ichthyophthirius multifiliis* in vitro. *Deut. Tierärztl. Woch.* 114, 384-387.

Meinelt, T., Matzke, S., Stüber, A., Pietrock, M., Wienke, A., Mitchell, A.J., Straus, D.L., 2009. Toxicity of peracetic acid (PAA) to tomonts of *Ichthyophthirius multifiliis*. Dis. Aquat. Org. 86, 51-56.

Meinertz, J.R., Stehly, G.R., Greseth, S.L., Gaikowski, M.P. Gingerich, W.H., 2004. Depletion of the chloramine-T marker residue, para-toluenesulfonamide, from skin-on fillet tissue of hybrid striped bass, rainbow trout, and yellow perch. Aquaculture 235, 65-75.

Meyer, F.P., 1991. Aquaculture disease and health management. J. Anim. Sci. 69, 4201-4208.

Mifsud C., Rowland S.J., 2008. Use of salt to control ichthyophthiriosis and prevent saprolegniosis in silver perch, *Bidyanus bidyanus*. Aquac. Res. 39, 1175-1180.

Mitchell A.J., 1995. Importance of treatment duration for praziquantel used against larval digenetic trematodes in sunshine bass. J. Aquat. Anim. Health 7, 327-330.

Mitchell, A.J., Hobbs, M.S., 2007. The acute toxicity of praziquantel to grass carp and golden shiners. N. Am. J. Aquacult. 69(3), 203-206.

Møller, S.M., Arvin, E., Pedersen, L.F., 2010. Degradation and effect of hydrogen peroxide in small-scale recirculation aquaculture system biofilters. Aquac. Res. 41, 1113-1122

Montgomery-Brock, D., Sato, V.T., Brock, J.A., Tamaru, C.S., 2001. The application of hydrogen peroxide as a treatment for the ectoparasite *Amyloodinium ocellatum* (Brown 1931) on the Pacific threadfin *Polydactylus sexfilis*. J. World Aquacult. Soc. 23(2), 250-254.

Morrissy, N., 2002. The translocation of brown trout (*Salmo trutta*) and rainbow trout (*Oncorhynchus mykiss*) into and within Western Australia, in: *Fisheries management paper No. 156*, Department of Fisheries, Western Australia.

Murray, F.V. 1931. Gill trematodes from some Australian fishes. Parasitology 23, 492-506.

Nigrelli, R.F., Pokomy, K.S., Ruggieri, G.D., 1976. Notes on *Ichthyophthirius multifiliis*, a ciliate parasitic on freshwater fishes, with some remarks on possible physiological races and species. T. Am. Microsc. Soc. 251, 607-613.

Noe, G.J., Dickerson, H.W., 1995. Sustained growth of *Ichthyophthirius multifiliis* at low temperature in the laboratory. J. Parasitol. 81, 1022-1024.

Noga, E.J., 2000. *Fish Disease Diagnosis and Treatment*, first ed. Iowa State University Press, Ames.

Nowak, B.F., LaPatra, S.E., 2006. Epitheliocystis in fish. J. Fish Dis. 29(10), 573-588.

Nwani, C.D., Nnaji, M.C., Oluah, S.N., Echi, P.C., Nwamba, H.O., Ikwuagwu, O.E., Ajima, M.N.O., 2014. Mutagenic and physiological responses in the juveniles of African catfish, *Clarias gariepinus* (Burchell 1822) following short term exposure to praziquantel. *Tissue Cell* 46(4), 264-273.

Obiekezie, A.I., Taege, M., 1991. Mortalities in hatchery reared fry of the African catfish, *Clarias gariepinus* (Burchell) caused by *Gyrodactylus groscharti* Ergens, 1973. *Bull. Eur. Assoc. Fish Pathol.* 11, 82-85.

Ogawa, K., 1996. Marine parasitology with special reference to Japanese fisheries and mariculture. *Vet. Parasitol.* 64, 95-105.

Ogawa, K., 1998. Egg hatching of the monogenean *Heterobothrium okamotoi*, a gill parasite of cultured tiger puffer (*Takifugu rubripes*), with a description of its oncomiracidium. *Fish Pathol.* 33 (1), 25-30.

Ogawa, K., 2002. Impacts of diclidophorid monogenean infections on fisheries in Japan. *Int. J. Parasitol.* 32, 373-380.

Oliver, G., 1993. Les Diplectanidae Bychowsky, 1957 (Monogenea, Monopisthocotylea, Dactylogyridae) marqueurs biologiques, témoins de la biogéographie et de l'évolution de leurs hôtes. *B. Soc. Zool. Fr.* 118, 25-36.

Orlando, V., Strutt, H., Paro, R., 1997. Analysis of chromatin structure by *in vivo* formaldehyde cross-linking. *Methods* 11, 205-214.

Ostland, V.E., Byrne, P.J., Speare, D.J., Thorburn, M.A., Cook, A., Morrison, D., Ferguson, H.W., 1995. Comparison of formalin and chloramine-T for control of a mixed gill infection (bacterial gill disease and Ichthyobodiasis) in rainbow trout. *J. Aquat. Anim. Health.* 7, 118-123.

Padrós, F., Crespo, S., 1995. Proliferative epitheliocystis associated with monogenean infection in juvenile sea bream *Sparus aurata* in the North East of Spain. *Bull. Eur. Assoc. Fish Pathol.* 1, 42-44

Paperna, I., 1984. Review of Diseases affecting cultured *Sparus aurata* and *Dicentrarchus labrax*, in: Barbabe, G., Billard, R. (Eds.) *L'Aquaculture du Bar et des Sparides*, INRA Pub, Paris, pp. 465-482.

Paperna, I., 1991. Diseases caused by parasites in the aquaculture of warm water fish. *Annu. Rev. Fish Dis.* 1, 155-194.

Pedersen, L.F., Pedersen, P.B., Sortkjær, O., 2006. Dose-dependent decomposition rate constants of hydrogen peroxide in small-scale bio filters. *Aquacult. Eng.* 34(1), 8-15.

Pedersen, L.F., Pedersen, P.B., Sortkjær, O., 2007. Temperature-dependent and surface specific formaldehyde degradation in submerged biofilters. *Aquacult. Eng.* 36, 127-136.

Pedersen, L.F., Pedersen, P.B., Nielsen, J.L., Nielsen, P.H., 2009. Peracetic acid degradation and effects on nitrification in recirculating aquaculture systems. Aquaculture 296, 246-254.

Pedigo, L.P., Higley, L.G., 1992. The economic injury level concept and environmental quality: a new perspective. Am. Entomol. 38, 12-21.

Picón-Camacho, S.M., Ruiz de Ybáñez, M.R., Holzer, A.S., Arizcun Arizcun, M., Muñoz, P., 2011. *In vitro* treatments for the theront stage of the ciliate protozoan *Cryptocaryon irritans*. Dis. Aquat. Org. 94(2), 167-72.

Picón-Camacho, S.M., Marcos-Lopez, M., Beljean, A., Debeaume, S., Shinn, A.P., 2012a. *In vitro* assessment of the chemotherapeutic action of a specific hydrogen peroxide, peracetic, acetic, and peroctanoic acid-based formulation against the free-living stages of *Ichthyophthirius multifiliis* (Ciliophora). Parasitol. Res. 110, 1029-1032.

Picón-Camacho, S.M., Marcos-Lopez, M., Bron, J.E., Shinn, A.P., 2012b. An assessment of the use of drug and non-drug interventions in the treatment of *Ichthyophthirius multifiliis* Fouquet, 1876, a protozoan parasite of freshwater fish. Parasitology 139, 149-190.

Pieters, N., Brunt, J., Austin, B., Lyndon, A.R. 2008. Efficacy of in-feed probiotics against *Aeromonas bestiarum* and *Ichthyophthirius multifiliis* skin infections in

rainbow trout (*Oncorhynchus mykiss*, Walbaum). J. Appl. Microbiol. 105(3), 723-732.

Pillay, T.R.V., Kutty, M.N., 2005. *Aquaculture: principles and practices*. Blackwell Publishing, Oxford.

Pope, C.N., 1999. Organophosphorus pesticides: do they all have the same mechanism of toxicity? J. Toxicol. Environ. Health 2, 161-181.

Poulin R., 2007. *Evolutionary Ecology of Parasites*, second ed. Princeton University Press, New Jersey.

Powell, M., Harris, J., 2004. Influence of oxygen on the toxicity of chloramine-T to Atlantic salmon smolts in freshwater and seawater. J. Aquat. Anim. Health 16, 83-92.

Powell, M.D., Perry, S.F., 1996. Respiratory and acid-base disturbances in rainbow trout (*Oncorhynchus mykiss*) blood during exposure to chloramine-T, paratoluenesulphonamide and hypochlorite. Can. J. Fish. Aquat. Sci. 53, 701-708.

Powell, M.D., Perry, S.F., 1997. Respiratory and acid-base pathophysiology of hydrogen peroxide in rainbow trout (*Oncorhynchus mykiss* Walbaum). Aquat. Toxicol. 37(2), 99-112.

Powell, M.D., Perry, S.F., 1998. Acid-base and ionic fluxes in rainbow trout (*Oncorhynchus mykiss*) during exposure to chloramine-T. *Aquat. Toxicol.* 43(1), 13-24.

Powell, M.D., Wright, G.M., Speare, D.J., 1995. Morphological changes in rainbow trout (*Oncorhynchus mykiss*) gill epithelia following repeated intermittent exposure to chloramine-T. *Can. J. Zool.* 73, 154-165.

Powell, M.D., Haman, F., Wright, G.M., Perry, S.F., 1998. Response of rainbow trout (*Oncorhynchus mykiss*) to a graded hypoxia following repeated intermittent exposure to chloramine-T. *Aquaculture* 165, 27-39.

Rach, J.J., Ramsay, R.T., 2000. Analytical verification of waterborne chemical treatment regimens in hatchery raceways. *N. Am. J. Aquacult.* 62, 60-66.

Rach, J.J., Gaikowski, M.P., Olson, J.J., 1997a. Importance of analytically verifying chemical treatments. *Prog. Fish-Cult.* 59, 222-228.

Rach, J.J., Schreier, T.M., Howe, G.E., Redman, S.D., 1997b. Effects of species, life stage, and water temperature on the toxicity of hydrogen peroxide to fish. *Prog. Fish-Cult.* 59, 41-46.

Rach, J.J., Gaikowski, M.P., Ramsay, R.T., 2000. Efficacy of hydrogen peroxide to control parasitic infestations on hatchery-reared fish. *J. Aquat. Anim. Health* 12, 267-273.

Read, P., Landos, M., Rowland, S.J., Mifsud, C., 2007. *Diagnosis, treatment and prevention of the diseases of the Australian freshwater fish silver perch (*Bidyanus bidyanus*)*, NSW Department of Primary Industries, Australian Government.

Reardon, I.S., Harrell, R.M., 1990. Acute toxicity of formalin and copper sulphate to striped bass fingerlings held in varying salinities. *Aquaculture* 87, 255-270.

Rintamäki-Kinnunen, P., Rahkonen, M., Mannermaa-Keränen, A.L., Suomalainen, L.R., Mykrä, H., Valtonen, E.T., 2005a. Treatment of ichthyophthiriasis after malachite green. I. Concrete tanks at salmonid farms. *Dis. Aquat. Org.* 64, 69-76.

Rintamäki-Kinnunen, P., Rahkonen, M., Mykrä, H., Valtonen, E.T., 2005b. Treatment of ichthyophthiriasis after malachite green. II. Earth ponds at salmonid farms. *Dis. Aquat. Org.* 66, 15-20.

Rohde, K., 1993. *Ecology of marine parasites*, second ed. CAB international, Oxford.

Ross, L.G., Ward, K.M.H., Ross, B., 1985. The effects of formalin, malachite green and suspended solids on the respiratory activity of rainbow trout (*Salmo gairdneri* Richardson). *Aquacult. Fish. Manag.* 16, 129-138.

Roth, M., Richards, R.H., Sommerville, C., 1993. Current practices in the chemotherapeutic control of sea lice infestations in aquaculture: a review. *J. Fish Dis.* 16(1), 1-26.

Rowland, S.J., 1984. The hormone-induced spawning of silver perch, *Bidyanus bidyanus* (Mitchell) (Teraponidae). *Aquaculture* 42, 83-86.

Rowland, S.J., 2009. Review of aquaculture research and development of the Australian freshwater fish silver perch, *Bidyanus bidyanus*. *J. World Aquacult. Soc.* 40 (3), 291-324.

Rowland, S.J., Allan, G.L., 2006. Development of techniques and evaluation of the potential of cage culture of silver perch for cotton farms, in: *Proceedings of the 13th Australian Cotton Conference*, August 8–10, 2006. Australian Cotton Growers Research Association, Narrabri, pp. 661-668.

Rowland, S.J., Barlow, C.G., 1991. Fish biology the right prerequisites, a case study with freshwater silver perch (*Bidyanus bidyanus*). *Austasia Aquacult.* 5, 27-30.

Rowland, S.J., Allan, G.L., Hollis, M., Pontifex, T., 2004. Production of silver perch (*Bidyanus bidyanus*) fingerlings at three stocking densities in cages and tanks. *Aquaculture* 229, 193-202.

Rowland, S.J., Allan, G.L., Mifsud, C., Nixon, M., Boyd, P., Glendenning, D., 2005. Development of a feeding strategy for silver perch, *Bidyanus bidyanus* (Mitchell), based on restricted rations. Aquacult. Res. 36(14), 1429-1441.

Rowland, S.J., Nixon, M., Landos, M., Mifsud, C., Read, P., Boyd, P., 2006. Effects of formalin on water quality and parasitic monogeneans on silver perch (*Bidyanus bidyanus* Mitchell) in earthen ponds. Aquacult. Res. 37, 869-876.

Rowland, S.J., Landos, M., Callinan, R.B., Allan, G.L., Read, P., Mifsud, C., Nixon, M., Boyd, P., Tully, P., 2007. Development of a health management strategy for the silver perch aquaculture industry. Rep. Fish Res. Dev. Corp. Proj. 2000/267 and 2004/089. NSW Dep. Prim. Indust., Fish Final Rep Ser No. 93, Cronulla.

Rowland, S.J., Mifsud, C., Nixon, M., Read, P., Landos, M., 2009. Use of formalin and copper to control ichthyophthiriosis in the Australian freshwater fish silver perch (*Bidyanus bidyanus* Mitchell). Aquacult. Res. 40, 44-54.

Salte, R., Syvertsen Kjønnøy, M., Fonnum, F., 1987. Fatal acetylcholinesterase inhibition in salmonids subjected to a routine organophosphate treatment. Aquaculture 61, 173-179.

Samuelson, O.B., 1987. Aeration rate, pH and temperature effects on the degradation of trichlorfon to DDVP and the halflives of trichlorfon and DDVP in seawater. Aquaculture 66, 373-380.

Sanchez, J.G., Speare, D.J., Johnson, G., Horney, B.S., 1997. Evaluation of the stress response in healthy juvenile rainbow trout after intermittent treatment with chloramine-T or formalin. *J. Aquat. Anim. Health* 9, 301-308.

Sánchez-García, N., Padrós, F., Raga, J. A., Montero, F. E., 2011. Comparative study of the three attachment mechanisms of diplectanid monogeneans. *Aquaculture* 318(3), 290-299.

Sarig, S., 1971. *The prevention and treatment of diseases of warmwater fishes under subtropical conditions, with special emphasis on intensive fish farming, vol 3*, TFH Publications, Hong Kong.

Sarig, S., Lahav, M., Child, M., 1965. Control of *Dactylogyrus vastator* on carp fingerlings with dipterex. *Bamidgeh* 14, 47-52.

Sasal, P., Trouvé, S., Müller-Graf, C., Morand, S., 1999. Specificity and host predictability a comparative analysis among monogenean parasites of fish. *J. Anim. Ecol.* 68, 437-444.

Schäperclaus W. 1992: Diseases caused by ciliates, in: Schäperclaus, W., Kulow, H., Schreckenbach, K. (Eds.), *Fish Diseases*, CRC press, Rotterdam, pp. 702-734.

Schelkle, B., Doetjes, R., Cable, J., 2011. The salt myth revealed: Treatment of gyrodactylid infections on ornamental guppies, *Poecilia reticulata*. *Aquaculture* 311, 74-79.

Schlotfeldt, H.J., Alderman, D.J., Baudin-Laurencin, F., Bernoth, E.M., Bruno, D.W., Daelman, W., Kleingeld, D., Lorenzen, E., Thorud, K., 1995. What should I do? A practical guide for the fresh water fish farmer. Supp. Bull. Eur. Assoc. Fish Pathol. 15, 1-60.

Schmahl, G., Mehlhorn, H., 1985. Treatment of fish parasites - 1. Praziquantel effective against Monogenea (*Dactylogyrus vastator*, *Dactylogyrus extensus*, *Diplozoon paradoxum*). Z. Parasitenkd 71, 727-737.

Schmahl, G., Taraschewski, H., 1987. Treatment of fish parasites - 2. Effects of praziquantel, niclosamide, levamisole-HCl, and metrifonate on Monogenea (*Gyrodactylus aculeati*, *Diplozoon paradoxum*). Parasitol. Res. 73, 341-351.

Scholz, T., 1999. Parasites in cultured and feral fish. Vet. Parasitol. 84(3), 317-335.

Sedgwick, S.D., 1985. *Trout Farming Handbook*, Fishing News Books. Surrey.

Selosse, P.M., Rowland, S.J., 1990. Use of common salt to treat ichthyophthiriasis in Australian warmwater fishes. Prog. Fish-Cult. 52(2), 124-127.

Sharp, N.J., Diggles, B.K., Poortenaar, C.W., Willis, T.J., 2004. Efficacy of Aqui-S, formalin and praziquantel against the monogeneans, *Benedenia seriolae* and *Zeuxapta seriolae*, infecting yellowtail kingfish *Seriola lalandi* in New Zealand. Aquaculture 236, 67-83.

- Shelton, J.L., 1994. Trout production, in: Lewis, G.W., Gilbert, R.J., (Eds.) *Aquaculture technical series*, Cooperative Extension Service, The University of Georgia College of Agricultural and Environmental Sciences.
- Shephard, K.L., 1994. Functions for fish mucus. Rev. Fish Biol. 4, 401-429.
- Shinn, A.P., Picon-Camacho, S.M., Bawden, R., Taylor, N.G.H. 2009. Mechanical control of *Ichthyophthirius multifiliis* Fouquet, 1876 (Ciliophora) in a rainbow trout hatchery. Aquacult. Eng. 41(3), 152-157.
- Soleng, A., Bakke, T.A., 1997. Salinity tolerance of *Gyrodactylus salaris* (Platyhelminthes, Monogenea): laboratory studies. Can. J. Fish. Aquat. Sci. 54, 1837-1864.
- Sommerville, C., 1998a. Concept and framework for integrated pest management strategies. Parasitol. Int. (Suppl. S-C9-5) 47, 85.
- Sommerville, C., 1998b. Integrated control – An example: Sea lice of Atlantic salmon. Parasitol. Int. (Suppl. S-C9-6) 47, 85.
- Sortkjær, O., Henriksen, N.H., Heinecke, R.D., Pedersen, L.F., 2008. Optimizing treatment efficacy in aquaculture. DMU, Aarhus Universitet. Report 659. [In Danish; English abstract]

Speare, D.J., Ferguson H.W., 1989. Fixation artifacts in rainbow trout (*Salmo gairdneri*) gills: a morphometric evaluation. Can. J. Fish. Aquat. Sci. 46, 780-785.

Speare, D.J., Carvajal, V., Horney, B.S., 1999. Growth suppression and branchitis in trout exposed to hydrogen peroxide. J. Comp. Pathol. 120(4), 391-402.

Speare, D.J., Arsenault, G., MacNair, N., Powell, M.D., 1997. Branchial lesions associated with intermittent formalin bath treatment of Atlantic salmon, *Salmo salar* L., and rainbow trout, *Oncorhynchus mykiss* (Walbaum). J. Fish Dis. 20(1), 27-33.

Srivastava, S., Sinha, R., Roy, D., 2004. Review toxicological effects of malachite green. Aquat. Toxicol. 66, 319-329.

Stampi, S., De Luca, G., Zanetti, F., 2001. Evaluation of the efficiency of peracetic acid in the disinfection of sewage effluents. J. Appl. Microbiol. 91, 833-838.

Stephens, F.J., Cleary, J.J., Jenkins, G., 2003. Treatments to control *Haliotrema abaddon* in the West Australian dhufish, *Glaucosoma hebraicum*. Aquaculture 215:1-10.

Stern, V.M., Smith, R.F., Van der Bosch, R., Hagen, K.S., 1959. The integrated control concept. Hilgardia 29, 81-101.

Stevenson, J.P., 1980. *Trout farming manual*, Fishing new books, Cornell University.

Stone, J., Sutherland, I.H., Sommerville, C.S., Richards, R.H., Varma, K.J., 1999. The efficacy of emamectin benzoate as an oral treatment of sea lice, *Lepeophtheirus salmonis* (Kroyer), infestations in Atlantic salmon, *Salmo salar* L. J. Fish Dis. 22, 261-270.

Straus, D.L., Meinelt, T., 2009. Acute toxicity of peracetic acid (PAA) formulations to *Ichthyophthirius multifiliis* theronts. Parasitol. Res. 104, 1237-1241.

Straus, D.L., Hossain, M.M., Clark, T.G., 2009. Strain differences in *Ichthyophthirius multifiliis* to copper toxicity. Dis. Aquat. Org. 83, 31-36.

Straus, D.L., Meinelt, T., Farmer, B.D., Beck B.H., 2012. Acute toxicity and histopathology of channel catfish fry exposed to peracetic acid. Aquaculture 342-343, 134-138.

Sudová, S., Straus, D.L., Wienke, A., Meinelt, T., 2010. Evaluation of continuous 4-day exposure to peracetic acid as treatment for *Ichthyophthirius multifiliis*. Parasitol. Res. 106, 539-542.

Sudová, E., Piačková, V., Kroupová, H., Pijáček, M., Svobodová, Z., 2009. The effect of praziquantel applied per os on selected haematological and biochemical indices in common carp (*Cyprinus carpio* L.). Fish Physiol. Biochem. 35(4), 599-605.

Swennes, A.G., Noe, J.G., Findly, R.C., Dickerson, H.W., 2006. Differences in virulence between two serotypes of *Ichthyophthirius multifiliis*. Dis. Aquat. Org. 69, 227-232.

Székely, C., Molnár, K., 1987. Mebendazole is an efficacious drug against pseudodactylogyrosis in the European eel (*Anguilla anguilla*). J. Appl. Ichthyol. 3, 183-186.

Thomas-Jinu, S., Goodwin, A.E., 2004. Acute columnaris infection in channel catfish, *Ictalurus punctatus* (Rafinesque): efficacy of practical treatments for warmwater aquaculture ponds. J. Fish Dis. 27, 23-28.

Thoney, D.A., Hargis, W.J., 1991. Monogenea (Platyhelminthes) as hazards for fish in confinement. Ann. Rev. Fish. Dis. 1, 133-153.

Tort, M.J., Jennings-Bashore, C., Wilson, D., Wooster, G.A., Bowser, P.R., 2002. Assessing the effects of increasing hydrogen peroxide dosage on rainbow trout gills utilizing a digitized scoring methodology. J. Aquat. Anim. Health 14, 95-103.

Umeda, N., Nibe, H., Hara, T., Hirazawa, N., 2006. Effects of various treatments on hatching of eggs and viability of oncomiracidia of the monogenean *Pseudodactylogyrus anguillae* and *Pseudodactylogyrus bini*. Aquaculture 253, 148-153.

Underwood, A.J., 1997. *Experiments in ecology: their logical design and interpretation using analysis of variance*. Cambridge University Press, Cambridge.

Valtonen, E.T., Koskivaara, M., 1994. Relationships between the parasites of some wild and cultured fishes in two lakes and a fish farm in central Finland. Int. J. Parasitol. 24, 109-118.

Veiga, M.L., Rodrigues, E.L., Pacheco, F.J., Ranzani-Paiva, M.J.T., 2002. Histopathologic changes in the kidney tissue of *Prochilodus lineatus* Valenciennes, 1836 (Characiformes, Prochilodontidae) induced by sublethal concentration of trichlorfon exposure. Braz. Arch. Biol. Techn. 45 (2), 171-175.

Wagner, G., 1960, Der Entwicklungszyklus von *Ichthyophthirius multifiliis* Fouquet und der Einfluss physikalischer und chemischer. Aussenfaktoren. Zeitschr. Fisch. 9, 425-443.

Wahli, T., Meier, W., Schmitt, M., 1991. Affinity of *Ichthyophthirius multifiliis* theronts to light and/or fish. J. Appl. Ichthyol. 7, 244-248.

Wahli, T., Schmitt, M., Meier, W., 1993. Evaluation of alternatives to malachite green oxalate as a therapeuticant for ichthyophthiriosis in rainbow trout *Oncorhynchus mykiss*. J. Appl. Ichthyol. 9, 237-249.

Walker, T., 1994. Catfish model for silver perch put under microscope. Austasia Aquacult. 8 (5), 24-36.

Wang, X., Clark, T.G., Noe, J., Dickerson, H.W., 2002. Immunisation of channel catfish, *Ictalurus punctatus*, with *Ichthyophthirius multifiliis* immobilisation antigens elicits serotype-specific protection. Fish Shellfish Immunol. 13, 337-350.

Ward, R.D., Jorstad, K.E., Maguire, G.B., 2003. Microsatellite diversity in rainbow trout (*Oncorhynchus mykiss*) introduced to Western Australia. Aquaculture 219, 169-179.

Webber, D.J., Rutala, W.A., Sickbert-Bennett, E.E., 2007. Outbreaks associated with contaminated antiseptics and disinfectants. Antimicrob. Agents Ch. 51 (12), 4217-4224.

Wedemeyer, G., Yasutake, W.T., 1974. Stress of formalin in juvenile spring chinook salmon (*Oncorhynchus tshawytscha*) and steelhead trout (*Salmo gairdneri*). J. Fish Res. Board Can. 31, 179-184.

Wells, P.R., Cone, D.K., 1990. Experimental studies on the effect of *Gyrodactylus colemaniensis* and *G. salmonis* (Monogenea) on density of mucous cells in the epidermis of fry of *Oncorhynchus mykiss*. J. Fish Biol. 37, 599-603.

Whittington, I.D., 1998. Diversity down under monogeneans in the Antipodes (Australia) with a prediction of monogenean biodiversity worldwide. Int. J. Parasitol. 28, 1481-1493.

Whittington, R.J., Chong, R., 2007. Global trade in ornamental fish from an Australian perspective: the case for revised import risk analysis and management strategies. *Prev. Vet. Med.* 81(1), 92-116.

Whittington, I.D., Ernst, I., 2002. Migration, site-specificity and development of *Benedenia lutjani* (Monogenea: Capsalidae) on the surface of its host, *Lutjanus carponotatus* (Pisces: Lutjanidae). *Parasitology* 124, 423-434.

Whittington, I.D., Chisholm, L.A., Rohde, K., 1999. The larva of Monogenea (Platyhelminthes). *Adv. Parasitol.* 44, 139-232.

William, M., Lewis, S.D., 1963. Control of epizootics of *Gyrodactylus elegans* in golden shiner populations. *T. Am. Fish. Soc.* 92, 60-62.

Williams, R.E., 2010. Oral treatments for monogenean parasites of farmed yellowtails, *Seriola* spp. (Carangidae). PhD dissertation, University of Adelaide, Adelaide, SA.

Williams, R.E., Ernst, I., Chambers, C.B., Whittington, I.D., 2007. Efficacy of orally administered praziquantel against *Zeuxapta seriolae* and *Benedenia seriolae* (Monogenea) in yellowtail kingfish *Seriola lalandi*. *Dis. Aquat. Org.* 77, 199-205.

Wise, D.J., Camus, A.C., Schwedler, T.E., Terhune, J.S., 2004. *Biology and culture of channel catfish*, Elsevier, Sydney.

Xu, D.H., Klesius, P.H., Bosworth, B.G., Chatakondi, N., 2012. Susceptibility of three strains of blue catfish, *Ictalurus furcatus* (Valenciennes), to *Ichthyophthirius multifiliis*. J. Fish Dis. 35(12), 887-895.

Yao, J.Y., Zhou, Z.M., Li, X.L., Yin, W.L., Ru, H.S., Pan, X.Y., Haoa, G., Xua, Y., Shen, J.Y., 2011. Antiparasitic efficacy of dihydrosanguinarine and dihydrochelerythrine from *Macleaya microcarpa* against *Ichthyophthirius multifiliis* in richadsin (*Squaliobarbus curriculus*). Vet. Parasitol. 183(1), 8-13.

Young, P.C., 1969. Some monogenoideans of the family Diplectanidae Bychowsky, 1957 from Australian teleost fishes. J. Helminthol. 43, 223-254.

Zar, J.H., 1984. *Biostatistical Analysis*. Prentice-Hall Inc., New Jersey, USA.

Zhang, C., Ling, F., Chi, C., Wang, G.X., 2013. Effects of praziquantel and sanguinarine on expression of immune genes and susceptibility to *Aeromonas hydrophila* in goldfish (*Carassius auratus*) infected with *Dactylogyrus intermedius*. Fish Shellfish Immunol. 35(4), 1301-1308.