

References

- [1] iSuppli Market Watch. Competitiveness separates winners from losers in 2007 semiconductor market. <http://www.isuppli.com/marketwatch>. Release 3rd, Dec 2007.
- [2] Semiconductor Industry Association. SIA forecast: Global chip sales will surpass \$321 billion in 2010. <http://www.sia-online.org>. Release 14th, Aug 2007.
- [3] D B Graves, M J Kushner, J W Gallagher, A Garscadden, G S Oerlein, and A V Phelps. 1996, *Database needs for modeling and simulation of plasma processing*. Washington DC: National Research Council, National Acadamey Press.
- [4] L G Christophorou and J K Olthoff. Electron interactions with plasma processing gases: present status and future needs. 2002, *Appl. Surf. Sci.*, **192**, 309.
- [5] N J Mason, J M Gingell, N C Jones, and L Kaminski. Experimental studies on electron scattering from atoms and molecules: The state of the art. 1999, *Phil. Trans. R. Soc. Lond. A*, **357**, 1175.
- [6] I Rozum, P Limão-Vieira, S Eden, J Tennyson, and N J Mason. Electron interaction cross sections for CF_3I , C_2F_4 , and CF_x ($x = 1 - 3$) radicals. 2006, *J. Phys. Chem. Ref. Data*, **35**, 267.
- [7] M J Brunger and S J Buckman. Electron-molecule scattering cross-sections. I. Experimental techniques and data for diatomic molecules. 2002, *Phys. Rep.*, **357**, 215.

- [8] J D Gorfinkiel, A Faure, S Taioli, C Piccarreta, G Halmova, and J Tennyson. Electron-molecule collisions at low and intermediate energies using the R-matrix method. 2005, *European Physical Journal D*, **35**, 231.
- [9] J Tennyson and L A Morgan. Electron collisions with polyatomic molecules using the R-matrix method. 1999, *Phil. R. Soc. Lond. A*, **357**, 1161.
- [10] M A P Lima, L M Brescansin, and A J R da Silva. Applications of the Schwinger multichannel method to electron-molecule collisions. 1990, *Phys. Rev. A*, **41**, 327.
- [11] W Huo and F Gianturco. 1995, *Computational methods for electron-molecule collisions*. Plenum, New York.
- [12] M J Brunger, H Cho, H Tanaka, and S J Buckman. Measurements of electron collision cross sections of relevance to plasma and gas discharge physics. 2006, *Japanese Journal of Applied Physics 1 - Regular paper, brief communications and review papers*, **45**, 8183.
- [13] T M Maddern, L R Hargreaves, J R Francis-Staite, M J Brunger, S J Buckman, C Winstead, and V McKoy. Absolute electron scattering cross sections for the CF₂ radical. 2008, *Phys. Rev. Lett.*, **100**, 063202.
- [14] P Chabert, H Abada, J-P Booth, and M A Lieberman. Radical dynamics in unstable CF₄ inductive discharges. 2003, *J. Appl. Phys.*, **94**, 76.
- [15] G Herzberg and K-P Huber. 1964, *Molecular spectra and molecular structure*. Princeton N.J.: Van Nostrand.
- [16] M C Weldon. The absorption spectrum of CF₂. 1967, *Can. J Phys*, **45**, 2355.
- [17] J B Burkholder, C J Howard, and P A Hamilton. Fourier transform spectroscopy of the ν_1 and ν_3 fundamental bands of CF₂. 1988, *J. Mol. Spectrosc.*, **127**, 362.
- [18] P B Davies, W Lewis-Bevan, and D K Russell. Infrared diode laser spectrum of the ν_1 band of CF₂ (\tilde{x}^1A_1). 1981, *J. Chem. Phys.*, **75**, 5602.

- [19] Q H B Qian and P B Davies. Infrared laser spectroscopy of the ν_2 band of difluorocarbene (CF_2). 1995, *J. Mol. Spectrosc.*, **169**, 201.
- [20] P B Davies, P A Hamilton, J M Elliott, and M J Rice. Infrared diode spectroscopy of the ν_3 band of CF_2 . 1983, *J. Mol. Spectrosc.*, **102**, 193.
- [21] R L Schwartz, G E Davico, T M Ramond, and W C Lineberger. Singlet-triplet splittings in CX_2 ($\text{X} = \text{F}, \text{Cl}, \text{Br}, \text{I}$) dihalocarbenes via negative ion photoelectron spectroscopy. 1999, *J. Chem. Phys. A*, **103**, 8213.
- [22] M R Cameron, S H Kable, and G B Bacskay. The electronic spectroscopy of jet-cooled difluorocarbene (CF_2): The missing $\tilde{\text{A}}$ -state stretching frequencies. 1995, *J. Chem. Phys.*, **103**, 4476.
- [23] C Wang, C Chen, J Dai, and X Ma. Laser-induced fluorescence studies of jet-cooled CF_2 : determination of $\tilde{\text{A}}$ -state stretching frequencies. 1998, *Chem. Phys. Lett.*, **288**, 473.
- [24] M R Cameron and S H Kable. A new design for a simple and effective pyrolysis nozzle in a supersonic free jet. 1996, *Rev. Sci. Instrum.*, **67**, 283.
- [25] W H Kirchhoff, D R Lide Jr., and F X Power. The microwave spectrum, force field and dipole moment of CF_2 . 1973, *J. Mol. Spectrosc.*, page 491.
- [26] NIST Computational Chemistry Comparison and Benchmark Database. NIST Standard Reference Database Number 101. <http://srdata.nist.gov/cccbdb>. Release 12, Aug 2005, Editor: Russell D Johnson III.
- [27] V Tarnovsky and K Becker. Absolute partial cross sections for the parent ionization of the CF_x ($x=1-3$) free radicals by electron impact. 1993, *J. Chem. Phys.*, **98**, 7868.
- [28] W M Huo, V Tarnovsky, and K H Becker. Total electron-impact ionization cross-sections of CF_x and NF_x ($x = 1-3$). 2002, *Chem. Phys. Lett.*, **358**, 328.

- [29] B K Antony, K N Joshipura, and N J Mason. Total and ionization cross sections of electron scattering by fluorocarbons. 2005, *J. Phys. B*, **38**, 189.
- [30] I Rozum and J Tennyson. Elastic differential cross sections for the CF_x ($x=1,2,3$) radicals. 2004, *J. Phys. B*, **37**, 957.
- [31] I Rozum, N J Mason, and J Tennyson. Electron collisions with the CF_2 radical using the R-matrix method. 2002, *J. Phys. B*, **35**, 1583.
- [32] M-T Lee, L E Machado, L M Brescansin, E A y Castro, and G L C de Souza. Theoretical study of electron collisions with the CF_2 radical. 2006, *Phys. Rev. A*, **74**, 052716.
- [33] S Calvo, F J Basterretxea, and M N S Rayo. Pulsed supersonic expansions of CF_2 studied by diode laser spectroscopy. 2005, *Chem. Phys. Lett.*, **402**, 455.
- [34] Z A Liu, R J Livingstone, and P B Davies. Pulse pyrolysis infrared laser jet spectroscopy of chloroketene. 2000, *J. Mol. Spec.*, **201**, 30.
- [35] D W Kohn, H Clauberg, and P Chen. Flash pyrolysis nozzle for generation of radicals in a supersonic jet expansion. 1992, *Rev. Sci. Instrum.*, **63**, 4003.
- [36] S Gotte, A Goplan, J Bommels, M-W Ruf, and H Hotop. A triply differentially pumped supersonic beam target for high-resolution studies. 2000, *Rev. Sci. Instrum.*, **71**, 4070.
- [37] M Allan. Measurement of absolute differential cross sections for vibrational excitation of O_2 by electron impact. 1995, *J. Phys. B*, **28**, 5163.
- [38] D Field, D W Knight, G Mrotzek, J Randell, S L Lunt, J B Ozenne, and J P Ziesel. High resolution electron scattering from carbon dioxide. 1986, *Meas. Sci. Technol.*, **2**, 757.
- [39] J A Sayge. Measurements of electron impact ionization and dissociation cross sections in a crossed electron-supersonic molecular beam. 1988, *Chem. Phys. Lett.*, **143**, 19.

- [40] T M Stephen and P D Burrow. Electron transmission studies in a free jet: Molecular oxygen. 1986, *J. Phys. B*, **19**, 3167.
- [41] R E Kennerly, R J van Brunt, and A Gallagher. High resolution measurement of the helium $1s\ 2s^2\ ^2S$ resonance profile. 1981, *Phys. Rev. A*, **23**, 2430.
- [42] D R Miller. Free jet sources. In P Scholes, editor, *Atomic and Molecular Beam Methods*, volume 1. Oxford University Press, 1988.
- [43] H C W Beijerinck and N F Verster. Absolute intensities and perpendicular temperatures of supersonic beams of polyatomic gases. 1981, *Physica*, **111C**, 327.
- [44] G S Sikora. *Analysis of asymptotic behaviour of free jets: prediction of molecular beam intensity and velocity distributions*. PhD thesis, Princeton University, 1973.
- [45] Y Huang and M Sulkes. $10\ \mu\text{s}$ FWHM gas pulse generation using a pulsed solenoid valve. 1994, *Rev. Sci. Instrum.*, **65**, 3868.
- [46] E Harting and F Read. 1976, *Electrostatic Lenses*. Elsevier Scientific Publishing: Amsterdam.
- [47] J Brunt, F H Read, and G King. The realisation of high energy resolution using the hemispherical electrostatic energy selector in electron impact spectrometry. 1977, *J. Phys. E*, **10**, 134.
- [48] R Imhof, A Adams, and G King. Energy and time resolution of a 180° hemispherical energy analyser. 1976, *J. Phys. E.*, **9**, 138.
- [49] F Read, J Comer, R Imhof, J Brunt, and E Harting. The optimisation of electrostatic energy selection systems for low energy electrons. 1974, *J. Elec. Spec. and Rel. Phen*, **4**, 293.
- [50] J A Simpson. Design of retarding field energy analysers. 1961, *Rev. Sci. Inst.*, **32**, 1283.

- [51] W C Wiley and I H McLaren. Time-of-flight mass spectrometer with improved mass resolution. 1955, *Rev. Sci. Instrum.*, **26**, 1150.
- [52] U Boesl, R Weinkauf, and E W Schlag. Reflectron time-of-flight mass spectrometry and laser excitation of the analysis of neutrals, ionized molecules and secondary fragments. 1992, *Int. J. of Mass. Spec. and Ion Proc.*, **112**, 121.
- [53] J C Miller, R N Compton, M G Payne, and W W Garrett. Resonantly enhanced multiphoton ionization and third-harmonic generation in xenon gas. 1980, *Phys. Rev. Lett.*, **45**, 114.
- [54] A H Kung, J F Young, and S E Harris. Generation of 1182-*a* radiation in phased-matched mixtures of inert gases. 1973, *Appl. Phys. Lett.*, **22**, 301.
- [55] J C Nickel, P W Zetner, G Shen, and S Trajmar. Principles and procedures for determining absolute differential electron-molecule scattering cross sections. 1989, *J. Phys. E*, **22**, 730.
- [56] G Brusdelyins and H D Meyers. In R Campargue, editor, *Rarefied Gas Dynamics, 11th symposium*, volume 2, page 919. Paris: Comm. à l'Energie Atomique, 1979.
- [57] R Holanda. Sensitivity of hot-cathode ionization vacuum gauges in several gases. 1973, *J. Vac. Sci. Tech.*, **10**, 1133.
- [58] Kurt J Lesker Company. BOC edwards diffstak diffusion stacks (water cooled). http://www.lesker.com/newweb/Vacuum_Pumps. Created 12/03/2007.
- [59] G G Raju. Electron-atom collision cross sections in argon: An analysis and comments. 2004, *IEEE Trans. Dielectr. Electr. Insul.*, **11**, 649.
- [60] M S Pindozla, F Robicheaux, J P Colgan, M C Witthoef, and J A Ludlow. Electron-impact single and double ionization of helium. 2004, *Phys. Rev. A*, **70**, 032705.

- [61] R Panajotovic, D Filipovic, B Marinkovic, V Pejcev, M Kurepa, and L Vuskovic. Critical minima in elastic electron argon scattering by argon. 1997, *J. Phys. B*, **30**, 5877.
- [62] D Cvejanovic and A Crowe. Differential cross sections for elastic scattering of electrons from argon and krypton as a continuous function of energy. 1997, *J. Phys. B*, **30**, 5877.
- [63] W C Fon, K A Berrington, P G Burke, and A Hibbert. The elastic scattering of electrons from inert gases: III. Argon. 1983, *J. Phys. B*, **16**, 307.
- [64] L Boesten, H Tanaka, A Kabayashi, M A Dillion, and M Kimura. Crossed-beam experiment for the scattering of low energy electrons from CF_4 . 1992, *J. Phys. B*, **25**, 1607.
- [65] A Mann and F Linder. Low-energy electron scattering from halomethanes: I. Elastic differential cross section for e- CF_4 scattering. 1992, *J. Phys. B*, **25**, 533.
- [66] M T N Varella, C Winstead, V McKoy, M Kitajima, and H Tanaka. Low-energy electron scattering by CH_3F , CH_2F_2 , CHF_3 and CF_4 . 2002, *Phys. Rev. A*, **65**, 022702.
- [67] C Winstead, Q Sun, and V McKoy. Low-energy elastic electron scattering by tetrafluoromethane. 1992, *J. Chem. Phys.*, **98**, 1105.
- [68] U Onthong, H Deutsch, K Becker, S Matt, M Probst, and T D Märk. Calculated absolute electron impact ionization cross-section for the molecules CF_3X ($\text{X} = \text{H}, \text{Br}, \text{I}$). 2002, *Int. J. of Mass Spec.*, **214**, 53.
- [69] K Sunohara, M Kitajima, H Tanaka, M Kimura, and H Cho. Low-energy electron scattering by CF_3Cl and CF_3Br : elastic scattering and vibrational excitation. 2003, *J. Phys. B*, **36**, 1843.
- [70] M H F Bettega, A P P Natalense, M A P Lima, and L G Ferreira. Elastic scattering of low-energy electrons by CF_3Cl , CF_3Br and CF_3I . 2003, *J. Phys. B*, **35**, 1263.

- [71] A K Rebrov, R S Sharafudinov, A V Shishkin, and N I Timoshenko. Free C_2F_4 deposition of thin ptfe-like films. 2005, *Plasma Process. Polym.*, **2**, 464.
- [72] R Panajotovic, M Jelisavcic, R Kajita, T Tanaka, M Kitajima, H Cho, H Tanaka, and S J Buckman. Electron scattering from tetrafluoroethylene. 2004, *J. Chem. Phys.*, **121**, 4559.
- [73] C S Trevisan, A E Orel, and T N Rescigno. *Ab initio* study of low-energy electron collisions with tetrafluoroethene, C_2F_4 . 2004, *Phys. Rev. A*, **70**, 012704.
- [74] C Winstead and V McKoy. Low-energy electron collisions with tetrafluoroethene, C_2F_4 . 2002, *J. Chem. Phys.*, **116**, 1380.
- [75] G A Carlson. A shock tube study of $C_2F_4 \rightarrow CF_2$ equilibrium. 1971, *J. Phys. Chem.*, **85**, 1625.
- [76] T J Buckley, R D Johnson, R E Hule, Z Zhang, S C Kuo, and R B Klemm. Ionization energies, appearance energies and thermochemistry of CF_2O and CFO. 1995, *J. Phys. Chem.*, **99**, 4879.
- [77] J M Dyke, A E Lewis, and A Morris. A photoelectron spectroscopic study of the ground state of CF^+ via the ionization process $CF^+(X^1\sigma^+) \leftarrow CF(X^2\pi)$. 1984, *J. Chem. Phys.*, **80**, 1382.
- [78] H Tsuji, M Aizawa, and Y Nishimura. Mass spectroscopic studies on ion-molecule reactions of CF_3^+ with benzene and toluene at near-thermal energy. 1995, *Chem. Lett.*, **3**, 211.
- [79] S G Lias, J E Bartmess, J F Liebman, J L Holmes, R D Levin, and W G Mallard. Gas-phase ion and neutral thermochemistry. 1988, *J. Phys. Chem. Ref. Data*, **17**, 1.
- [80] L Campbell, M J Brunger, A M Nolan, L J Kelly, A B Wedding, J Harrison, P J O Teubner, D C Cartwright, and B McLaughlin. Integral cross sections

- for electron impact excitation of electronic states of N_2 . 2001, *J. Phys. B*, **34**, 1185.
- [81] G Staszewska, D W Schwenke, and D G Tuhlar. Investigation of the shape of the imaginary part of the optical-model potential for electron scattering by rare gases. 1984, *Phys. Rev. A*, **29**, 3078.
- [82] N T Padial and D W Norcross. Parameter-free model of the correlation-polarization potential for electron molecule collisions. 1984, *Phys. Rev. A*, **29**, 1742.
- [83] C-Y Wu and Y-J Wu. Molecular elimination in photolysis of fluorobenzene at 193 nm: Internal energy of HF determined with time-resolved Fourier-transform spectroscopy. 2004, *J. Chem. Phys.*, **121**, 8792.
- [84] C-K Ni and Y T Lee. Photodissociation of simple aromatic molecules in a molecular beam. 2004, *Int. Rev. Phys. Chem.*, **23**, 187.
- [85] C-L Huang, J-C Jiang, A M Mebel, Y T Lee, and C-K Ni. Photodissociation dynamics of fluorobenzene. 2003, *J. Am. Chem. Soc.*, **125**, 9814.
- [86] C-K Ni, J D Huang, Y T Chen, A H Kung, and W M Jackson. Photodissociation of propyne and allene at 193 nm with vacuum ultraviolet detection of the products. 1999, *J. Chem. Phys.*, **110**, 3320.
- [87] E J Hintska, X Zhao, W M Jackson, W B Miller, A M Wodtke, and Y T Lee. Production and photodissociation of CCl_3 radicals in a molecular beam. 1991, *J. Phys. Chem.*, **95**, 2799.
- [88] T K Minton, R Felder, R C Scales, and J R Huber. Photodissociation of C_2F_4 at 193.3 nm; The production of triplet $CF_2(^3B_1)$. 1989, *Chem. Phys. Lett.*, **164**, 113.
- [89] D E Powers, J B Hopkins, and R E Smalley. Laser production of jet-cooled radicals. Methoxy and methoxy-argon. 1981, *J. Phys. Chem.*, **85**, 2711.

- [90] J C Robinson, N E Sveum, S J Goncher, and D M Neumark. Photofragment translational spectroscopy of allene, propyne and propyne-d(3) at 193 nm. 2005, *Mol. Phys.*, **103**, 13.
- [91] F Z Chen, D L Judge, and C Y R Wu. Temperature dependent photoabsorption cross sections of allene and nethylacetylene in the vuv-uv region. 2000, *Chem. Phys.*, **260**, 215.
- [92] T A Cool, K Nakajima, T A Mostefaoui, F Qi, A Mcllroy, P R Westmoreland, M E Law, L Poisson, D S Peterka, and M Ahmed. Selective detection of isomers with photoionization mass spectrometry for studies of hydrocarbon flame chemistry. 2003, *J. Chem. Phys.*, **119**, 8356.
- [93] J C Robinson, N E Sveum, and D M Neumark. Determination of absolute photoionization cross sections for vinyl and propargyl radicals. 2003, *J. Chem. Phys.*, **119**, 5311.
- [94] R Ramathan, J A Zimmerman, and J R Eyler. Ionization potentials of small carbon clusters. 1993, *J. Chem. Phys.*, **98**, 7838.
- [95] S K Howell, N J Bowering, and T D S Hamilton. Real time optimisation of electron spectrometers. 1987, *J. Phys. E*, **20**, 293.
- [96] J A Nelder and R A Mead. A simplex method for function minimisation. 1965, *Comput. J.*, **7**, 308.
- [97] S Fujisawa, K Ohno, S Masuda, and Y Harada. Penning ionization electron spectroscopy of monohalogenobenzenes: C₆H₅F, C₆H₅Cl, C₆H₅Br and C₆H₅I. 1986, *J. Am. Chem. Soc.*, **108**, 6505.
- [98] G C Björklund. Effects of focussing on third-order nonlinear processes in isotropic media. 1975, *J. of Quantum Electronics*, **11**, 287.