

7 REFERENCES

- Abrami, G., Natiello, F., Bronzi, P., Mckenzie, D., Bolis, L. & Agradi, E. 1992. A comparison of highly unsaturated fatty acid levels in wild and farmed eels (*Anguilla anguilla*). *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 101, 79-81.
- Agaba, M., Tocher, D. R., Dickson, C. A., Dick, J. R. & Teale, A. J. 2004. Zebrafish cDNA encoding multifunctional fatty acid elongase involved in production of eicosapentaenoic (20:5n-3) and docosahexaenoic (22:6n-3) acids. *Marine Biotechnology*, 6, 251-261.
- Agaba, M. K., Tocher, D. R., Zheng, X., Dickson, C. A., Dick, J. R. & Teale, A. J. 2005. Cloning and functional characterisation of polyunsaturated fatty acid elongases of marine and freshwater teleost fish. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 142, 342-352.
- Aki, T., Shimada, Y., Inagaki, K., Higashimoto, H., Kawamoto, S., Shigeta, S., Ono, K. & Suzuki, O. 1999. Molecular cloning and functional characterization of rat Δ-6 fatty acid desaturase. *Biochemical & Biophysical Research Communications*, 255, 575-579.
- Alimuddin, Kiron, V., Satoh, S., Takeuchi, T. & Yoshizaki, G. 2008. Cloning and over-expression of a masu salmon (*Oncorhynchus masou*) fatty acid elongase-like gene in zebrafish. *Aquaculture*, 282, 13-18.
- Babich, H. & Borenfreund, E. 1991. Cytotoxicity and genotoxicity assays with cultured fish cells: a review. *Toxicology in Vitro*, 5, 91-100.
- Baydar, N. G., Özkan, G. & Sagdiç, O. 2004. Total phenolic contents and antibacterial activities of grape (*Vitis vinifera* L.) extracts. *Food Control*, 15, 335-339.
- Beaudoin, F., Michaelson, L. V., Hey, S. J., Lewis, M. J., Shewry, P. R., Sayanova, O. & Napier, J. A. 2000. Heterologous reconstitution in yeast of the polyunsaturated fatty acid biosynthetic pathway. *Proceedings of the National Academy of Sciences U S A*, 97, 6421-6426.
- Bekhit, A. E. D., Geesink, G. H., Ilian, M. A., Morton, J. D. & Bickerstaffe, R. 2003. The effects of natural antioxidants on oxidative processes and metmyoglobin reducing activity in beef patties. *Food Chemistry*, 81, 175-187.
- Bell, J. G., Henderson, R. J., Tocher, D. R., McGhee, F., Dick, J. R., Porter, A., Smullen, R. P. & Sargent, J. R. 2002. Substituting fish oil with crude palm oil in the diet of Atlantic salmon (*Salmo salar*) affects muscle fatty acid composition and hepatic fatty acid metabolism. *Journal of Nutrition*, 132, 222-230.
- Bell, J. G. & Sargent, J. R. 2003. Arachidonic acid in aquaculture feeds: current status and future opportunities. *Aquaculture*, 218, 491-499.

- Bengtson, D. A. 2003. Status of Marine Aquaculture in Relation to Live Prey: Past, Present and Future. In: STOTTRUP, J. G. & MCEVOY, L. A. (eds.) *Live Feeds in Marine Aquaculture*. Blackwell Science. Oxford.
- Best, C. A., Laposata, M., Proios, V. G. & Szczepiorkowski, Z. M. 2006. Method to assess fatty acid ethyl ester binding to albumin. *Alcohol & Alcoholism*, 41, 240-246.
- Beveridge, M. C. M. 2004. *Cage Aquaculture*, Blackwell Publishing. Oxford.
- Bohne, V. J. B., Hamre, K. & Arukwe, A. 2007. Hepatic metabolism, phase I and II biotransformation enzymes in Atlantic salmon (*Salmo salar*, L) during a 12 week feeding period with graded levels of the synthetic antioxidant, ethoxyquin. *Food & Chemical Toxicology*, 45, 733-746.
- Bohne, V. J. B., Lundebye, A. K. & Hamre, K. 2008. Accumulation and depuration of the synthetic antioxidant ethoxyquin in the muscle of Atlantic salmon (*Salmo salar* L.). *Food & Chemical Toxicology*, 46, 1834-1843.
- Bols, N. C. 1991. Biotechnology and aquaculture: The role of cell cultures. *Biotechnology Advances*, 9, 31-49.
- Bols, N. C. & Lee, L. E. 1991. Technology and uses of cell cultures from the tissues and organs of bony fish. *Cytotechnology*, 6, 163-187.
- Buckee, J. 2004. *Assessment and Reporting of the Ecologically Sustainable Development of Australia Aquaculture – an Industry Perspective*. Prepared for Department of Agriculture, Fisheries and Forestry.
- Buist, P. H. 2004. Catalytic diversity of fatty acid desaturases. *Tetrahedron: Asymmetry*, 15, 2779-2785.
- Burk, R. F., Trumble, M. J. & Lawrence, R. A. 1980. Rat hepatic cytosolic glutathione-dependent enzyme protection against lipid peroxidation in the NADPH-microsomal lipid peroxidation system. *Biochimica et Biophysica Acta*, 618, 35-41.
- Chaiyapechara, S., Casten, M. T., Hardy, R. W. & Dong, F. M. 2003. Fish performance, fillet characteristics, and health assessment index of rainbow trout (*Oncorhynchus mykiss*) fed diets containing adequate and high concentrations of lipid and vitamin E. *Aquaculture*, 219, 715-738.
- Chen, B. N., Qin, J. G., Kumar, M. S., Hutchinson, W. & Clarke, S. 2006. Ontogenetic development of the digestive system in yellowtail kingfish *Seriola lalandi* larvae. *Aquaculture*, 256, 489-501.
- Chen, Y.-C., Nguyen, J., Semmens, K., Beamer, S. & Jaczynski, J. 2008. Effects of dietary alpha-tocopheryl acetate on lipid oxidation and alpha-tocopherol content of novel omega-3-enhanced farmed rainbow trout (*Oncorhynchus mykiss*) fillets. *LWT - Food Science and Technology*, 41, 244-253.

Cho, H. P., Nakamura, M. & Clarke, S. D. 1999. Cloning, expression, and fatty acid regulation of the human Δ -5 desaturase. *Journal of Biological Chemistry*, 274, 37335-37339.

Cho, H. P., Nakamura, M. T. & Clarke, S. D. 1999a. Cloning, expression, and nutritional regulation of the mammalian Δ -6 desaturase. *Journal of Biological Chemistry*, 274, 471-477.

Clean Seas Tuna 2009. www.cleanseas.com.au [Online].

De Antueno, R. J., Knickle, L. C., Smith, H., Elliot, M. L., Allen, S. J., Nwaka, S. & Winther, M. D. 2001. Activity of human Δ 5and Δ 6desaturases on multiple n-3 and n-6 polyunsaturated fatty acids. *FEBS Letters*, 509, 77-80.

De Souza, N. E., Matsushita, M., De Oliveira, C. C., Franco, M. R. B. & Visentainer, J. V. 2007. Manipulation of fatty acid composition of Nile tilapia (*Oreochromis niloticus*) fillets with flaxseed oil. *Journal of the Science of Food and Agriculture*, 87, 1677-1681.

Elkin, R. G., Rogler, J. C. & Sullivan, T. W. 1990. Comparative effects of dietary tannins in ducks, chicks, and rats. *Poultry Science*, 69, 1685-1693.

Ellis, D. Tuna Boat Owners Association.

Fernández Giménez, A. V., Fenucci, J. L. & Petriella, A. M. 2004. The effect of vitamin E on growth, survival and hepatopancreas structure of the Argentine red shrimp *Pleoticus muelleri* Bate (Crustacea, Penaeidea). *Aquaculture Research*, 35, 1172-1178.

Fijan, N., Sulimanovic, D., Bearzotti, M., Muzinic, D., Zwillenberg, L. O., Chilmonczyk, S., Vautherot, J. F. & De Kinkelin, P. 1983. Some properties of the Epithelioma papulosum cyprini (EPC) cell line from carp *cyprinus carpio*. *Annales de l'Institut Pasteur / Virologie*, 134, 207-220.

Folch, J., Lees, M. & Sloane Stanley, G. H. 1957. A simple method for the isolation and purification of total lipids from animal tissues. *Journal of Biological Chemistry*, 226, 497-509.

Fowler, A. J., Ham, J. M. & Jennings, P. R. 2003. Discriminating between cultured and wild kingfish (*Seriola lalandi*) in South Australia. SARDI Aquatic Sciences Publication No. RD03/0159. South Australian Research and Development Institute (Aquatic Sciences), Adelaide.

Francis, D. S., Peters, D. J. & Turchini, G. M. 2009. Apparent in vivo Δ -6 desaturase activity, efficiency, and affinity are affected by total dietary C₁₈ PUFA in the freshwater fish Murray Cod. *Journal of Agricultural & Food Chemistry*, 57, 4381-4390.

Freshney, R. I. 2000. *Culture of Animal Cells: A Manual of Basic Technique*, John Wiley and Sons. New York.

Fryer, J. L. & Lannan, C. N. 1994. Three decades of fish cell culture: A current listing of cell lines derived from fishes. *Journal of Tissue Culture Methods*, 16, 87-94.

Gatta, P. P., Pirini, M., Testi, S., Vignola, G. & Monetti, P. G. 2000. The influence of different levels of dietary vitamin E on sea bass *Dicentrarchus labrax* flesh quality. *Aquaculture Nutrition*, 6, 47-52.

Ghioni, C., Tocher, D. R. & Sargent, J. R. 1997. The effect of culture on morphology, lipid and fatty acid composition, and polyunsaturated fatty acid metabolism of rainbow trout (*Oncorhynchus mykiss*) skin cells. *Fish Physiology & Biochemistry*, 16, 499-513.

Ghioni, C., Tocher, D. R., Bell, M. V., Dick, J. R. & Sargent, J. R. 1999. Low C₁₈ to C₂₀ fatty acid elongase activity and limited conversion of stearidonic acid, 18:4(n-3), to eicosapentaenoic acid, 20:5(n-3), in a cell line from the turbot, *Scophthalmus maximus*. *Biochimica et Biophysica Acta*, 1437, 170-181.

Ghioni, C., Porter, A. E., Sadler, I. H., Tocher, D. R. & Sargent, J. R. 2001. Cultured fish cells metabolize octadecapentaenoic acid (all-cis Δ3,6,9,12,15-18:5) to octadecatetraenoic acid (all-cis delta6,9,12,15-18:4) via its 2-trans intermediate (trans Δ2, all-cis Δ6,9,12,15-18:5). *Lipids*, 36, 145-152.

González-Rovira, A., Mourente, G., Zheng, X., Tocher, D. R. & Pendón, C. 2009. Molecular and functional characterization and expression analysis of a Δ6 fatty acyl desaturase cDNA of European Sea Bass (*Dicentrarchus labrax* L.). *Aquaculture*, 298, 90-100.

Gravell, M. & Malsberger, R. G. 1965. A permanent cell line from the fathead minnow (*Pimephales promelas*). *Annals of the New York Academy of Sciences*, 126, 555-565.

Grigorakis, K., Alexis, M. N., Taylor, K. D. A. & Hole, M. 2002. Comparison of wild and cultured gilthead sea bream (*Sparus aurata*); composition, appearance and seasonal variations. *International Journal of Food Science and Technology*, 37, 477-484.

Grivell, L. A. 1992. *Molecular Biology of Saccharomyces*, Dordrecht, The Netherlands. Kluwer Academic Publishers.

Halliwell, B. & Gutteridge, J. M. C. 2003. *Free Radicals in Biology and Medicine*, Oxford University Press. New York.

Hamre, K., Christiansen, R., Waagbø, R., Maage, A., Torstensen, B. E., Lygren, B., Ø, L., Wathne, E. & Albrektsen, S. 2004. Antioxidant vitamins, minerals and lipid levels in diets for Atlantic salmon (*Salmo salar*, L.): effects on growth performance and fillet quality. *Aquaculture Nutrition*, 10, 113-123.

Hamre, K., Kolas, K. & Sandnes, K. 2010. Protection of fish feed, made directly

from marine raw materials, with natural antioxidants. *Food Chemistry*, 119, 270-278.

Hanner, R. H. & Gregory, T. R. 2007. Genomic Diversity Research and the Role of Biorepositories. *Cell Preservation Technology*, 5, 93-103.

Hardy, R. W. & Barrows, F. T. 2002. Diet Formulation and Manufacture. In: HALVER, J. E. & HARDY, R. W. (eds.) *Fish Nutrition*. Third ed. Academic Press. San Diego.

Hastings, N., Agaba, M., Tocher, D. R., Leaver, M. J., Dick, J. R., Sargent, J. R. & Teale, A. J. 2001. A vertebrate fatty acid desaturase with $\Delta 5$ and $\Delta 6$ activities. *Proceedings of the National Academy of Sciences USA*, 98, 14304-14309.

Hastings, N., Agaba, M. K., Tocher, D. R., Zheng, X., Dickson, C. A., Dick, J. R. & Teale, A. J. 2005. Molecular cloning and functional characterization of fatty acyl desaturase and elongase cDNAs involved in the production of eicosapentaenoic and docosahexaenoic acids from alpha-linolenic acid in Atlantic salmon (*Salmo salar*). *Marine Biotechnology*, 6, 463-474.

Herbert, P. D. N., Cywinska, A., Ball, S. L. & Deward, J. R. 2003. Biological identification through DNA barcodes. *Proceedings of the Royal Society London B*, 270, 313-321.

Huang, Y.-S., Chaudhary, S., Thurmund, J. M., Bobik, E. G., Yuan, L., Chan, G. M., Kirchner, S. J., Mukerji, P. & Knutzon, D. S. 1999. Cloning of $\Delta 12$ - and $\Delta 5$ -desaturases from *Mortierella alpina* and recombinant production of γ -linolenic acid in *Saccharomyces cerevisiae*. *Lipids*, 34, 649-659.

Hughes, D. A. 2000. Dietary antioxidants and human immune function. *British Nutrition Foundation Nutrition Bulletin*, 25, 35-41.

Hughes, P., Marshall, D., Reid, Y., Parkes, H. & Gelber, C. 2007. The costs of using unauthenticated, over-passaged cell lines: how much more data do we need? *Biotechniques*, 43, 575.

Inagaki, K., Aki, T., Fukuda, Y., Kawamoto, S., Shigeta, S., Ono, K. & Suzuki, O. 2002. Identification and expression of a rat fatty acid elongase involved in the biosynthesis of C18 fatty acids. *Bioscience, Biotechnology & Biochemistry*, 66, 613-621.

Jakobsson, A., Westerberg, R. & Jacobsson, A. 2006. Fatty acid elongases in mammals: their regulation and roles in metabolism. *Progress in Lipid Research*, 45, 237-249.

Jayaprakasha, G. K., Singh, R. P. & Sakariah, K. K. 2001. Antioxidant activity of grape seed (*Vitis vinifera*) extracts on peroxidation models in vitro. *Food Chemistry*, 73, 285-290.

Jenkins, D. J. A., Sievenpiper, J. L., Pauly, D., Sumaila, U. R., Kendall, C. W. C. & Mowat, F. M. 2009. Are dietary recommendations for the use of fish oils

sustainable? *CMAJ Canadian Medical Association Journal*, 180, 633-637.

Jensen, C., Birk, E., Jokumsen, A., Skibsted, L. H. & Bertelsen, G. 1998. Effect of dietary levels of fat, α -tocopherol and astaxanthin on colour and lipid oxidation during storage of frozen rainbow trout (*Oncorhynchus mykiss*) and during chill storage of smoked trout. *Zeitschrift fur Lebensmittel-Untersuchung und -Forschung A, European food research and technology*, 207, 189-196.

Jump, D. B., Thelen, A., Ren, B. & Mater, M. 1999. Multiple mechanisms for polyunsaturated fatty acid regulation of hepatic gene transcription. *Prostaglandins Leukotrienes & Essential Fatty Acids*, 60, 345-349.

Knutzon, D. S., Thurmond, J. M., Huang, Y. S., Chaudhary, S., Bobik, E. G., Jr., Chan, G. M., Kirchner, S. J. & Mukerji, P. 1998. Identification of $\Delta 5$ -desaturase from *Mortierella alpina* by heterologous expression in Bakers' yeast and canola. *Journal of Biological Chemistry*, 273, 29360-29366.

Kolditz, C., Borthaire, M., Richard, N., Corraze, G., Panserat, S., Vachot, C., Lefevre, F. & Medale, F. 2008. Liver and muscle metabolic changes induced by dietary energy content and genetic selection in rainbow trout (*Oncorhynchus mykiss*). *American Journal of Physiology - Regulatory Integrative and Comparative Physiology*, 294, R1154-1164.

Kozak, M. 1996. Interpreting cDNA sequences: some insights from studies on translation. *Mammalian Genome*, 7, 563-574.

Lannan, C. N., Winton, J. R. & Fryer, J. L. 1984. Fish cell lines: establishment and characterization of nine cell lines from salmonids. *In Vitro*, 20, 671-676.

Lau, D. W. & King, A. J. 2003. Pre- and post-mortem use of grape seed extract in dark poultry meat to inhibit development of thiobarbituric acid reactive substances. *Journal of Agricultural & Food Chemistry*, 51, 1602-1607.

Leech, N. L., Barrett, K. C. & Morgan, G. A. 2008. *SPSS for intermediate students: Use and interpretation*, L. Erlbaum Associates. New York.

Leonard, A. E., Bobik, E. G., Dorado, J., Kroeger, P. E., Chuang, L. T., Thurmond, J. M., Parker-Barnes, J. M., Das, T., Huang, Y. S. & Mukerji, P. 2000. Cloning of a human cDNA encoding a novel enzyme involved in the elongation of long-chain polyunsaturated fatty acids. *Biochemical Journal*, 350 Pt 3, 765-770.

Leonard, A. E., Kelder, B., Bobik, E. G., Chuang, L.-T., Lewis, C. J., Kopchick, J. J., Mukerji, P. & Huang, Y.-S. 2002. Identification and expression of mammalian long-chain PUFA elongation enzymes. *Lipids*, 37, 733-740.

Leonard, A. E., Pereira, S. L., Sprecher, H. & Huang, Y.-S. 2004. Elongation of long-chain fatty acids. *Progress in Lipid Research*, 43, 36-54.

Li, Y.-Y., Hu, C.-B., Zheng, Y.-J., Xia, X.-A., Xu, W.-J., Wang, S.-Q., Chen, W.-Z., Sun, Z.-W. & Huang, J.-H. 2008. The effects of dietary fatty acids on liver fatty acid

composition and Δ6-desaturase expression differ with ambient salinities in *Siganus canaliculatus*. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 151, 183-190.

Livak, K. J. & Schmittgen, T. D. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta \Delta CT}$ Method. *Methods*, 25, 402-408.

Los, D. A. & Murata, N. 1998. Structure and expression of fatty acid desaturases. *Biochimica et Biophysica Acta*, 1394, 3-15.

Love, G. & Langenkamp, D. 2003. *Australian Aquaculture: Industry Profiles for Selected Species*. Australian Bureau of Agricultural and Resource Economics (ABARE) eReport 03.8 Prepared for Fisheries Resources Research Fund. Canberra.

Luther, M., Parry, J., Moore, J., Meng, J., Zhang, Y., Cheng, Z. & Yu, L. 2007. Inhibitory effect of Chardonnay and black raspberry seed extracts on lipid oxidation in fish oil and their radical scavenging and antimicrobial properties. *Food Chemistry*, 104, 1065-1073.

Maeda, M., Doi, O. & Akamatsu, Y. 1978. Metabolic conversion of polyunsaturated fatty acids in mammalian cultured cells. *Biochimica et Biophysica Acta*, 530, 153-164.

Marquardt, A., Stohr, H., White, K. & Weber, B. H. 2000. cDNA cloning, genomic structure, and chromosomal localization of three members of the human fatty acid desaturase family. *Genomics*, 66, 175-183.

Mazur, K., Curtotti, R., Perks, C., Vieira, S., Pham, T. & George, D. 2010. *Australian fisheries – the global context*. Australian Bureau of Agricultural and Resource Economics (ABARE) eReport 10.3.

Metcalf, R. G., Sanders, P., James, M. J., Cleland, L. G. & Young, G. D. 2008. Effect of dietary n-3 polyunsaturated fatty acids on the inducibility of ventricular tachycardia in patients with ischemic cardiomyopathy. *American Journal of Cardiology*, 101, 758-761.

Meyer, A., Kirsch, H., Domergue, F., Abbadi, A., Sperling, P., Bauer, J., Cirpus, P., Zank, T. K., Moreau, H., Roscoe, T. J., Zahringer, U. & Heinz, E. 2004. Novel fatty acid elongases and their use for the reconstitution of docosahexaenoic acid biosynthesis. *Journal of Lipid Research*, 45, 1899-1909.

Mohd-Yusof, N. Y., Monroig, O., Mohd-Adnan, A., Wan, K.-L. & Tocher, D. R. 2010. Investigation of highly unsaturated fatty acid metabolism in the Asian sea bass, *Lates calcarifer*. *Fish physiology and Biochemistry*, in press.

Monroig, O., Rotllant, J., Sanchez, E., Cerda-Reverter, J. M. & Tocher, D. R. 2009. Expression of long-chain polyunsaturated fatty acid (LC-PUFA) biosynthesis genes during zebrafish *Danio rerio* early embryogenesis. *Biochimica et Biophysica Acta*, 1791, 1093-1101.

Morais, S., Monroig, O., Zheng, X., Leaver, M. J. & Tocher, D. R. 2009. Highly unsaturated fatty acid synthesis in Atlantic salmon: characterization of ELOVL5- and ELOVL2-like elongases. *Marine Biotechnology*, 11, 627-639.

Morel, I., Lescoat, G., Cogrel, P., Sergent, O., Pasdeloup, N., Brissot, P., Cillard, P. & Cillard, J. 1993. Antioxidant and iron-chelating activities of the flavonoids catechin, quercetin and diosmetin on iron-loaded rat hepatocyte cultures. *Biochemical Pharmacology*, 45, 13-19.

Moretti, V. M., Turchini, G. M., Bellagamba, F. & Caprino, F. 2003. Traceability issues in fishery and aquaculture products. *Veterinary Research Communications*, 27 Suppl 1, 497-505.

Mourente, G., Díaz-Salvago, E., Bell, J. G. & Tocher, D. R. 2002. Increased activities of hepatic antioxidant defence enzymes in juvenile gilthead sea bream (*Sparus aurata* L.) fed dietary oxidised oil: attenuation by dietary vitamin E. *Aquaculture*, 214, 343-361.

Mourente, G. & Tocher, D. R. 2003. An approach to study the nutritional requirements of the bluefin tun (*Thunnus thynnus thynnus* L.). In: BRIDGES, C. R., GORDIN, H. & GARCIA, A., eds. International Symposium on Domestication of the Bluefin Tuna *Thunnus thynnus thynnus*, 3-8/02/2002 Cartagena, Spain. Cahiers Options Mediterraneenes, 143-150.

Mourente, G., Dick, J. R., Bell, J. G. & Tocher, D. R. 2005. Effect of partial substitution of dietary fish oil by vegetable oils on desaturation and β -oxidation of [1- ^{14}C]18:3n-3 (LNA) and [1- ^{14}C]20:5n-3 (EPA) in hepatocytes and enterocytes of European sea bass (*Dicentrarchus labrax* L.). *Aquaculture*, 248, 173-186.

Nanton, D. A., Vegusdal, A., Bencze Rørå, A. M., Ruyter, B., Baeverfjord, G. & Torstensen, B. E. 2007. Muscle lipid storage pattern, composition, and adipocyte distribution in different parts of Atlantic salmon (*Salmo salar*) fed fish oil and vegetable oil. *Aquaculture*, 265, 230-243.

Napier, J. A., Hey, S. J., Lacey, D. J. & Shewry, P. R. 1998. Identification of a *Caenorhabditis elegans* $\Delta 6$ -fatty-acid-desaturase by heterologous expression in *Saccharomyces cerevisiae*. [Erratum appears in Biochem J 1998 Aug 1;333(Pt 3):867]. *Biochemical Journal*, 330, 611-614.

Napier, J. A., Michaelson, L. V. & Sayanova, O. 2003. The role of cytochrome b5 fusion desaturases in the synthesis of polyunsaturated fatty acids. *Prostaglandins Leukotrienes and Essential Fatty Acids*, 68, 135-143.

Nardone, R. M. 2007. Eradication of cross-contaminated cell lines: a call for action. *Cell Biology & Toxicology*, 23, 367-372.

Naylor, R. L., Goldburg, R. J., Primavera, J. H., Kautsky, N., Beveridge, M. C., Clay, J., Folke, C., Lubchenco, J., Mooney, H. & Troell, M. 2000. Effect of aquaculture on world fish supplies. *Nature*, 405, 1017-1024.

- Nelson, J. S. 2004. *Fishes of the World*, John Wiley and Sons. New York.
- Nichols, P. D., Virtue, P., Mooney, B. D., Elliott, N. G. & Yearsley, G. K. 1998. Seafood the good food: the oil (fat) content and composition of Australian commercial fishes, shellfishes and crustaceans. FRDC Project 95/122.
- Olsen, R. E. & Henderson, R. J. 1997. Muscle fatty acid composition and oxidative stress indices of Arctic charr, *Salvelinus alpinus* L., in relation to dietary polyunsaturated fatty acid levels and temperature. *Aquaculture Nutrition*, 3, 227-238.
- Park, W. J., Kothapalli, K. S. D., Lawrence, P., Tyburczy, C. & Brenna, J. T. 2009. An alternate pathway to long-chain polyunsaturates: the FADS2 gene product Δ8-desaturases 20:2n-6 and 20:3n-3. *Journal of Lipid Research*, 50, 1195-1202.
- Parker-Barnes, J. M., Das, T., Bobik, E., Leonard, A. E., Thurmond, J. M., Chaung, L. T., Huang, Y. S. & Mukerji, P. 2000. Identification and characterization of an enzyme involved in the elongation of n-6 and n-3 polyunsaturated fatty acids. *Proceedings of the National Academy of Science USA*, 97, 8284-8289.
- Pauly, D., Watson, R. & Alder, J. 2005. Global trends in world fisheries: impacts on marine ecosystems and food security. *Philosophical Transactions of the Royal Society of London - Series B: Biological Sciences*, 360, 5-12.
- Petillo, D., Hultin, H. O., Krzynowek, J. & Autio, W. R. 1998. Kinetics of antioxidant loss in mackerel light and dark muscle. *Journal of Agricultural & Food Chemistry*, 46, 4128-4137.
- Portolesi, R. 2007, 'Fatty acid metabolism in HepG2 cells: Limitations in the accumulation of docosahexaenoic acid in cell membranes,' PhD thesis, Flinders University.
- Proudman, S. M., Cleland, L. G. & James, M. J. 2008. Dietary omega-3 fats for treatment of inflammatory joint disease: efficacy and utility. *Rheumatic Diseases Clinics of North America*, 34, 469-479.
- Regost, C., Arzel, J., Robin, J., Rosenlund, G. & Kaushik, S. J. 2003. Total replacement of fish oil by soybean or linseed oil with a return to fish oil in turbot (*Psetta maxima*): 1. Growth performance, flesh fatty acid profile, and lipid metabolism. *Aquaculture*, 217, 465-482.
- Richheimer, S. L., Bernart, M. W., King, G. A., Kent, M. C. & Beiley, D. T. 1996. Antioxidant activity of lipid-soluble phenolic diterpenes from rosemary. *Journal of the American Oil Chemists' Society*, 73, 507-514.
- Ritola, O., Peters, L. D., Livingstone, D. R. & Lindström-Seppä, P. 2002. Effects of *in vitro* exposure to ozone and/or hyperoxia on superoxide dismutase, catalase, glutathione and lipid peroxidation in red blood cells and plasma of rainbow trout, *Oncorhynchus mykiss* (Walbaum). *Aquaculture Research*, 33, 165-175.
- Rivers, J. P., Sinclair, A. J. & Crawford, M. A. 1975. Inability of the cat to desaturate

essential fatty acids. *Nature*, 258, 171-173.

Rivers, J. P., Hassam, A. G., Crawford, M. A. & Brambell, M. R. 1976. The inability of the lion, *Panthera leo*, L. to desaturate linoleic acid. *FEBS Letters*, 67, 269-270.

Ruff, N., Fitzgerald, R. D., Cross, T. F. & Kerry, J. P. 2002. Fillet shelf-life of Atlantic halibut *Hippoglossus hippoglossus* L. fed elevated levels of α -tocopheryl acetate. *Aquaculture Research*, 33, 1059-1071.

Ruff, N., Fitzgerald, R. D., Cross, T. F., Hamre, K. & Kerry, J. P. 2003. The effect of dietary vitamin E and C level on market-size turbot (*Scophthalmus maximus*) fillet quality. *Aquaculture Nutrition*, 9, 91-103.

Saito, H., Ishihara, K. & Murase, T. 1997. The fatty acid composition in tuna (Bonito, *Euthynnus pelamis*) caught at three different localities from tropics to temperate. *Journal of the Science of Food and Agriculture*, 73, 53-59.

Saito, M., Hosoyama, H., Ariga, T., Kataoka, S. & Yamaji, N. 1998. Antiulcer activity of grape seed extract and procyanidins. *Journal of Agricultural & Food Chemistry*, 46, 1460-1464.

Sambrook, J., Russell, D.W. & Cold Spring Harbor Laboratory. 2001. *Molecular cloning: a laboratory manual*, Cold Spring Harbor. New York.

Sargent, J. R., Tocher, D. R. & Bell, J. G. 2002. The Lipids. In: HALVER, J. E. & HARDY, R. W. (eds.) *Fish Nutrition*. Third ed. Academic Press. San Diego.

Sauerwald, T. U., Hachey, D. L., Jensen, C. L., Chen, H., Anderson, R. E. & Heird, W. C. 1997. Intermediates in endogenous synthesis of C22:6 omega 3 and C20:4 omega 6 by term and preterm infants. *Pediatric Research*, 41, 183-187.

Scaife, J. R., Onibi, G. E., Murray, I., Fletcher, T. C. & Houlihan, D. F. 2000. Influence of alpha-tocopherol acetate on the short- and long-term storage properties of fillets from Atlantic salmon *Salmo salar* fed a high lipid diet. *Aquaculture Nutrition*, 6, 65-71.

Seiliez, I., Panserat, S., Kaushik, S. & Bergot, P. 2001. Cloning, tissue distribution and nutritional regulation of a Δ 6-desaturase-like enzyme in rainbow trout. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 130, 83-93.

Seiliez, I., Panserat, S., Corraze, G., Kaushik, S. & Bergot, P. 2003. Cloning and nutritional regulation of a Δ 6-desaturase-like enzyme in the marine teleost gilthead seabream (*Sparus aurata*). *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 135, 449-460.

Senso, L., Suárez, M. D., Ruiz-Cara, T. & García-Gallego, M. 2007. On the possible effects of harvesting season and chilled storage on the fatty acid profile of the fillet of farmed gilthead sea bream (*Sparus aurata*). *Food Chemistry*, 101, 298-307.

- Serrano, R., Bernal, D., Simon, E. & Arino, J. 2004. Copper and iron are the limiting factors for growth of the yeast *Saccharomyces cerevisiae* in an alkaline environment. *Journal of Biological Chemistry*, 279, 19698-19704.
- Shahidi, F. 2000. Antioxidants in food and food antioxidants. *Nahrung*, 44, 158-163.
- Shi, X., Chabarek, K., Budai, A. & Zhu, Z. 2003. Iron requirement for GAL gene induction in the yeast *Saccharomyces cerevisiae*. *Journal of Biological Chemistry*, 278, 43110-43113.
- Simopoulos, A. P. 2002. Omega-3 fatty acids in inflammation and autoimmune diseases. *Journal of the American College of Nutrition*, 21, 495-505.
- Smithers, L. G., Gibson, R. A., Mcphee, A. & Makrides, M. 2008. Effect of long-chain polyunsaturated fatty acid supplementation of preterm infants on disease risk and neurodevelopment: a systematic review of randomized controlled trials. *American Journal of Clinical Nutrition*, 87, 912-920.
- Sohn, J.-H., Ushio, H., Ishida, N., Yamashita, M., Terayama, M. & Ohshima, T. 2007. Effect of bleeding treatment and perfusion of yellowtail on lipid oxidation in post-mortem muscle. *Food Chemistry*, 104, 962-970.
- Solis, J. & Mora, E. C. 1970. Viral susceptibility range of the fathead minnow (*Pimephales promelas*) poikilothermic cell line. *Applied Microbiology*, 19, 1-4.
- Sperling, P. & Heinz, E. 2001. Desaturases fused to their electron donor. *European Journal of Lipid Science and Technology*, 103, 158-180.
- Sperling, P., Ternes, P., Zank, T. K. & Heinz, E. 2003. The evolution of desaturases. *Prostaglandins Leukotrienes & Essential Fatty Acids*, 68, 73-95.
- Sprecher, H. & Chen, Q. 1999. Polyunsaturated fatty acid biosynthesis: a microsomal-peroxisomal process. *Prostaglandins Leukotrienes & Essential Fatty Acids*, 60, 317-321.
- Sprecher, H., Chen, Q. & Yin, F. Q. 1999. Regulation of the biosynthesis of 22:5n-6 and 22:6n-3: a complex intracellular process. *Lipids*, 34 Suppl, S153-156.
- Sprecher, H. 2000. Metabolism of highly unsaturated n-3 and n-6 fatty acids. *Biochimica et Biophysica Acta*, 1486, 219-231.
- Stickney, R. R. 2000. *Encyclopedia of Aquaculture*, John Wiley and Sons. New York.
- Strathern, J. N., Jones, E. W. & Broach, J. R. 1982. *The Molecular biology of the yeast Saccharomyces: metabolism and gene expression*, Cold Spring Harbor Laboratory. NY, USA.
- Surette, M. E. P. 2008. The science behind dietary omega-3 fatty acids. *CMAJ Canadian Medical Association Journal*, 178, 177-180.

Swofford, D. L. 2003. PAUP*: Phylogenetic analysis using parsimony (*and other methods), version 4.0b 10. Sinauer Associates: Sunderland, MA.

Tebib, K., Rouanet, J. M. & Besançon, P. 1997. Antioxidant effects of dietary polymeric grape seed tannins in tissues of rats fed a high cholesterol-vitamin E-deficient diet. *Food Chemistry*, 59, 135-141.

Tidwell, J. H. & Allan, G. L. 2001. Fish as food: aquaculture's contribution. Ecological and economic impacts and contributions of fish farming and capture fisheries. *EMBO Rep.*, 2, 958-963.

Tocher, D. R., Sargent, J. R. & Frerichs, G. N. 1988. The fatty acid compositions of established fish cell lines after long-term culture in mammalian sera. *Fish Physiology & Biochemistry*, 5, 219-227.

Tocher, D. R., Carr, J. & Sargent, J. R. 1989. Polyunsaturated fatty acid metabolism in fish cells: differential metabolism of (n-3) and (n-6) series acids by cultured cells originating from a freshwater teleost fish and from a marine teleost fish. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 94, 367-374.

Tocher, D. R. 1990. Incorporation and metabolism of (n-3) and (n-6) polyunsaturated fatty acids in phospholipid classes in cultured rainbow trout (*Salmo gairdneri*) cells. *Fish Physiology & Biochemistry*, 8, 239-249.

Tocher, D. R. & Dick, J. R. 1990. Polyunsaturated fatty acid metabolism in cultured fish cells: Incorporation and metabolism of (n-3) and (n-6) series acids by Atlantic salmon (*Salmo salar*) cells. *Fish Physiology & Biochemistry*, 8, 311-319.

Tocher, D. R. & Mackinlay, E. E. 1990. Incorporation and metabolism of (n-3) and (n-6) polyunsaturated fatty acids in phospholipid classes in cultured turbot (*Scophthalmus maximus*) cells. *Fish Physiology & Biochemistry*, 8, 251-260.

Tocher, D. R. & Dick, J. R. 1991. Effect of polyunsaturated fatty acids on the growth of fish cells in culture. *Comparative Biochemistry and Physiology Part A: Physiology*, 100, 461-466.

Tocher, D. R., Dick, J. R. & Sargent, J. R. 1995. Occurrence of 22:3n-9 and 22:4n-9 in the lipids of the topminnow (*Poeciliopsis lucida*) hepatic tumor cell line, PLHC-1. *Lipids*, 30, 555-565.

Tocher, D. R., Dick, J. R. & Sargent, J. R. 1995a. Development of an *in vitro* model of essential fatty acid deficiency in fish cells. *Prostaglandins Leukotrienes & Essential Fatty Acids*, 53, 365-375.

Tocher, D. R., Dick, J. R. & Sargent, J. R. 1996. Stimulation of proliferation of an essential fatty acid-deficient fish cell line by C₂₀ and C₂₂ polyunsaturated fatty acids and effects on fatty acid composition. *Prostaglandins Leukotrienes & Essential Fatty Acids*, 55, 345-356.

Tocher, D. R. & Ghoni, C. 1999. Fatty acid metabolism in marine fish: low activity of fatty acyl $\Delta 5$ desaturation in gilthead sea bream (*Sparus aurata*) cells. *Lipids*, 34, 433-440.

Tocher, D. R., Bell, J. G., Macglaughlin, P., Mcghee, F. & Dick, J. R. 2001. Hepatocyte fatty acid desaturation and polyunsaturated fatty acid composition of liver in salmonids: effects of dietary vegetable oil. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 130, 257-270.

Tocher, D. R. & Dick, J. R. 2001. Effects of essential fatty acid deficiency and supplementation with docosahexaenoic acid (DHA; 22:6n-3) on cellular fatty acid compositions and fatty acyl desaturation in a cell culture model. *Prostaglandins Leukotrienes & Essential Fatty Acids*, 64, 11-22.

Tocher, D. R., Mourente, G., Van Der Eecken, A., Evjemo, J. O., Diaz, E., Bell, J. G., Geurden, I., Lavens, P. & Olsen, Y. 2002. Effects of dietary vitamin E on antioxidant defence mechanisms of juvenile turbot (*Scophthalmus maximus* L.), halibut (*Hippoglossus hippoglossus* L.) and sea bream (*Sparus aurata* L.). *Aquaculture Nutrition*, 8, 195-207.

Tocher, D. R. 2003. Metabolism and functions of lipids and fatty acids in teleost fish. *Reviews in Fisheries Science*, 11, 107 - 184.

Tocher, D. R., Bell, J. G., Mcghee, F., Dick, J. R. & Fonseca-Madrigal, J. 2003. Effects of dietary lipid level and vegetable oil on fatty acid metabolism in Atlantic salmon (*Salmo salar* L.) over the whole production cycle. *Fish Physiology & Biochemistry*, 29, 193-209.

Tocher, D. R., Zheng, X., Schlechtriem, C., Hastings, N., Dick, J. R. & Teale, A. J. 2006. Highly unsaturated fatty acid synthesis in marine fish: Cloning, functional characterization, and nutritional regulation of fatty acyl $\Delta 6$ desaturase of atlantic cod (*Gadus morhua* L.). *Lipids*, 41, 1003-1016.

Van Roermund, C. W. T., Waterham, H. R., Ijlst, L. & Wanders, R. J. A. 2003. Fatty acid metabolism in *Saccharomyces cerevisiae*. *Cellular and Molecular Life Sciences*, 60, 1838-1851.

Visoottiviseth, P. & Chanwanna, N. 2001. Application of cell culture from hybrid catfish (*Clarias gariepinus* X *Clarias macrocephalus*) in screening toxicity of chemicals. *ScienceAsia*, 27, 75-81.

Wang, L., Heredia, A., Song, H., Zhang, Z., Yu, B., David, C. & Redfield, R. 2004. Resveratrol glucuronides as the metabolites of resveratrol in humans: characterization, synthesis and anti-HIV activity. *Journal of Pharmaceutical Sciences*, 93, 2448-2457.

Wang, Y., Botolin, D., Christian, B., Busik, J., Xu, J. & Jump, D. B. 2005. Tissue-specific, nutritional, and developmental regulation of rat fatty acid elongases. *Journal of Lipid Research*, 46, 706-715.

Ward, R. D., Zemlak, T. S., Innes, B. H., Last, P. R. & Hebert, P. D. N. 2005. DNA barcoding Australia's fish species. *Philosophical Transactions of the Royal Society of London - Series B: Biological Sciences*, 360, 1847-1857.

Whelan, J. & Rust, C. 2006. Innovative dietary sources of n-3 fatty acids. *Annual Review of Nutrition*, 26, 75-103.

Williams, L. M., Crane, M. S. & Gudkovs, N. 2003. Development and characterisation of pilchard (*Sardinops sagax neopilchardus*) cell lines derived from liver and heart tissues. *Methods in Cell Science*, 25, 105-113.

Wright, J., George, S., Martinez-Lara, E., Carpene, E. & Kindt, M. 2000. Levels of cellular glutathione and metallothionein affect the toxicity of oxidative stressors in an established carp cell line. *Marine Environmental Research*, 50, 503-508.

Yamakoshi, J., Kataoka, S., Koga, T. & Ariga, T. 1999. Proanthocyanidin-rich extract from grape seeds attenuates the development of aortic atherosclerosis in cholesterol-fed rabbits. *Atherosclerosis*, 142, 139-149.

Yamakoshi, J., Saito, M., Kataoka, S. & Kikuchi, M. 2002. Safety evaluation of proanthocyanidin-rich extract from grape seeds. *Food & Chemical Toxicology*, 40, 599-607.

Yilmaz, Y. & Toledo, R. T. 2004. Health aspects of functional grape seed constituents. *Trends in Food Science & Technology*, 15, 422-433.

Yilmaz, Y. & Toledo, R. T. 2004a. Major flavonoids in grape seeds and skins: antioxidant capacity of catechin, epicatechin, and gallic acid. *Journal of Agricultural & Food Chemistry*, 52, 255-260.

Yoon, H. & Donahue, T. F. 1992. Control of translation initiation in *Saccharomyces cerevisiae*. *Molecular Microbiology*, 6, 1413-1419.

Zheng, X., Seiliez, I., Hastings, N., Tocher, D. R., Panserat, S., Dickson, C. A., Bergot, P. & Teale, A. J. 2004. Characterization and comparison of fatty acyl $\Delta 6$ desaturase cDNAs from freshwater and marine teleost fish species. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 139, 269-279.

Zheng, X., Tocher, D. R., Dickson, C. A., Bell, J. G. & Teale, A. J. 2004a. Effects of diets containing vegetable oil on expression of genes involved in highly unsaturated fatty acid biosynthesis in liver of Atlantic salmon (*Salmo salar*). *Aquaculture*, 236, 467-483.

Zheng, X., Tocher, D. R., Dickson, C. A., Bell, J. G. & Teale, A. J. 2005. Highly unsaturated fatty acid synthesis in vertebrates: new insights with the cloning and characterization of a $\Delta 6$ desaturase of Atlantic salmon. *Lipids*, 40, 13-24.

Zheng, X., Torstensen, B. E., Tocher, D. R., Dick, J. R., Henderson, R. J. & Bell, J.

- G. 2005a. Environmental and dietary influences on highly unsaturated fatty acid biosynthesis and expression of fatty acyl desaturase and elongase genes in liver of Atlantic salmon (*Salmo salar*). *Biochimica et Biophysica Acta*, 1734, 13-24.
- Zheng, X., Ding, Z., Xu, Y., Monroig, O., Morais, S. & Tocher, D. R. 2009. Physiological roles of fatty acyl desaturases and elongases in marine fish: Characterisation of cDNAs of fatty acyl $\Delta6$ desaturase and elovl5 elongase of cobia (*Rachycentron canadum*). *Aquaculture*, 290, 122-131.
- Zheng, X., Leaver, M. J. & Tocher, D. R. 2009a. Long-chain polyunsaturated fatty acid synthesis in fish: Comparative analysis of Atlantic salmon (*Salmo salar* L.) and Atlantic cod (*Gadus morhua* L.) $\Delta6$ fatty acyl desaturase gene promoters. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 154, 255-263.