8 BIBLIOGRAPHY

Aine, C., & Harter, M. (1986). Visual event-related potentials to coloured patterns and color names: Attention to features and dimensions. Electroencephalography and Clinical Neurophysiology, 64: 228-245.

Allen, J. (1996). Neurobiological basis of posttraumatic stress disorder: Implications for patient education and treatment. Bulletin of the Menninger Clinic, 60: 377-395.

Allison, T., Begleiter, A., McCarthy, G., Roessler, E., Nobre, A., & Spencer, D. (1993). Electrophysiological studies of color processing in human visual cortex. Electroencephalography and Clinical Neurophysiology, 88: 343-355.

Allison, T., McCarthy, G., Nobre, A., Puce, A., & Belger, A. (1994). Human extrastriate visual cortex and the perception of faces, words, numbers, and colors. Cerebral Cortex, 4: 544-554.

American Electroencephalographic Society (1991). Guidelines for standard electrode position nomenclature. Journal of Clinical Neurophysiology, 8: 200-201.

American Psychiatric Association (1994). Diagnostic and Statistical Manual of Mental Disorders (4th ed.). Washington, DC: American Psychiatric Association Press.

Anagnostaras, S., Graske, M., & Fanselow, M. (1999). Anxiety: At the intersection of genes and experience. Nature Neuroscience, 2: 780-782.

Andersen, R., Snyder, L., Bradley, D., & Xing, J. (1997). Multimodal representation of space in the posterior parietal cortex and its use in planning movements. Annual Review of Neuroscience, 20: 303-330.

Anllo-Vento, L., & Hillyard, S. (1996). Selective attention to the color and direction of moving stimuli: Electrophysiological correlates of hierarchical feature selection. Perception and Psychophysics, 58: 191-206.

Anllo-Vento, L., Luck, S., & Hillyard, S. (1998). Spatio-temporal dynamics of attention to color: Evidence from human electrophysiology. Human Brain Mapping, 6: 216-238.

Annette, M. (1970). A classification of hand preference by association analysis. British Journal of Psychology, 61: 303-321.

Attias, J., Bleich, A., Furman, V., & Zinger, Y. (1996). Event-related potentials in post-traumatic stress disorder of combat origin. Biological Psychiatry, 40: 373-381.

Attias, J., Bleich, A., & Gilat, S. (1996). Classification of veterans with post-traumatic stress disorder using visual brain evoked P3s to traumatic stimuli. British Journal of Psychiatry, 168: 110-115.

Awh, E., Jonides, J., Smith, E., Schumacher, E., Koeppe, R., & Katz, S. (1996). Dissociation of storage and rehearsal in verbal working memory: Evidence from positron emission tomography. Psychological Science, 7: 25-31.

Babiloni, F., Babiloni, C., Carducci, F., Fattorini, L., Onorati, P., & Urbano, A. (1996). Spline Laplacian estimate of EEG potentials over a realistic magnetic resonance-constructed scalp surface model. Electroencephalography and Clinical Neurophysiology, 106: 336-343.

Babiloni, F., Carducci, F., Babiloni, C., & Urbano, A. (1998). Improved realistic Laplacian estimate of highly-sampled EEG potentials by regularization

techniques. Electroencephalography and Clinical Neurophysiology, 106: 336-343.

Baddeley, A. (1978). The trouble with levels: A reexamination of Craik and Lockhart's framework for memory research. Psychological Review, 85: 139-152.

Baddeley, A. (1992). Working memory: the interface between memory and cognition. Journal of Cognitive Neuroscience, 4: 281-288.

Badgaiyan, R., & Posner, M. (1998). Mapping the cingulate cortex in response selection and monitoring. Neuroimage, 7: 255-260.

Bailey, C., Bartsch, D., & Kandel, E. (1996). Toward a molecular definition of long-term memory storage. Proceedings of the National Academy of Science, 93: 13445-13452.

Bailey, I., & Lovie, J. (1976). New design principles for visual acuity letter charts. American Journal of Optometry and Physiological Optics, 53: 740-745.

Baker, S., Frith, C., Frackowiak, R., & Dolan, R. (1996). Active representation of shape and spatial location in man. Cerebral Cortex, 6: 612-619.

Barbas, H., Ghashghaei, H., Rempel-Clower, N., & Xiao, D. (2002). Anatomic basis of functional specialization in prefrontal cortices in primates. In J. Grafman (Ed.), Handbook of Neuropsychology (2nd ed., Vol. 7: The Frontal Lobes, p. 1-27). Amsterdam: Elsevier Science.

Bartlett, F. (1932). Remembering: An Experimentfal and Social Study. Cambridge: Cambridge University Press.

Bartlett, F. (1958). Thinking. New York: Basic Books.

Basar, E., Basar-Eroglu, C., Karakas, S., & Shurmann, M. (2000). Brain oscillations in perception and memory. International Journal of Psychophysiology, 35: 95-124.

Baudena, P., Halgren, E., Heit, G., & Clarke, J. (1995). Intracerebral potentials to rare target and distractor auditory and visual stimuli. III. Frontal cortex. Electroencephalography and Clinical Neurophysiology, 94: 251-264.

Baxter, M., & Chiba, A. (1999). Cognitive functions of the basal forebrain. Current Opinion in Neurobiology, 9: 178-183.

Bear, M. (1996). A synaptic basis for memory storage in the cerebral cortex. Proceedings of the National Academy of Science, 93:13453-13459.

Bechara, A., Tranel, D., & Damasio, A. (2002). The somatic marker hypothesis and decision-making. In J. Grafman (Ed.), Handbook of Neuropsychology (2nd ed., Vol. 7: The Frontal Lobes, p. 117-143). Amsterdam: Elsevier Science.

Beck, A., & Steer, R. (1987). Beck Depression Inventory Manual. San Antonio: Harcourt Brace Jovanovich.

Begleiter, H., Porjesz, B., & Wang, W. (1993). A neurophysiologic correlate of visual short-term memory in humans. Electroencephalography and Clinical Neurophysiology, 87: 46-53.

Belger, A., Puce, A., Krystal, J., Gore, J., Goldman-Rakic, P., McCarthy, G. (1998). Dissociation of mnemonic and perceptual processes during spatial and nonspatial working memory using fMRI. Human Brain Mapping, 6: 14-32.

Blair, R., & Karniski, W. (1993). An alternative method for significance testing of waveform difference potentials. Psychophysiology, 30: 518-524.

Blair, R., & Karniski, W. (1994). Distribution-free statistical analyses of surface and volumetric maps. In R. Thatcher, M. Hallett, T. Zeffiro, E. John, M. Huerta (Eds), Functional Neuroimaging, Academic Press: San Diego, pp. 19-28.

Blake, D., Weathers, F., Nagy, L., Kaloupek, D., Gusman, F., Charney, D., & Keane, T. (1995). The development of a clinician-administered PTSD scale. Journal of Traumatic Stress, 8: 75-90.

Blanchard, E., Kolb, L., Gerardi, R., Ryan, P., & Pallmeyer, T. (1986). Cardiac response to relevant stimuli as an adjunctive tool for diagnosing post-traumatic stress disorder in Vietnam veterans. Behaviour Therapy, 17: 592-606.

Blanchard, E., Kolb, L., Pallmeyer, T., & Gerardi, R. (1982). A psychophysiological study of post traumatic stress disorder in Vietnam veterans. Psychiatric Quarterly, 54: 220-229.

Blanchard, E., Kolb, L., & Prins, A. (1991). Psychophysiological responses in the diagnosis of posttraumatic stress disorder in Vietnam veterans. Journal of Nervous and Mental Disease, 179: 97-101.

Blomhoff, S., Reinvang, I., & Malt, U. (1998). Event-related potentials to stimuli with emotional impact in posttraumatic stress patients. Biological Psychiatry, 44: 1045-1053.

Bonne, O., Brandes, D., Gilboa, A., Gomori, J., Shenton, M., Pitman, R., Shalev, A. (2001). Longitudinal MRI study of hippocampal volume in trauma survivors with PTSD. American Journal of Psychiatry, 158: 1248-1251.

Boucart, M. (1999). An introduction to "The Neuroscience of Perceptual Integration." Visual Cognition, 6: 225-230.

Boudarene, M., & Timsit-Berthier, M. (1997). Interest of events-related potentials in assessment of posttraumatic stress disorder. Annals of the New York Academy of Sciences, 821: 494-495.

Boudewyns, P., & Hyer, L. (1990). Physiological response to combat memories and preliminary treatment outcome in Vietnam veteran PTSD patients treated with direct therapeutic exposure. Behavior Therapy, 21: 63-87.

Bremner, J. (2001). Hypotheses and controversies related to effects of stress on the hippocampus: An argument for stress-induced damage to the hippocampus in patients with posttraumatic stress disorder. Hippocampus, 11: 75-81; discussion 82-4.

Bremner, J., Innis, R., Ng, C., Staib, L., Salomon, R., Bronen, R., Duncan, J., Southwick, S., Krystal, J., Rich, D., Zubal, G., Dey, H., Soufer, R., Charney, D. (1997). Positron emission tomography measurement of cerebral metabolic correlates of yohimbine administration in combat-related posttraumatic stress disorder. Archives of General Psychiatry, 54: 246-254.

Bremner, J., Randall, R., Scott, T., Bronen, R., Seibyl, J., Southwick, S., Delaney, R., McCarthy, G., Charney, D., & Innis, R. (1995). MRI-based measurement of hippocampal volume in patients with combat-related posttraumatic stress disorder. American Journal of Psychiatry, 152: 973-981.

Bremner, J., Randall, P., Vermetten, E., Staib, L., Bronen, R., Mazure, C., Capelli, S., McCarthy, G., Innis, R., & Charney, D. (1997). Magnetic resonance imaging-based measurement of hippocampal volume in posttraumatic stress disorder related to childhood physical and sexual abuse: A preliminary report. Biological Psychiatry, 41: 23-32.

Bremner, J., Scott, T., Delaney, R., Southwick, S., Mason, J., Johnson, D., Innis, R., McCarthy, G., & Charney, D. (1993). Deficits in short-term memory in posttraumatic stress disorder. American Journal of Psychiatry, 150: 1015-1019.

Brende, J. (1982). Electrodermal responses in post-traumatic syndromes: A pilot study of cerebral hemisphere functioning in Vietnam veterans. Journal of Nervous and Mental Disease, 170: 352-361.

Brewer, J., Zhao, Z., Desmond, J., Glover, G., & Gabrieli, J. (1998). Making memories: Brain activity that predicts how well visual experience will be remembered. Science, 281: 1185-1187.

Broadbent, D. (1958). Perception and Communication. London: Pergamon.

Broadbent, D. (1970). Stimulus set and response set: Two kinds of selective attention. In D. Mostofsky (Ed.), Attention, Contemporary Theories and Analysis (p. 51-60). New York: Appleton-Century Crofts.

Brown, E., Rush, A., & McEwen, B. (1999). Hippocampal remodelling and damage by corticosteriods: Implications for mood disorders. Neuropsychopharmacology, 21: 474-484.

Bryant, R. (2003). Early predictors of posttraumatic stress disorder. Biological Psychiatry, 53: 789-795.

Bryant, R., & Harvey, A. (1995). Processing threatening information in posttraumatic stress disorder. Journal of Abnormal Psychology, 104: 537-541.

Büchel, C., & Friston, K. (1997). Modulation of connectivity in visual pathways by attention: Cortical interactions evaluated with structural equation modelling and fMRI. Cerebral Cortex, 7: 768-778.

Bucholz, K., Robins, L., Shayka, J., Przybeck, T., Helzer, J., Goldring, E., et al (1991). Performance of two forms of a computer psychiatric screening interview: Version I of the DISSI. Journal of Psychiatric Research, 25: 117-129.

Buchner, H., Weyen, U., Frackowiak, R., Romaya, J., & Zeki, S. (1994). The timing of visual evoked potential activity in human area V4. Proceeding of the Royal Society of London B, 257: 99-104.

Buckley, T., Blanchard, E., & Neill, W. (2000). Information processing and PTSD: A review of the empirical literature. Clinical Psychology Review, 28: 1041-1065.

Buckner, R., & Koutstaal, W. (1998). Functional neuroimaging studies of encoding, priming, and explicit memory retrieval. Proceedings of the National Academy of Sciences, 95: 891-898.

Buckner, R., Koutstaal, W., Schacter, D., & Rosen, B. (2000). Functional MRI evidence for a role of frontal and inferior temporal cortex in amodal components of priming. Brain, 123: 620-640.

Burges-Watson, I., Hoffman, L., & Wilson, G. (1988). The neuropsychiatry of post-traumatic stress disorder. British Journal of Psychiatry, 152: 164-173.

Butler, R., Braff, D., Rausch, J., Jenkins, M., Sprock, J., & Geyer, M. (1990). Physiological evidence of exaggerated startle response in a subgroup of Vietnam veterans with combat-related PTSD. American Journal of Psychiatry, 147: 1308-1312.

Cabeza, R., & Nyberg, L. (2000). Imaging Cognition II: An Empirical Review of 275 PET and fMRI Studies. Journal of Cognitive Neuroscience, 12: 1-47.

Callaway, E. (1998). Local circuits in primary visual cortex of the macaque monkey. Annual Review of Neuroscience, 21: 47-74.

Canive, J., Lewine, J., Orrison, W., Edgar, C., Provencal, S., Davis, J., Paulson, K., Graeber, D., Roberts, B., Escalona, P., Calais, L. (1997). MRI reveals gross structural abnormalities in PTSD. Annals of the New York Academy of Sciences, 821: 512-515.

Carter, C., Braver, T., Barch, D., Botvinick, M., Noll, D., & Cohen, J. (1998). Anterior cingulate cortex, error detection, and the online monitoring of performance. Science, 280: 747-749.

Carter, C., MacDonald, A., Botvinick, M., Ross, L., Stenger, V., Noll, D., & Cohen, J. (2000). Parsing executive processes: Strategic vs evaluative functions of the anterior cingulate cortex. Proceedings of the National Academy of Sciences, 97: 1944-1948.

Cassiday, K., McNally, R., & Zeitlin, S. (1992). Cognitive processing of trauma cues in rape victims with post-traumatic stress disorder. Cognitive Therapy and Research, 16: 283-295.

Chao, L., & Knight, R. (1998). Contribution of human prefrontal cortex to delay performance. Journal of Cognitive Neuroscience, 10: 167-177.

Chao, L., & Martin, A. (1999). Cortical regions associated with perceiving, naming, and knowing about colors. Journal of Cognitive Neuroscience, 11: 25-35.

Charles, G., Hansenne, M., Ansseau, M., Pitchot, W., Machowski, R., Schittecatte, M., & Wilmotte, J. (1995). P300 in posttraumatic stress disorder. Neuropsychobiology, 32: 72-74.

Chemtob, C., Roitblat, H., Hamada, R., Carlson, J., & Twentyman, C. (1988). A cognitive action theory of post-traumatic stress disorder. Journal of Anxiety Disorders, 2: 253-275.

Clark, C., Egan, G., McFarlane, A., Morris, P., Weber, D., Sonkkilla, C., Marcina, J., & Tochon-Danguy, H. (2000). Updating working memory for words: A PET activation study. Human Brain Mapping, 9: 42-54.

Clark, C., Geffen, G.M., Geffen, L.B. (1987). Catecholamines and attention. Neuroscience and Biobehavioural Reviews, 11: 341-364.

Clark, C., McFarlane, A., Morris, P., Weber, D., Sonkkilla, C., Shaw, M., Marcina, J., Tochon-Danguy, H., & Egan, G. (2003). Cerebral function in posttraumatic stress disorder during verbal working memory updating: A positron emission tomography study. Biological Psychiatry, 53: 474-481.

Clark, C., McFarlane, A., Weber, D., & Battersby, M. (1996). Enlarged frontal P300 to stimulus change in panic disorder. Biological Psychiatry, 39: 845-856.

Clark, C., Moores, K., Lewis, A., Weber, D., Fitzgibbon, S., Greenblatt, R., Brown, G., & Taylor, J. (2001). Cortical network dynamics during verbal working memory function. International Journal of Psychophysiology, 42: 161-176.

Clark, C., Orr, R., Wright, E., & Weber, D. (1998). Working memory updating to visual verbal stimuli: a high resolution ERP study. In Y. Koga, K. Nagata & K. Hirata (Eds), Brain Topography Today, Tokyo: Elsevier Science, pp. 173-178.

Clark, V., Fan, S., & Hillyard, S. (1995). Identification of early visual evoked potential generators by retinotopic and topographic analyses. Human Brain Mapping, 2: 170-187.

Clark, V., Parasuraman, R., Keil, K., Kulansky, R., Fannon, S., Maisog, J.M., Ungerleider, L.G., & Haxby, J.V. (1997). Selective attention to face identity and color studied with fMRI. Human Brain Mapping, 5: 293-297.

Clarke, J., Halgren, E., Scarabin, J., & Chauvel, P. (1995). Auditory and visual sensory representations in human prefrontal cortex as revealed by stimulus-evoked spike-wave complexes. Brain, 118: 473-484.

Cohen, J. (2002). Neural network models of prefrontal cortex and cognitive control. In J. Grafman (Ed.), Handbook of Neuropsychology (2nd ed., Vol. 7: The Frontal Lobes, p. 195-213). Amsterdam: Elsevier Science.

Cohen, J., Forman, S., Braver, T., Casey, B., Servan-Shreiber, D., & Noll, D. (1994). Activation of the prefrontal cortex in a nonspatial working memory task with functional MRI. Human Brain Mapping, 1: 293-304.

Cohen, L., Dehaene, S., Naccache, L., Lehericy, S., Dehaene-Lambertz, G., Henaff, M., & Michel, F. (2000). The visual word form area. Brain, 123: 291-307.

Colby, C., & Goldberg, M. (1999). Space and attention in parietal cortex. Annual Review of Neuroscience, 22: 319-349.

Coons, H., Peloquin, L., Klorman, R., Bauer, L., Ryan, R., Perlmutter, R., & Salzman, L. (1981). Effect of methylphenidate on young adults' vigilance and event-related potentials. Electroencephalography and Clinical Neurophysiology, 51: 373-387.

Corbetta, M., Akbudak, E., Conturo, T., Snyder, A., Ollinger, J., Drury, H., Linenweber, M., Petersen, S., Raichle, M., van Essen, D., & Shulman, G. (1998). A common network of functional areas for attention and eye movements. Neuron, 21: 761-773.

Corbetta, M., Miezin, F., Dobmeyer, S., Shulman, G., & Petersen, S. (1990). Attentional modulation of neural processing of shape, color, and velocity in humans. Science, 248: 1556-1559.

Corbetta, M., Miezin, F., Dobmeyer, S., Shulman, G., & Petersen, S. (1991). Selective and divided attention during visual discriminations of shape, color, and speed: functional anatomy by positron emission tomography. Journal of Neuroscience, 11: 2383-2402.

Corkin, S. (2002). What's new with the amnesic patient H.M.? Nature Review of Neuroscience, 3: 153-160.

Cornette, L., Dupont, P., Bormans, G., Mortelmans, L., & Orban, G. (2001). Separate neural correlates for the mnemonic components of successive discrimination and working memory tasks. Cerebral Cortex, 11: 59-72.

Courchesne, E., Hillyard, S., & Galambos, R. (1975). Stimulus novelty, task relevance and the visual evoked potential in man. Electroencephalography and Clinical Neurophysiology, 39: 131-143.

Courtney, S., Petit, L., Maisog, J., Ungerleider, L., & Haxby, J. (1998). An area specialized for spatial working memory in human frontal cortex. Science, 279: 1347-1351.

Craik, F., & Lockhart, R. (1972). Levels of processing: A framework for memory research. Journal of Verbal Learning and Verbal Behavior, 11: 671-684.

Craik, F., & Tulving, E. (1975). Depth of processing and the retention of words in episodic memory. Journal of Experimental Psychology: General, 104: 268-294.

Crawford J. (1992). Current and premorbid intelligence measures in neuropsychological assessment. In: Crawford J., Parker D., McKinlay W., (Eds.), A Handbook of Neuropsychological Assessment. Lawrence Erlbaum, Hove, UK.

Culham, J., Brandt, S., Cavanagh, P., Kanwisher, N., Dale, A., & Tootell, R. (1998). Cortical fMRI activation produced by attentive tracking of moving targets. Journal of Neurophysiology, 80: 2657-2670.

Daffner, K., Mesulam, M., Scinto, L., Acar, D., Calvo, V., Faust, R., Chabrerie, A., Kennedy, B., & Holcomb, P. (2000). The central role of prefrontal cortex in directing attention to novel events. Brain, 123: 927-939.

Daffner, K., Scinto, L., Weitzman, A., Faust, R., Rentz, D., Budson, A., & Holcomb, P. (2003). Frontal and parietal components of a cerebral network mediating voluntary attention to novel events. Journal of Cognitive Neuroscience, 15: 294-313.

Damasio, A., Tranel, D., & Damasio, H. (1991). Somatic markers and the guidance of behavior: Theory and preliminary testing. In H. Levin, H. Eisenberg, & A. Benton (Eds.), Frontal Lobe Function and Dysfunction. Oxford University Press: New York, pp. 217-229.

Damasio, A., Yamada, T., Damasio, H., Corbet, J., & McKee, J. (1980). Central achromatopsia: Behavioural, anatomic and physiologic aspects. Neurology, 30: 1064-1071.

Decety, J., & Grezes, J. (1999). Neural mechanisms subserving the perception of human actions. Trends in Cognitive Sciences, 3: 172-178.

Dehaene, S., Kerszberg, M., & Changeux, J. (1998). A neuronal model of a global workspace in effortful cognitive tasks. Proceedings of the National Academy of Science, 95: 14529-14534.

Delahanty, D., Raimonde, A., & Spoonster, E. (2000). Initial posttraumatic urinary cortisol levels predict subsequent PTSD symptoms in motor vehicle accident victims. Biological Psychiatry, 48: 940-947.

Delahanty, D., Raimonde, A., Spoonster, E., & Cullado, M. (2003). Injury severity, prior trauma history, urinary cortisol levels, and acute PTSD in motor vehicle accident victims. Journal of Anxiety Disorders, 17: 149-164.

Derryberry, D., & Tucker, D. (1992). Neural mechanisms of emotion. Journal of Consulting and Clinical Psychology, 60: 329-338.

Desimone, R. (1996). Neural mechanisms of visual memory and their role in attention. Proceedings of the National Academy of Sciences, 93: 13494-13499.

Desimone, R., & Duncan, J. (1995). Neural mechanisms of selective visual attention. Annual Review of Neuroscience, 18: 193-222.

Desmedt, J., & DeBecker, J. (1979a). Slow potential shifts and decision P350 interactions in tasks with random sequences of near-threshold clicks and finger stimuli delivered at regular intervals. Electroencephalography and Clinical Neurophysiology, 47: 671-679.

Desmedt, J., & DeBecker, J. (1979b). Wave form and neural mechanism of the decision P350 elicited without pre-stimulus CNV or readiness potential in random sequences of near-threshold auditory clicks and finger stimuli. Electroencephalography and Clinical Neurophysiology, 47: 648-670.

Devalois, R., & Jacobs, G. (1968). Primate color vision. Science, 162: 533-540.

Devinsky, O., Morell, M., & Vogt, B. (1995). Contributions of anterior cingulate cortex to behaviour. Brain, 118: 279-306.

Di Russo, F., Martinez, A., Sereno, M., Pitzalis, S., & Hillyard, S. (2001). Cortical sources of the early components of the visual evoked potential. Human Brain Mapping, 15: 95-111.

Dolan, R. (2000). Emotional processing in the human brain revealed through functional neuroimaging. In M. Gazzaniga (Ed.), The New Cognitive Neurosciences, MIT Press: Cambridge, Massachusetts.

Dolan, R., Fink, G., Rolls, E., Booth, M., Holmes, A., Frackowiak, R., & Friston, K. (1997). How the brain learns to see objects and faces in an impoverished context. Nature, 389: 596-585.

Dolan, R., & Fletcher, P. (1997). Dissociating prefrontal and hippocampal function in episodic memory encoding. Nature, 388: 582-585.

Donchin, E. (1981). Surprise!...Surprise? Psychophysiology, 18: 493-513.

Donchin, E., & Coles, M. (1988). Is the P300 component a manifestation of context updating? Behavioral and Brain Sciences, 11: 357-374.

Duncan-Johnson, C. (1981). P300 latency: A new metric of information processing. Psychophysiology, 18: 207-215.

Duncan-Johnson, C., & Donchin, E. (1977). On quantifying surprise: The variation in event-related potentials with subjective probability. Psychophysiology, 14: 456-467.

Dusek, J., & Eichenbaum, H. (1997). The hippocampus and memory for orderly stimulus relations. Proceedings of the National Academy of Science, 94: 7109-7114.

Ebmeier, K., Steele, J., MacKenzie, D., Carroll, R., Kydd, R., Glabus, M., Blackwood, D., Rugg, M., & Goodwin, G. (1995). Cognitive brain potentials and regional cerebral blood flow equivalents during two- and three-sound auditory "oddball tasks". Electroencephalography and Clinical Neurophysiology, 95: 434-443.

Eichenbaum, H. (1997). How does the brain organise memories? Science, 277: 330-332.

Eichenbaum, H., & Otto, T. (1993). Where perception meets memory: Functional encoding in the hippocampus. In: Ono, T., Squire, L., Raichle, M., Perrett, D., & Fukuda, M., (Eds.), Brain Mechanisms of Perception and Memory: From Neuron to Behaviour. Oxford University Press, New York.

Eichenbaum, H., Schoenbaum, G., Young, B., & Bunsey, M. (1996). Functional organisation of the hippocampal memory system. Proceedings of the National Academy of Science, 93: 13500-13507.

Elliot, R., Dolan, R., & Frith, C. (2000). Dissociable functions in the medial and lateral orbitofrontal cortex: Evidence from human neuroimaging studies. Cerebral Cortex, 10: 308-317.

Eskandar, E., & Assad, J. (1999). Dissociation of visual, motor and predictive signals in parietal cortex during visual guidance. Nature Neuroscience, 2: 88-93.

Everly, G. (1989). A Clinical Guide to the Treatment of the Human Stress Response. Plenum Press: New York, pp. 311-322.

Everly, G. (1993). Psychotraumatology: A two-factor formulation of posttraumatic stress. Integrative Physiological and Behavioural Science, 28: 270-278.

Everly, G., & Horton, A. (1989). Neuropsychology of posttraumatic stress disorder: a pilot study. Perceptual and Motor Skills, 68: 807-810.

Fabiani, M., Karis, D., & Donchin, E (1986). P300 and recall in an incidental memory paradigm. Psychophysiology, 23: 298-308.

Feather, N. (1982). Expectations and Actions: Expectancy-Value Models in Psychology. Hillsdale, N.J.: Erlbaum Associates.

Felleman, D., & Van Essen, D. (1991). Distributed hierarchical processing in the primate cerebral cortex. Cerebral Cortex, 1: 1-47.

Felmingham, K., Bryant, R., & Gordon, E. (2003). Processing angry and neutral faces in post-traumatic stress disorder: an event-related potentials study. NeuroReport, 14: 777-780.

Felmingham, K., Bryant, R., Kendall, C., & Gordon, E. (2002). Event-related potential dysfunction in posttraumatic stress disorder: the role of numbing. Psychiatry Research, 109: 171-179.

Fernandez, G., Effern, A., Grunwald, T., Pezer, N., Lehnertz, K., Dumpelmann, M., Roost, D., Elger, C. (1999). Real-time tracking of memory formation in the human rhinal cortex and hippocampus. Science, 285: 1582-1585.

Festinger, L. (1957). A Theory of Cognitive Dissonance. Stanford, CA: Stanford University Press.

Fig, L., Liberzon, I., Steventon, R., Minoshima, S., & Koeppe, R. (1995). Regional cerebral blood flow SPECT in post-traumatic stress disorder: Results of SPECT activation study. The Journal of Nuclear Medicine, 36: Abstract 345, Proceedings of 42nd Annual Meeting.

Foa, E. (1997). Psychological processes related to recovery from a trauma and an effective treatment for PTSD. Annals of the New York Academy of Sciences, 821: 410-424.

Foa, E., Feske, U., Murdock, T., Kozak, M., & McCarthy, P. (1991). Processing of threat-related information in rape victims. Journal of Abnormal Psychology, 100: 156-162.

Foa, E., Steketee, G., & Olasov-Rothbaum, B. (1989). Behavioral/Cognitive conceptualisations of post-traumatic stress disorder. Behaviour Therapy, 20: 155-176.

Ford, J., Sullivan, E., Marsh, L., White, P., Lim, K., & Pfefferbaum, A. (1994). The relationship between P300 amplitude and regional gray matter volumes depends upon the attentional system engaged. Electroencephalography and Clinical Neurophysiology, 90: 214-228.

Foxe, J., & Simpson, G. (2002). Flow of activation from V1 to frontal cortex in humans: A framework for defining "early" visual processing. Experimental Brain Research, 142: 139-150.

Friedman, D., Vaughan, H., & Erlenmeyer-Kimling, L. (1978). Stimulus and response related components of the late positive complex in visual discrimination tasks. Electroencephalography and Clinical Neurophysiology, 45: 319-330.

Fujimaki, N., Miyauchi, S., Putz, B., Sasaki, Y., Takino, R., Sakai, K., & Tamada, T. (1999). Functional magnetic resonance imaging of neural activity related to orthographic, phonological, and lexico-semantic judgments of visually presented characters and words. Human Brain Mapping, 8: 44-59.

Funahashi, S., Charles, C., & Goldman-Rakic, P. (1991). Neuronal activity related to saccadic eye movements in the monkey's prefrontal cortex. Journal of Neurophysiology, 65: 1464-1483.

Funahashi, S., & Kubota, K. (1994). Working memory and prefrontal cortex. Neuroscience Research, 21: 1-11.

Fuster, J. (1991). Role of prefrontal cortex in delay tasks: evidence from reversible lesion and unit recording in the monkey. In H. Levin, H. Eisenberg, & A. Benton (Eds.), Frontal Lobe Function and Dysfunction. Oxford University Press: New York, pp. 59-71.

Fuster, J. (1993). Memory cells in primate cortex and the activation of memory networks. In T. Ono, L. Squire, M. Raichle, D. Perrett, & M. Fukuda (Eds.), Brain Mechanisms of Perception and Memory: From Neuron to Behaviour. Oxford University Press: New York.

Fuster, J. (1995). Memory in the Cerebral Cortex. MIT Press, Cambridge, MA.

Fuster, J. (2000). Cortical dynamics of memory. International Journal of Psychophysiology, 35: 155-164.

Gaird, M., Perrin, F., Pernier, J., Bouchet, P. (1990). Brain generators implicated in the processing of auditory stimulus deviance: A topographic event-related potential study. Psychophysiology, 27: 627-640.

Gale, G., Anagnostaras, S., & Fanselow, M. (2001). Cholinergic modulation of Pavlovian fear conditioning: Effects of intrahippocampal scopolamine infusion. Hippocampus, 11: 371-376.

Galletly, C., Clark, C., McFarlane, A., & Weber, D. (2001). Working memory in post-traumatic stress disorder: an event-related potential study. Journal of Traumatic Stress, 14: 295-309.

Geddes, L. A., & Baker, L. E. (1967). The specific resistance of biological material: A compendium of data for the biomedical engineer and physiologist. Medical and Biological Engineering, 5: 271-293.

Geffen, G., Wright, M., Green, H., Gillespie, N., Smyth, D., Evans, D., & Geffen, L. (1997). Effects of memory load and distraction on performance and event-related slow potentials in a visuospatial working memory task. Journal of Cognitive Neuroscience, 9: 743-757.

Gerardi, R., Blanchard, E., & Kolb, L. (1989). Ability of Vietnam veterans to dissimulate a psychophysiological assessment for post-traumatic stress disorder. Behaviour Therapy, 20: 229-243.

Georges-Francois, P., Rolls, E., & Robertson, R. (1999). Spatial view cells in the primate hippocampus: Allocentric view not head direction or eye position or place. Cerebral Cortex, 9: 197-212.

Gevins, A., Cutillo, B., & Smith, M. (1995). Regional modulation of high resolution evoked potentials during verbal and non-verbal matching tasks. Electroencephalography and Clinical Neurophysiology, 94: 129-147.

Gevins, A., Le, J., Martin, N., Brickett, P., Desmond, J., & Reutter, B. (1994). High resolution EEG: 124-channel recording, spatial deblurring and MRI integration methods. Electroencephalography and Clinical Neurophysiology, 90: 337-358.

Gevins, A., Smith, M., Le, J., Leong, H., Bennet, J., Martin, N., McEvoy, L., Du, R., & Whitfield, S. (1996). High resolution evoked potential imaging of the cortical dynamics of human working memory. Electroencephalography and Clinical Neurophysiology, 98: 327-348.

Giesbrecht, B., Woldorff, M., Song, A., & Mangun, G. (2003). Neural mechanisms of top-down control during spatial and feature attention. Neuroimage, 19: 496-512.

Gil, T., Calev, A., Greenberg, D., Kugelmass, S., & Lerer, B. (1990). Cognitive functioning in post-traumatic stress disorder. Journal of Traumatic Stress, 3: 29-45.

Gilbertson, M., Shenton, M., Ciszewski, A., Kasai, K., Lasko, N., Orr, S., Pitman, R. (2002). Smaller hippocampal volume predicts pathologic vulnerability to psychological trauma. Nature Neuroscience, 5: 1242-1247.

Gillette, G., Skinner, R., Rasco, L., Fielstein, E., Davis, D., Pawelak, J., Freeman, T., Karson, C., Boop, F., Garcia-Rill, E. (1997). Combat veterans with posttraumatic stress disorder exhibit decreased habituation of the P1 midlatency auditory evoked potential. Life Sciences, 61: 1421-1434.

Goenjian, A., Najarian, L., Pynoos, R., Steinberg, A., Manoukian, G., Tavosian, A., Fairbanks, L. (1994). Posttraumatic stress disorder in elderly and younger adults after the 1988 earthquake in Armenia. American Journal of Psychiatry, 151: 895-901.

Goldberg, D. (1970). The Detection of Psychiatric Illness by Questionnaire. London: Oxford University Press.

Goldman-Rakic, P. (1988). Topography of cognition: Parallel distributed networks in primate association cortex. Annual Review of Neuroscience, 11: 137-156.

Goldman-Rakic, P. (1990). Cellular and circuit basis of working memory in prefrontal cortex of nonhuman primates. Progress in Brain Research, 85: 325-336.

Goldman-Rakic, P. (1996a). Memory: Recording experience in cells and circuits: Diversity in memory research. Proceedings of the National Academy of Science, 93: 13435-13437.

Goldman-Rakic, P. (1996b). The prefrontal landscape: Implications of functional architecture for understanding human mentation and the central executive. Philosophical Transactions of the Royal Society of London B, 351: 1445-1453.

Goldman-Rakic, P., Chafee, M., & Friedman, H. (1993). Allocation of function in distributed circuits. In T. Ono, L. Squire, M. Raichle, D. Perrett, M. Fukuda (Eds.), Brain Mechanisms of Perception and Memory: From Neuron to Behaviour. New York: Oxford University Press, pp. 445-456.

Goldman-Rakic, P., & Friedman, H. (1991). The circuitry of working memory revealed by anatomy and metabolic imaging. In H. Levin, H. Eisenberg, & A. Benton (Eds.), Frontal Lobe Function and Dysfunction. Oxford University Press: New York, pp. 72-91.

Goldman-Rakic, P., & Porrino, L. (1985). The primate mediodorsal (MD) nucleus and its projection to the frontal lobe. Journal of Comparative Neurology, 242: 535-560.

Goodale, M., & Milner, A. (1992). Separate visual pathways for perception and action. Trends in Neurosciences, 15: 20-25.

Gray, J. (1982a). Précis of the neuropsychology of anxiety: An enquiry into the functions of the septo-hippocampal system. Behavioral and Brain Sciences, 5: 469-534.

Gray, J. (1982b). The Neuropsychology of Anxiety: An enquiry into the functions of the septo-hippocampal system. Oxford: Oxford University Press.

Gray, J. (1988). The neuropsychological basis of anxiety. In C. Last and M. Hersen (Eds.), Handbook of Anxiety Disorders. New York: Pergammon Press.

Gray, J. (1995). The contents of consciousness: A neuropsychological conjecture. Behavioral and Brain Sciences, 18: 659-722.

Graziano, M. (1999). Where is my arm? The relative role of vision and proprioception in the neuronal representation of limb position. Proceedings of the National Academy of Sciences, 96: 10418-10421.

Green, B. (1994). Psychosocial research in traumatic stress: An update. Journal of Traumatic Stress, 7: 341-360.

Grunwald, T., Lehnertz, K., Heinze, H., Helmstaedter, C., & Elger, C. (1998). Verbal novelty detection within the human hippocampus proper. Proceedings of the National Academy of Sciences, 95: 3193-3197.

Gurvits, T., Shenton, M., Hokama, H., Ohta, H., Lasko, N., Gilbertson, M., Orr, S., Kikinis, R., Jolesz, F., McCarley, R., & Pitman, R. (1996). Magnetic resonance

imaging study of hippocampal volume in chronic, combat-related posttraumatic stress disorder. Biological Psychiatry, 40: 1091-1099.

Halgren, E. (1988). The P3: A view from the brain. Behavioral and Brain Sciences, 11: 383-385.

Halgren, E., Baudena, P., Clarke, J., Heit, G., Liegeois, C., Chauvel, P., & Musolino, A. (1995a). Intracerebral potentials to rare target and distractor auditory and visual stimuli. I. Superior temporal plane and parietal lobe. Electroencephalography and Clinical Neurophysiology, 94: 191-220.

Halgren, E., Baudena, P., Clarke, J., Heit, G., Marinkovic, K., Devaux, B., Vignal, J., & Biraben, A. (1995b). Intracerebral potentials to rare target and distractor auditory and visual stimuli. II. Medial, lateral and posterior temporal lobe. Electroencephalography and Clinical Neurophysiology, 94: 229-250.

Halgren, E., Baudena, P., Heit, G., Clarke, J., & Marinkovic, K. (1994). Spatio-temporal stages in face and word processing. I. Depth-recorded potentials in the human occipital, temporal and parietal lobes. Journal of Physiology, Paris, 88: 1-50.

Halgren, E., & Marinkovic, K. (1995). Neurophysiological networks integrating human emotions. In M. Gazzaniga (Ed.), The Cognitive Neurosciences (p. 1137-1151). Cambridge, Massachusetts: MIT Press.

Halgren, E., Marinkovic, K., & Chauvel, P. (1998). Generators of the late cognitive potentials in auditory and visual oddball tasks. Electroencephalography and Clinical Neurophysiology, 106: 156-164.

He, B., Lian, J., & Li, G. (2001). High-resolution EEG: a new realistic geometry spline Laplacian estimation technique. Clinical Neurophysiology, 112: 845-852.

Heinze, H., Mangun, G., Burchert, W., Hinrichs, H., Scholz, M., Munte, T., Gos, A., Scherg, M., Johannes, S., Hundeshagen, H., Gazzaniga, M., & Hillyard, S. (1994). Combined spatial and temporal imaging of brain activity during visual selective attention in humans. Nature, 372: 543-546.

Hillyard, S.A., & Anllo-Vento, L. (1998). Event-related brain potentials in the study of visual selective attention. Proceedings of the National Academy of Sciences, 95: 781-787.

Hillyard, S., Mangun, G., Woldorff, M., & Luck, S. (1995). Neural systems mediating selective attention. In M. Gazzaniga (Ed), The Cognitive Neurosciences (p. 665-681). Cambridge, Massachusetts: MIT Press.

Hillyard, S., & Munt, T. (1984). Selective attention to color and location: An analysis with event-related brain potentials. Perception and Psychophysics, 36: 185-198.

Hjorth, B. (1975). An on-line transformation of EEG scalp potentials into orthogonal source derivations. Electroencephalography and Clinical Neurophysiology, 39: 526-530.

Homan, R., Herman, J., & Purdy, P. (1987). Cerebral localization of international 10-20 system electrode placement. Electroencephalography and Clinical Neurophysiology, 66: 376-382.

Horowitz, M. (1986). Stress Response Syndromes, 2nd ed. New York: Jason Aronson.

Horowitz, M., Wilner, N., & Alvarez, W. (1979). Impact of Event Scale. Psychosomatic Medicine, 41: 209-218.

Iijima, T., Witter, M., Ichikawa, M., Tominaga, T., Kajiwara, R., & Matsumoto, G. (1996). Entorhinal-hippocampal interactions revealed by real-time imaging. Science, 272: 1176-1179.

Ilan, A., & Miller, J. (1999). A distinction between the initiation and the continuation of response preparation. Psychophysiology, 36: 209-219.

Ishihara, S. (1968). The Series of Plates Designed as a Test for Colour-Blindness. Tokyo: Kanehara Shuppan.

Iwamura, Y. (1998). Hierarchical somatosensory processing. Current Opinion in Neurobiology, 8: 522-528.

Jackson, J. (1999). Classical Electrodynamics (Third ed.). New York: John Wiley and Sons.

James, W. (1890). Principles of Psychology. New York: Holt, Reinhart & Winston.

Jensen, O., & Tesche, C. (2002). Frontal theta activity in humans increases with memory load in a working memory task. European Journal of Neuroscience, 15: 1395-1399.

Johnson, R. (1988). The amplitude of the P300 component of the event-related potential: review and synthesis. In P.K. Ackles, J.R. Jennings, M.G.H. Coles (Eds.), Advances in Psychophysiology (Vol. 3, pp. 69-137). Greenwich, CT: JAI Press.

Johnson, R. (1989). Auditory and visual P300s in temporal lobectomy patients: Evidence for modality-dependent generators. Psychophysiology, 26: 633-650.

Johnson, R. (1993). On the neural generators of the P300 component of the event-related potential. Psychophysiology, 30: 90-97.

Jonides, J., Smith, E., Koeppe, R., Awh, E., Minoshima, S., & Mintun, M. (1993). Spatial working memory in humans as revealed by PET. Nature, 363: 623-625.

Kant, I. (1781, 1901). Critique of Pure Reason. Translated by J. Meiklejohn. New York, Collier and son, 1901.

Karis, D., Fabiani, M., & Donchin, E (1984). "P300" and memory: individual differences in the von Restorff effect. Cognitive Psychology, 16: 177-216.

Katznelson, R. (1981). EEG recordings, electrode placement, and aspects of generator localization. In P. Nunez (Ed.), Electric Fields of the Brain: the Neurophysics of EEG (pp.176-213). New York: Oxford University Press.

Kaufer, D., Friedman, A., Seidman, S., & Soreq, H. (1998). Acute stress facilitates long-lasting changes in cholinergic gene expression. Nature, 393: 373-377.

Kaufman, M. (2002). Dissociation status and attentional allocation in male Vietnam combat veterans with posttraumatic stress disorder. PhD Dissertation, Boston University. Digital Dissertations, AAT 3040708.

Kellenbach, M., & Michie, P. (1996). Modulation of event-related potentials by semantic priming: effects of color-cued selective attention. Journal of Cognitive Neuroscience, 8: 155-173.

Kimble, M., Kaloupek, D., Kaufman, M., & Deldin, P. (2000). Stimulus novelty differentially affects attentional allocation in PTSD. Biological Psychiatry, 47: 880-890.

Klimesch, W. (1999). EEG alpha and theta oscillations reflect cognitive and memory performance: a review and analysis. Brain Research Reviews, 29: 169-195.

Klimesch, W., Schimke, H., & Schwaiger, J. (1994). Episodic and semantic memory: an analysis in the EEG theta and alpha band. Electroencephalography and Clinical Neurophysiology, 91: 428-441.

Klorman, R., Bauer, L., Coons, H., Lewis, J., Peloquin, L., Perlmutter, R., Ryan, R., & Salzman, L., & Strauss, J. (1984). Enhancing effects of methylphenidate on normal young adults' cognitive processes. Psychopharmacology Bulletin, 20: 3-9.

Knight, R. (1996). Contribution of human hippocampal region to novelty detection. Nature, 383: 256-259.

Knott, J., & Irwin, D. (1973). Anxiety, stress and the contingent negative variation. Archives of General Psychiatry, 29: 538-541.

Knudsen, E., & Brainard, M. (1995). Creating a unified representation of visual and auditory space in the brain. Annual Review of Neuroscience, 18: 19-43.

Koch, C., & Poggio, T. (1999). Prediciting the visual world: silence is golden. Nature Neuroscience, 2: 9-10.

Kolb, L. (1987). A neuropsychological hypothesis explaining posttraumatic stress disorder. American Journal of Psychiatry, 144: 989-995.

Komatsu, H. (1998). Mechanisms of central color vision. Current Opinion in Neurobiology, 8: 503-508.

Koopman, C., Classen, C., Spiegel, D. (1994). Predictors of posttraumatic stress symptoms among survivors of the Oakland/Berkeley, Calif., Firestorm. American Journal of Psychiatry, 151: 888-894.

Kounios, J., Litz, B., Kaloupek, D., Riggs, D., Knight, J., Weathers, F., Anderson, J., & Keane, T. (1997). Electrophysiology of combat-related PTSD. Annals of the New York Academy of Sciences, 821: 504-507.

Kulka, R. et al. (1990). Trauma and the Vietnam War Generation: Report of Findings from the National Vietnam Veterans Readjustment Study. New York: Brunner/Mazel.

Kuriki, S., Takeuchi, F., & Hirata, Y. (1998). Neural processing of words in the human extrastriate visual cortex. Cognitive Brain Research, 6: 193-203.

Kutas, M., & Hillyard, S. (1980a). Event-related brain potentials to semantically inappropriate and surprisingly large words. Biological Psychology, 11: 99-116.

Kutas, M., & Hillyard, S. (1980b). Reading senseless sentences: Brain potentials reflect semantic incongruity. Science, 207: 203-205.

Kutas, M., & Hillyard, S. (1983). Event-related brain potentials to grammatical errors and semantic anomalies. Memory and Cognition, 11: 539-550.

Kutas, M., & Hillyard, S. (1984). Event-related potentials in cognitive science. In M. Gazzaniga (Ed.), Handbook of Cognitive Neuroscience (pp. 387-409). New York: Plenum Press.

Kutas, M., McCarthy, G., & Donchin, E. (1977). Augmenting mental chronometry: The P300 as a measure of stimulus evaluation time. Science, 197: 792-795.

LaBerge, D. (1990). Thalamic and cortical mechanisms of attention suggested by recent positron emission tomographic experiments. Journal of Cognitive Neuroscience, 2: 358-372.

LaBerge, D. (1995). Computational and anatomical models of selective attention in object identification. In M. Gazzaniga (Ed), The Cognitive Neurosciences. Cambridge, Massachusetts: MIT Press, pp. 649-663.

Lagerlund, T., Sharbrough, F., Jack, Jr., C., Erickson, B., Strelow, D., Cicora, K., & Busacker, N. (1993). Determination of 10-20 system electrode locations using magnetic resonance image scanning with markers. Electroencephalography and Clinical Neurophysiology, 86: 7-14.

Lamme, V., Super, H., & Spekreijse, H. (1998). Feedforward, horizontal, and feedback processing in the visual cortex. Current Opinion in Neurobiology, 8: 529-535.

Lane, R., Reiman, E., Axelrod, B., Yun, L., Holmes, A., Schwartz, G. (1998). Neural correlates of levels of emotional awareness: Evidence of an interaction between emotion and attention in the anterior cingulate cortex. Journal of Cognitive Neuroscience, 10: 525-535.

Lang, P. (1978). A bio-informational theory of emotional imagery. Psychophysiology, 16: 495-512.

Lang, P. (1985). The cognitive psychophysiology of emotion: fear and anxiety. In A. Tuma and J. Maser (Eds), Anxiety and the Anxiety Disorders. Hillsdale, NJ: Lawrence Erlbaum Associates, 1985.

Law, S., Nunez, P., & Wijesinghe, R. (1993). High-resolution EEG using spline generated surface Laplacians on spherical and ellipsoidal surfaces. IEEE Transactions on Biomedical Engineering, BME-40(2): 145-153.

Le, J., & Gevins, A. (1993). Method to reduce blur distortion from EEGs using a realistic head model. IEEE Transactions on Biomedical Engineering, 40: 517-528.

Le, J., Menon, V., & Gevins, A. (1994). Local estimate of surface Laplacian derivation on a realistically shaped scalp surface and its performance on noisy data. Electroencephalography and Clinical Neurophysiology, 92: 433-441.

LeDoux, J. (1990). Information flow from sensation to emotion: Plasticity in the neural computation of stimulus value. In M. Gabriel & J. Moore (Eds.), Learning and Computational Neuroscience: Foundations of Adaptive Networks, MIT Press: Cambridge, Massachusetts.

LeDoux, J. (1995). In search of an emotional system in the brain: Leaping from fear to emotion and consciousness. In M. Gazzaniga (Ed.), The Cognitive Neurosciences, MIT Press: Cambridge, Massachusetts.

LeDoux, J. (2002). Emotion, memory and the brain. Scientific American, 12: 62-71.

Lee, K., Chang, K., & Roh, J. (1999). Subregions within the supplementary motor area activated at different stages of movement preparation and execution. Neuroimage, 9: 117-123.

Lehmann, D., & Skrandies, W. (1984). Spatial analysis of evoked potentials in man - a review. Progress in Neurobiology, 23: 227-250.

Leuthold, H., & Sommer, W. (1998). Postperceptual effects and P300 latency. Psychophysiology, 35: 34-46.

Lewine, J., Canive, J., Orrison, W., Edgar, C., Provencal, S., Davis, J., Paulson, K., Graeber, D., Roberts, B., Escalona, P., & Calais, L. (1997). Electrophysiological abnormalities in PTSD. Annals of the New York Academy of Sciences, 821: 508-511.

Leys, R. (2000). Trauma: A Genealogy. The University of Chicago Press: London.

Lezak, M. (1995). Neuropsychological Assessment. NY: Oxford University Press.

Lisman, J., & Fallon, J. (1999). What maintains memories? Science, 283: 339-340.

Lisman, J., & Otmakhova, N. (2001). Storage, recall, and novelty detection of sequences by the hippocampus: Elaborating on the SOCRATIC model to account for normal and aberrant effects of dopamine. Hippocampus, 11: 551-568.

Löw, A., Rockstroh, B., Cohen, R., Hauk, O., Berg, P., Maier, W. (1999). Determining working memory from ERP topography. Brain Topography, 12: 39-47.

Lueck, C., Zecki, S., Friston, K., Deiber, M., Cope, P., Cunningham, V., Lammertsma, A., Kennard, C., & Frackowiak, R. (1989). The colour centre in the cerebral cortex of man. Nature, 340: 386-389.

Luks, T., Simpson, G., Feiwell, R., & Miller, W. (2002). Evidence for anterior cingulate cortex involvement in monitoring preparatory attentional set. Neuroimage, 17: 792-802.

Magliero, A., Bashore, T., Coles, M., & Donchin, E. (1984). On the dependence of P300 latency on stimulus evaluation processes. Psychophysiology, 21: 171-186.

Malmivuo, J., & Plonsey, R. (1995). Bioelectromagnetism: Principles and Applications of Bioelectric and Biomagnetic Fields. New York: Oxford University Press.

Mandler, J. (1984). Stories, Scripts, and Scenes: Aspects of Schema Theory. Hillsdale, NJ: Erlbaum.

Martin, A., Wiggs, C., Ungerleider, L., Haxby, J. (1996). Neural correlates of category-specific knowledge. Nature, 379: 649-652.

Martinez, A., Annlo-Vento, L., Sereno, M., Frank, L., Buxton, R., Dubowitz, D., Wong, E., Hinrichs, H., Heinze, H., & Hillyard, S. (1999). Involvement of striate and extrastriate visual cortical areas in spatial attention. Nature Neuroscience, 2: 364-369.

Martin-Loeches, M., Gomez-Jarabo, G., & Rubia, F. (1994). Human brain potentials of spatial and location encoding into memory. Electroencephalography and Clinical Neurophysiology, 91: 363-373.

Massaro, D., & Cowan, N. (1993). Information processing models: Microscopes of the mind. Annual Review of Psychology, 44: 383-425.

Mathews, A., Mackintosh, B., & Fulcher, E. (1997). Cognitive bias in anxiety and attention to threat. Trends in Cognitive Sciences, 1: 340-345.

McCarroll, J., Ursano, R., Fullerton, C. (1993). Symptoms of posttraumatic stress disorder following recovery of war dead. American Journal of Psychiatry, 150: 1875-1877.

McCarroll, J., Ursano, R., Fullerton, C. (1995). Symptoms of PTSD following recovery of war dead: 13-15 month follow-up. American Journal of Psychiatry, 152: 939-941.

McCarthy, G. (1995). Functional neuroimaging of memory. The Neuroscientist, 1: 155-163.

McCarthy, G., & Donchin, E. (1981). A metric for thought: A comparison of P300 latency and reaction time. Science, 221: 77-80.

McCarthy, G., Puce, A., Constable, R., Krystal, J., Gore, J., & Goldman-Rakic, P. (1996). Activation of human prefrontal cortex during spatial and nonspatial working memory tasks measured by functional MRI. Cerebral Cortex, 6: 600-611.

McCarthy, G., & Wood, C. (1987). Intracranial recordings of endogenous ERPs in humans. The London Symposia (EEG Suppl.), 39: 331-337.

McEwen, B. (1999). Stress and hippocampal plasticity. Annual Review of Neuroscience, 22: 105-122.

McEwen, B. (2001). Commentary on PTSD discussion. Hippocampus, 11: 82-84.

McEwen, B., & Magarinos, A. (1997). Stress effects on morphology and function of the hippocampus. Annals of the New York Academy of Sciences, 821: 271-284.

McFarlane, A. (1997). The prevalence and longitudinal course of PTSD: Implications for the neurobiological models of PTSD. Annals of the New York Academy of Sciences, 821: 10-23.

McFarlane, A., Weber, D., & Clark, C. (1993). Abnormal stimulus processing in posttraumatic stress disorder. Biological Psychiatry, 34: 311-320.

McFarlane, A., Yehuda, R., & Clark, R. (2002). Biologic models of traumatic memories and post-traumatic stress disorder: The role of neural networks. Psychiatric Clinics of North America, 25: 253-270.

McGaugh, J. (2002). Memory consolidation and the amygdala: A systems perspective. Trends in Neuroscience, 25: 456-461.

McGaugh, J., McIntyre, C., Power, A. (2002). Amygdala modulation of memory consolidation: interaction with other brain systems. Neurobiology of Learning and Memory, 78: 539-552.

McIntosh, R., Grady, C., Haxby, J., Ungerleider, L., & Horwitz, B. (1996). Changes in limbic and prefrontal functional interactions in a working memory task for faces. Cerebral Cortex, 6: 571-584.

McNally, R. (1997). Implicit and explicit memory for trauma-related information in PTSD. Annals of the New York Academy of Sciences, 821: 219-224.

McNally, R., Kaspi, S., Riemann, B., & Zeitlin, S. (1990). Selective processing of threat cues in posttraumatic stress disorder. Journal of Abnormal Psychology, 99: 398-402.

McNally, R., Lasko, N., Macklin, M., & Pitman, R. (1995). Autobiographical memory disturbance in combat-related posttraumatic stress disorder. Behaviour Research and Therapy, 33: 619-630.

McNally, R., Litz, B., Prassas, A., Shin, L., & Weathers, F. (1994). Emotional priming of autobiographical memory in post-traumatic stress disorder. Cognition and Emotion, 8: 351-367.

McNally, R., & Shin, L. (1995). Association of intelligence with severity of posttraumatic stress disorder symptoms in Vietnam combat veterans. American Journal of Psychiatry, 152: 936-938.

Mesulam, M. (1998). From sensation to cognition. Brain, 121: 1013-1052.

Metzger, L., Orr, S., Lasko, N., Berry, N., & Pitman, R. (1997). Evidence for diminished P3 amplitudes in PTSD. Annals of the New York Academy of Sciences, 821: 499-503.

Metzger, L., Orr, S., Lasko, N., McNally, R., & Pitman, R. (1997). Seeking the source of the emotional Stroop interference effects in PTSD: a study of P3s to traumatic words. Integrative Physiological and Behavioural Science, 32: 43-51.

Metzger, L., Orr, S., Lasko, N., & Pitman, R. (1997). Auditory event-related potentials to tone stimuli in combat-related post-traumatic stress disorder. Biological Psychiatry, 42: 1006-1015.

Mikulincer, M., Solomon, Z. (1988). Attributional style and combat-related posttraumatic stress disorder. Journal of Abnormal Psychology, 97: 308-313.

Miller, E., & Asaad, W. (2002). The prefrontal cortex: conjunction and cognition. In J. Grafman (Ed.), Handbook of Neuropsychology (2nd ed., Vol. 7: The Frontal Lobes, p. 29-54). Amsterdam: Elsevier Science.

Miller, E., & Cohen, J. (2001). An integrative theory of prefrontal cortex function. Annual Review of Neuroscience, 24: 167-202.

Miller, G. (1956). The magical number seven, plus or minus two: Some limits on our capacity for processing information. Psychological Review, 63: 81-97.

Miller, G., Galanter, E., & Pribram, K. (1960). Plans and the Structure of Behavior. New York: Holt, Rinehart & Winston.

Miller, J., & Hackley, S. (1992). Electrophysiological evidence for temporal overlap among contingent mental processes. Journal of Experimental Psychology: General, 121: 195-209.

Miltner, W., Braun, C., Arnold, M., Witte, H., & Taub, E. (1999). Coherence of gamma-band EEG activity as a basis for associative learning. Nature, 397: 434-436.

Moores, K., Clark, C., Hadfield, J., Brown, G., Taylor, D., Fitzgibbon, S., Lewis, A., Weber, D., & Greenblatt, R. (2003). Investigating the generators of the scalp recorded visuo-verbal P300 using cortically constrained source localization. Human Brain Mapping, 18: 53-77.

Morgan, C., & Grillon, C. (1999). Abnormal mismatch negativity in women with sexual assault-related posttraumatic stress disorder. Biological Psychiatry, 45: 827-832.

Moscovitch, M. (1992). Memory and working-with-memory: a component process model based on modules and central systems. Journal of Cognitive Neuroscience, 4: 257-267.

Mountcastle, V. (1997). The columnar organization of the neocortex. Brain, 120: 701-722.

Moutoussis, K., & Zeki, S. (1997). Functional segregation and temporal hierarchy of the visual perceptive systems. Proceedings of the Royal Society of London, B, 264: 1407-1414.

Murburg, M. (1997). The psychobiology of post-traumatic stress disorder: An overview. Annals of the New York Academy of Sciences, 821: 352-358.

Näätänen, R. (1990). The role of attention in auditory information processing as revealed by event-related potentials and other brain measures of cognitive function. Behavioral and Brain Sciences, 13: 201-288.

Näätänen, R. (1992). Attention and Brain Function. Hillsdale, NJ: Lawrence Erlbaum Associates.

Näätänen, R., & Picton, T. (1986). N2 and automatic versus controlled processes. In W. McCallum, R. Zappoli, and F. Denoth (Eds), Cerebral Psychophysiology: Studies in Event-Related Potentials (EEG Suppl. 38), Amsterdam: Elsevier.

Näätänen, R., & Picton, T. (1987). The N1 wave of the human electric and magnetic response to sound: A review and an analysis of the component structure. Psychophysiology, 24: 375-419.

Nadel, L. (1992). Multiple memory systems: what and why. Journal of Cognitive Neuroscience, 4: 179-188.

Nadel, L., & Jacobs, W. (1996). The role of the hippocampus in PTSD, panic and phobia. In N. Kato (Ed.), The Hippocampus: Functions and Clinical Relevance. Elsevier Science, NY, pp. 455-463.

Nadel, L., & Jacobs, W. (1998). Traumatic memory is special. Current Directions in Psychological Science, 7: 154-157.

Nadel, L., & Moscovitch, M. (1998). Hippocampal contributions to cortical plasticity. Neuropharmacology, 37: 431-439.

Neisser, U. (1967). Cognitive Psychology. New York: Appleton-Century-Crofts.

Neylan, T., Fletcher, D., Lenoci, M., McCallin, K., Weiss, D., Schoenfeld, F., Marmar, C., & Fein, G. (1999). Sensory gating in chronic posttraumatic stress disorder: reduced auditory P50 suppression in combat veterans. Biological Psychiatry, 46: 1656-1664.

Neylan, T., Jasiukaitis, P., Lenoci, M., Scott, J., Metzler, T., Weiss, D., Schoenfeld, F., & Marmar, C. (2003). Temporal instability of auditory and visual event related potentials in posttraumatic stress disorder. Biological Psychiatry, 53: 216-225.

Nielsen-Bohlman, L., & Knight, R. (1999). Prefrontal cortical involvement in visual working memory. Cognitive Brain Research, 8: 299-310.

Nobre, A., Allison, T., & McCarthy, G. (1994). Word recognition in the inferior temporal lobe. Nature, 372: 260-263.

Nobre, A., Allison, T., & McCarthy, G. (1998). Modulation of human extrastriate visual processing by selective attention to colours and words. Brain, 121: 1357-1368.

Nobre, A., Coull, J., Frith, C., & Mesulam, M. (1999). Orbitofrontal cortex is activated during breaches of expectation in tasks of visual attention. Nature Neuroscience, 2: 11-12.

Nowak, L., & Bullier, J. (1997). The timing of information transfer in the visual system. Cerebral Cortex, 12: 205-241.

Nunez, P. (1981). Electric Fields of the Brain: the Neurophysics of EEG. New York: Oxford University Press.

Nunez, P. (1987). A method to estimate local skull resistance in living subjects. IEEE Transactions on Biomedical Engineering, BME-34(11): 902-904.

Nunez, P. (1990). Physical principles and neurophysiological mechanisms underlying event-related potentials. In J. Rohrbaugh, P. Parasuraman & R. Johnson (Eds), Event-Related Brain Potentials: Basic Issues and Applications. Oxford University Press: New York, pp. 19-36.

Nunez, P. (1995). Neocortical Dynamics and Human EEG Rhythms. Oxford University Press.

Nunez, P., Pilgreen, K., Westdorp, A., Law, S., & Nelson, A. (1991). A visual study of surface potentials and Laplacians due to distributed neocortical sources: Computer simulations and evoked potentials. Brain Topography, 4: 151-168.

Nunez, P., Silberstein, R., Cadusch, P., Wijesinghe, R., Westdorp, A., & Srinivasan, R. (1994). A theoretical and experimental study of high resolution EEG based on surface Laplacians and cortical imaging. Electroencephalography and Clinical Neurophysiology, 90: 40-57.

O'Donnell, M., Creamer, M., Bryant, R., Schnyder, U., & Shalev, A. (2003). Posttraumatic disorders following injury: an empirical and methodological review. Clinical Psychology Review, 23: 587-603.

Okada, Y., Kaufman, L., & Williamson, S. (1983). The hippocampal formation as a source of slow endogenous potentials. Electroencephalography and Clinical Neurophysiology, 55: 417-426.

Oostendorp, T., & Oosterom, A. (1996). The surface Laplacian of the potential: Theory and application. IEEE Transactions on Biomedical Engineering, 43(4): 394-405.

Oostendorp, T., Oosterom, A., & Huiskamp, G. (1989). Interpolation on a triangulated 3D surface. Journal of Computational Physics, 80: 331-343.

Oostenveld, R., & Praamstra, P. (2001). The five percent electrode system for high-resolution EEG and ERP measurements. Clinical Neurophysiology, 112: 713-719.

Opitz, B., Mecklinger, A., Friederici, A., & von Cramon, D. (1999). The functional neuroanatomy of novelty processing: Integrating ERP and fMRI results. Cerebral Cortex, 9: 379-391.

Orr, S. (1994). An overview of psychophysiological studies of PTSD. PTSD Research Quarterly, 5(1).

Orr, S., Lasko, N., Shalev, A., & Pitman, R. (1995). Physiologic responses to loud tones in Vietnam veterans with posttraumatic stress disorder. Journal of Abnormal Psychology, 104: 75-82.

Orr, S., Pitman, R., Lasko, N., & Herz, L. (1993). Psychophysiological assessment of posttraumatic stress disorder imagery in world war II and Korean combat veterans. Journal of Abnormal Psychology, 102: 152-159.

Oscar-Berman, M., McNamara, P., & Freedman, M. (1991). Delayed-response tasks: Parallels between experimental ablation studies and findings in patients with frontal lesions. In H. Levin, H. Eisenberg, & A. Benton (Eds.), Frontal Lobe Function and Dysfunction. Oxford University Press: New York, pp. 230-255.

Owen, A., Morris, R., Sahakian, B., Polkey, C., & Robbins, T. (1996). Double dissociations of memory and executive functions in working memory tasks follwing fontral lobe excisions, temporal lobe excisions or amygdalo-hippocampectomy in man. Brain, 119: 1597-1615.

Owen, A., Stern, C., Look, R., Tracey, I., Rosen, B., & Petrides, M. (1998). Functional organization of spatial and nonspatial working memory processing within the human lateral frontal cortex. Proceedings of the National Academy of Sciences, 95: 7721-7726.

Paige, S., Reid, G., Allen, M., & Newton, J. (1990). Psychophysiological correlates of posttraumatic stress disorder in Vietnam veterans. Biological Psychiatry, 27: 419-430.

Pallmeyer, T., Blanchard, E., & Kolb, L. (1986). The psychophysiology of combat-induced post-traumatic stress disorder in Vietnam veterans. Behaviour Research and Therapy, 24: 645-652.

Pandya, D., & Yeterian, E. (1996). Comparison of prefrontal architecture and connections. Philosophical Transactions of the Royal Society of London, 351: 1423-1432.

Passingham, R. (1996). Attention to action. Philosophical Transactions of the Royal Society of London B, 351: 1473-1479.

Paulesu, E., Frith, C., & Frackowiak, R. (1993). The neural correlates of the verbal component of working memory. Nature, 362: 342-345.

Pernier, J., Perrin, F., & Bertrand, O. (1988). Scalp current density fields: Concepts and properties. Electroencephalography and Clinical Neurophysiology, 69: 385-389.

Perrin, F., Bertrand, O., Giard, M., & Pernier, J. (1990). Precautions in topographic mapping and in evoked potential map reading. Journal of Clinical Neurophysiology, 7: 498-506.

Perrin, F., Bertrand, O., & Pernier, J. (1987). Scalp current density mapping: value and estimation from potential data. IEEE Transactions on Biomedical Engineering, BME-34(4): 283-288.

Perrin, F., Bertrand, O., Pernier, J., Giard, M., & Echallier, J. (1987). Mapping of scalp potentials by surface spline interpolation. Electroencephalography and Clinical Neurophysiology, 66: 75-81.

Perrin, F., Pernier, J., Bertrand, O., & Echallier, J. (1989). Spherical splines for scalp potential and current density mapping. Electroencephalography and Clinical Neurophysiology, 72: 184-187; Corrigenda, 1990, 76: 565.

Petersen, S.E., Corbetta, M., Miezin, F., Shulman, G., & Raichle M. (1993). The effects of selective attention on visual processing measured with performance and positron emission tomography. In T. Ono, L. Squire, M. Raichle, D. Perret, M. Fukuda (Eds.), Brain Mechanisms of Perception and Memory: From Neuron to Behavior. Oxford University Press: New York.

Petersen, S., Fox, P., Snyder, A., & Raichle M. (1990). Activation of extrastriate and frontal cortical areas by visual words and word-like stimuli. Science, 249: 1041-1044.

Petrides, M. (1991). Learning impairments following excisions of the primate frontal cortex. In H. Levin, H. Eisenberg, & A. Benton (Eds.), Frontal Lobe Function and Dysfunction. Oxford University Press: New York, pp. 256-272.

Petrides, M. (1994). Frontal lobes and working memory: evidence from investigations of the effects of cortical excisions in nonhuman primates. In F. Boller & J. Grafman (Eds.), Handbook of Neuropsychology, (Vol. 9: The Frontal Lobes, p. 59-82). New York: Elsevier Science.

Petrides, M. (1995). Functional organization of the human frontal cortex for mnemonic processing: Evidence from neuroimaging studies. Annals of the New York Academy of Sciences, 769: 85-96.

Petrides, M. (1996). Specialized systems for the processing of mnemonic information within the primate frontal cortex. Philosophical Transactions of the Royal Society of London B, 351: 1455-1462.

Petrides, M., Alivisatos, B., Evans, A., & Meyer, E. (1993). Dissociation of human mid-dorsolateral from posterior dorsolateral frontal cortex in memory processing. Proceedings of the National Academy of Science, 90: 873-877.

Picton, T., Bentin, S., Berg, P., Donchin, E., Hillyard, S., Johnson Jnr., R., Miller, G., Ritter, W., Ruchin, D., Rugg, M., & Taylor, M. (2000). Guidelines for using human event-related potentials to study cognition: Recording standards and publication criteria. Psychophysiology, 37: 127-152.

Picton, T., Lins, O., & Scherg, M. (1995). The recording and analysis of event-related potentials. In F. Boller & J. Grafman (Eds.), Handbook of Neuropsychology, vol. 10. New York: Elsevier.

Pitman, R. (1989). Post-traumatic stress disorder, hormones, and memory. Biological Psychiatry, 26: 221-223.

Pitman, R. (1997). Overview of biological themes in PTSD. Annals of the New York Academy of Sciences, 821: 1-9.

Pitman, R. (2001). Hippocampal diminution in PTSD: More (or Less?) than meets the eye. Hippocampus, 11: 73-4; discussion 82-4.

Pitman, R., Orr, S., Forgue, D., Altman, B., de Jong, J., & Herz, L. (1990). Psychophysiologic responses to combat imagery of Vietnam veterans with posttraumatic stress disorder versus other anxiety disorders. Journal of Abnormal Psychology, 99: 49-54.

Pitman, R., Orr, S., Forgue, D., de Jong, J., & Claiborn, J. (1987). Psychophysiologic assessment of posttraumatic stress disorder imagery in Vietnam combat veterans. Archives of General Psychiatry, 44: 970-975.

Pitman, R., Sanders, K., Zusman, R., Healy, A., Cheema, F., Lasko, N., Cahill, L., & Orr, S. (2002). Pilot study of secondary prevention of posttraumatic stress disorder with propranolol. Biological Psychiatry, 51: 189-192.

Plonsey, R. (1969). Bioelectric Phenomena. McGraw-Hill.

Plonsey, R. (1982). The nature of sources of bioelectric and biomagnetic fields. Journal of Biophysics, 39: 309-312.

Pollen, D. (1999). On the neural correlates of visual perception. Cerebral Cortex, 9: 4-19.

Posner, M. (1992). Attention as a cognitive and neural system. Current Directions in Psychological Science, 1: 11-14.

Posner, M., & Raichle, M. (1994). Images of Mind. New York: Scientific American Library.

Post, R. (1992). Transduction of psychosocial stress into the neurobiology of recurrent affective disorder. American Journal of Psychiatry, 149: 999-1010.

Post, R., Weiss, S., Smith, M., & McCann, U. (1997). Kindling versus quenching: Implications for the evolution and treatment of posttraumatic stress disorder. Annals of the New York Academy of Sciences, 821: 285-295.

Prabhakaran, V., Narayanan, K., Zhao, Z., & Gabrieli, J. (2000). Integration of diverse information in working memory within the frontal lobe. Nature Neuroscience, 3: 85-90.

Press, G., Amaral, D., & Squire, L. (1989). Hippocampal abnormalities in amnesic patients revealed by high-resolution magnetic resonance imaging. Nature, 341: 54-57.

Pritchard, W., Houlihan, M., & Robinson, J. (1999). P300 and response selection: A new look using independent-components analysis. Brain Topography, 12: 31-37.

Pulvermüller, F. (1999). Words in the brain's language. Behavioral and Brain Sciences, 22: 253-336.

Pulvermüller, F., Keil, A., & Elbert, T. (1999). High-frequency brain activity: perception or active memory? Trends in Cognitive Sciences, 3: 250-252.

Raichle, M. (1993). The scratchpad of the mind. Nature, 363: 583-584.

Rainer, G., Asaad, W., & Miller, E. (1998). Selective representation of relevant information by neurons in the primate prefrontal cortex. Nature, 393: 577-579.

Rämä, P., Carlson, S., Kekoni, J., & Hämäläinen, H. (1995). A spatial oculomotor memory-task performance produces a task-related slow shift in human electroencephalography. Electroencephalography and Clinical Neurophysiology, 94: 371-380.

Rao, S., Rainer, G., & Miller, E. (1997). Integration of what and where in the primate prefrontal cortex. Science, 276: 821-824.

Rao, H., Zhou, T., Zhou, Y., Fan, S., & Chen, L. (2003). Spatiotemporal activation of the two visual pathways in form discrimination and spatial location: A brain mapping study. Human Brain Mapping, 18: 79-89.

Rauch, S., Savage, C., Alpert, N., Fischman, A., & Jenike, M. (1997). The functional neuroanatomy of anxiety: A study of three disorders using positron emission tomography and symptom provocation. Biological Psychiatry, 42: 446-452.

Rauch, S., & Shin, L. (1997). Functional neuroimaging studies in posttraumatic stress disorder. Annals of the New York Academy of Sciences, 821: 83-98.

Rauch, S., Shin, L., Segal, E., Pitman, R., Carson, M., McMullin, K., Whalen, P., Makris, N. (2003). Selectively reduced regional cortical volumes in post-traumatic stress disorder. Neuroreport, 14: 913-916.

Rauch, S., van der Kolk, B., Fisler, R., Alpert, N., Orr, S., Savage, C., Fischman, A., Jenike, M., & Pitman, R. (1996). A symptom provocation study of posttraumatic stress disorder using positron emission tomography and script-driven imagery. Archives of General Psychiatry, 53: 380-387.

Rauch, S., Whalen, P., Shin, L., McInerney, S., Macklin, M., Lasko, N., Orr, S., Pitman, R. (2000). Exaggerated amygdala response to masked facial stimuli in posttraumatic stress disorder: A functional MRI study. Biological Psychiatry, 47: 769-776.

Regan, D. (1989). Human Brain Electrophysiology. New York: Elsevier.

Rennie, C., Robinson, P., & Wright, J. (2002). Unified neurophysical model of EEG spectra and evoked potentials. Biological Cybernetics, 86: 457-471.

Rockland, K., & van Hoesen, G. (1999). Some temporal and parietal cortical connections converge in CA1 of the primate hippocampus. Cerebral Cortex, 9: 232-237.

Rodriguez, E., George, N., Lachaux, J., Martinerie, J., Renault, B., & Varela, F. (1999). Perception's shadow: long-distance synchronization of human brain activity. Nature, 397: 430-433.

Rolls, E. (1995). A theory of emotion and consciousness, and its application to understanding the neural basis of emotion. In M. Gazzaniga (Ed.), The Cognitive Neurosciences, MIT Press: Cambridge, Massachusetts.

Rolls, E. (1996). A theory of hippocampal function in memory. Hippocampus, 6: 601-620.

Rolls, E. (2000). Memory systems in the brain. Annual Review of Psychology, 51: 599-630.

Rösler, F. (1986). P300 complex: a manifestation of reactive or anticipatory processes of the brain? Electroencephalography and Clinical Neurophysiology Suppl., 38: 138-142.

Rösler, F., Borgstedt, J., & Sojka, B. (1985). When perception or motor sets are changed: effects of updating demands on structure and energy of P300. Acta Psychologica, 60: 293-321.

Rösler, F., Sutton, S., Johnson, R. J., Mulder, G., Fabiani, M., Gorsel, E., & Roth,W. (1986). Endogenous ERP components and cognitive constructs. A review. Electroencephalography and Clinical Neurophysiology Suppl., 38: 51-92.

Ruchin, D., Canoune, H., Johnson, R., Jr., & Ritter, W. (1995). Working memory and preparation elicit different patterns of slow wave event-related brain potentials. Psychophysiology, 32: 399-410.

Ruchin, D., Grafman, J., Kraus, G., Johnson, R., Jr., Canoune, H., & Ritter, W. (1994). Event-related brain potential evidence for a verbal working memory deficit in multiple sclerosis. Brain, 117: 289-305.

Ruchin, D., Johnson, R., Jr., Canoune, H., & Ritter, W. (1990). Short-term memory storage and retention: an event-related brain potential study. Electroencephalography and Clinical Neurophysiology, 76: 419-439.

Ruchin, D., Johnson, R., Jr., Grafman, J., Canoune, H., & Ritter, W. (1992). Distinctions and similarities among working memory processes: an event-related potential study. Cognitive Brain Research, 1: 53-66.

Ruchin, D., & Sutton, S. (1978). Emitted P300 potentials and temporal uncertainty. Electroencephalography and Clinical Neurophysiology, 45: 268-277.

Ruchin, D., Sutton, S., & Tueting, P. (1975). Emitted and evoked P300 potentials and variation in stimulus probability. Psychophysiology, 12: 591-595.

Rugg, M. (1998). Memories are made of this. Science, 281:1151-1152.

Rugg, M., Mark, R., Walla, P., Schloerscheidt, A., Birch, C., Allan, K. (1998). Dissociation of the neural correlates of implicit and explicit memory. Nature, 392: 595-598.

Rumsey, J., Horwitz, B., Donohue, B., Nace, K., Maisog, J., & Andreason, P. (1997). Phonological and orthographic components of word recognition: A PET-rCBF study. Brain, 120: 739-759.

Rush, S., & Driscoll, D. (1968). Current distribution in the brain from surface electrodes. Anesthesia & Analgesia, 47: 717-723.

Rush, S., & Driscoll, D. (1969). EEG electrode sensitivity: An application of reciprocity. IEEE Transactions on Biomedical Engineering, 16: 15-22.

Rushworth, M., Nixon, P., Eacott, M., & Passingham, R. (1997). Ventral prefrontal cortex is not essential for working memory. The Journal of Neuroscience, 17: 4829-4838.

Rushworth, M., & Owen, A. (1998). The functional organisation of the lateral frontal cortex: conjecture or conjuncture in the electrophysiology literature? Trends in Cognitive Sciences, 2: 46-53.

Sakai, K., Watanabe, E., Onodera, Y., Uchida, I., Kato, H., Yamamoto, E., Koizumi, H., & Miyashita, Y. (1995). Functional mapping of the human colour centre with echo-planar magnetic resonance imaging. Proceedings of the Royal Society of London, Series B: Biological Sciences, 261: 89-98.

Salmon, E., van der Linden, M., Collette, F., Delfiore, G., Maquet, P., Degueldre, C., Luxen, A., & Franck, G. (1996). Regional brain activity during working memory tasks. Brain, 119: 1617-1625.

Sapolsky, R. (1996). Why stress is bad for your brain. Science, 273: 749-750.

Sapolsky, R. (2002). Chickens, eggs and hippocampal atrophy. Nature Neuroscience, 5: 1111-1113.

Sarnthein, J., Petsche, H., Rappelsberger, P., Shaw, G., & von Stein, A. (1998). Synchronization between prefrontal and posterior association cortex during human working memory. Proceedings of the National Academy of Sciences, 95: 7092-7096.

Saykin, A., Johnson, S., Flashman, L., McAllister, T., Sparling, M., Darcey, T., Moritz, C., Guerin, S., Weaver, J., & Mamourian, A. (1999). Functional differentiation of medial temporal and frontal regions involved in processing novel and familiar words: an fMRI study. Brain, 122: 1963-1971.

Schacter, D. (1992). Priming and multiple memory systems: perceptual mechanisms of implicit memory. Journal of Cognitive Neuroscience, 4: 244-256.

Schacter, D. (1995). Implicit memory: a new frontier for cognitive neuroscience. In M. Gazzaniga (Ed.), The Cognitive Neurosciences, MIT Press: Cambridge, Massachusetts, pp. 815-824.

Schendan, H., Ganis, G., & Kutas, M. (1998). Neurophysiological evidence for visual perceptual categorization of words and faces within 150 ms. Psychophysiology, 35(3): 240-251.

Schiffer, F., Teicher, M., & Papanicolaou, A. (1995). Evoked potential evidence for right brain activity during the recall of traumatic memories. The Journal of Neuropsychiatry and Clinical Neurosciences, 7: 169-175.

Schnurr, P., Friedman, M., Rosenberg, S. (1993). Premilitary MMPI scores as predictors of combat-related PTSD symptoms. American Journal of Psychiatry, 150: 479-483.

Seedat, S., Niehaus, D., & Stein, D. (2001). The role of genes and family in trauma exposure and posttraumatic stress disorder. Molecular Psychiatry, 6: 360-362.

Seligman, M. (2002). Authentic Happiness: Using the New Positive Psychology to Realize Your Potential for Lasting Fulfillment. New York: Free Press/Simon and Schuster.

Seligman, M., Abramson, L., Semmel, A., & von Baeyer, C. (1979). Depressive attributional style. Journal of Abnormal Psychology, 88: 242-247.

Semlitsch, H., Anderer, P., Schuster, P., & Presslich, O. (1986). A solution for reliable and valid reduction of ocular artefacts applied to the P300 ERP. Psychophysiology, 23: 695-703.

Semple, W., Goyer, P., McCormick, R., Morris, E., Compton, B., Muswick, G., Nelson, D., Donovan, B., Leisure, G., Berridge, M., Miraldi, F., & Schulz, S. (1993). Preliminary report: Brain blood flow using PET in patients with posttraumatic stress disorder and substance-abuse histories. Biological Psychiatry, 34: 115-118.

Semple, W., Goyer, P., McCormick, R., Morris, E., Compton-Toth, B., Muswick, G., Nelson, D., Donovan, B., Leisure, G., Berridge, M., Miraldi, F., & Schulz, S. (1996). Attention and regional cerebral blood flow in posttraumatic stress disorder patients with substance abuse histories. Psychiatry Research: Neuroimaging, 67: 17-28.

Shalev, A., Attias, J., Bleich, A., Shulman, H., Kotler, M., & Shahar, A. (1988). Audiological evaluation of nonalcoholic, drug-free posttraumatic stress disorder patients. Biological Psychiatry, 24: 522-530.

Shalev, A., Orr, S., Peri, T., Schreiber, S., & Pitman, R. (1992). Physiologic responses to loud tones in Israeli patients with posttraumatic stress disorder. Archives of General Psychiatry, 49: 870-875.

Shalev, A., Orr, S., & Pitman, R. (1993). Psychophysiologic assessment of traumatic imagery in Israeli civilian patients with posttraumatic stress disorder. American Journal of Psychiatry, 150: 620-624.

Shapley, R. (1995). Parallel neural pathways and visual function. In M. Gazzaniga (Ed.), The Cognitive Neurosciences. Cambridge, Massachusetts: MIT Press, pp. 315-324.

Shaw, M., Strother, S., McFarlane, A., Morris, P., Anderson, J., Clark, R., & Egan, G. (2002). Abnormal functional connectivity in posttraumatic stress disorder. NeuroImage, 15: 661-674.

Shiffer, F., Teicher, M., & Papanicolaou, A. (1995). Evoked potential evidence for right brain activity during the recall of traumatic memories. Journal of Neuropsychiatry and Clinical Neurosciences, 7: 169-175.

Shiffrin, R., & Schneider, W. (1977). Controlled and automatic human information processing: II. Perceptual learning automaticity, attending, and a general theory. Psychology Review, 84: 127-190.

Shin, L., Kosslyn, S., McNally, R., Alpert, N., Thompson, W., Rauch, S., Macklin, M., Pitman, R. (1997). Visual imagery and perception in posttraumatic stress disorder: A positron emission tomographic investigation. Archives of General Psychiatry, 54: 233-241.

Shin, L.M., McNally, R.J., Kosslyn, S.M., Thompson, W.L., Rauch, S.L., Alpert, N.M., Metzger, L.J., Lasko, N.B., Orr, S.P., & Pitman, R.K. (1999). Regional cerebral blood flow during script-driven imagery in childhood sexual abuse-related posttraumatic stress disorder: A positron emission tomographic investigation. American Journal of Psychiatry, 156: 575-584.

Simson, R., Vaughan, H., & Ritter, W. (1977). The scalp topography of potentials in auditory and visual discrimination tasks. Electroencephalography and Clinical Neurophysiology, 42: 528-535.

Singer, W. (1995). Time as coding space in neocortical processing: A hypothesis. In M. Gazzaniga (Ed.), The Cognitive Neurosciences. Cambridge, Massachusetts: MIT Press, pp. 91-104.

Singer, W., & Gray, C. (1995). Visual feature integration and the temporal correlation hypothesis. Annual Review of Neuroscience, 18: 555-586.

Skrandies, W. (1989). Data reduction of multichannel fields: Global field power and principle component analysis. Brain Topography, 2: 73-80.

Smid, H., Jakob, A., & Heinze, H. (1999). An event-related brain potential study of visual selective attention to conjuctions of color and shape. Psychophysiology, 36: 264-279.

Smith, E., & Jonides, J. (1999). Storage and executive processes in the frontal lobes. Science, 283: 1657-1661.

Smith, E., Jonides, J., & Koeppe, R. (1996). Dissociating verbal and spatial working memory using PET. Cerebral Cortex, 6: 11-20.

Smith, E., Jonides, J., Koeppe, R., Awh, E., Schumacher, E., & Minoshima, S. (1995). Spatial versus object working memory: PET investigations. Journal of Cognitive Neuroscience, 7: 337-356.

Smith, E., Marshuetz, C., & Geva, A. (2002). Working memory: findings from neuroimaging and patient studies. In J. Grafman (Ed.), Handbook of Neuropsychology (2nd ed., Vol. 7: The Frontal Lobes, p. 55-72). Amsterdam: Elsevier Science.

Spielberger, C., Gorsuch, R., Lushene. R., Vagg, P., & Jacobs, G. (1983). Manual for the State-Trait Anxiety Inventory. California: Consulting Psychologists Press.

Squire, L., & Zola, S. (1996). Structure and function of declarative and nondeclarative memory systems. Proceedings of the National Academy of Science, 93: 13515-13522.

Squires, K., Donchin, E., Squires, N., & Grossberg, S. (1977). Bisensory stimulation: Inferring decision-related processes from the P300 component. Journal of Experimental Psychology: Human Perception and Performance, 3: 299-315.

Squires, K., Wickens, C., Squires, N., & Donchin, E. (1976). The effect of stimulus sequence on the waveform of the cortical event-related potential. Science, 193: 1142-1145.

Squires, N., Squires, K., & Hillyard, S. (1975). Two varieties of long-latency positive waves evoked by unpredictable auditory stimuli in man. Electroencephalography and Clinical Neurophysiology, 38: 387-401.

Srinivasan, R., Tucker, D., & Murias, M. (1998). Estimating the spatial Nyquist of the human EEG. Behavior Research Methods, Instruments, & Computers, 30: 8-19.

Stanford, M.S. Vasterling, J.J., Mathias, C.W., Constans, J.I., & Houston, R.J. (2001). Impact of threat relevance on P300 event-related potentials in combat-related posttraumatic stress disorder. Psychiatry Research, 102: 125-137.

Stein, M., Hanna, C., Koverola, C., Torchia, M., & McClarty, B. (1997). Structural brain changes in PTSD: Does trauma alter neuroanatomy? Annals of the New York Academy of Sciences, 821: 76-82.

Stern, C., Sherman, S., Kirchhoff, B., & Hasselmo, M. (2001). Medial temporal and prefrontal contributions to working memory tasks with novel and familiar stimuli. Hippocampus, 11: 337-346.

Strange, B., & Dolan, R. (2001). Adaptive anterior hippocampal responses to oddball stimuli. Hippocampus, 11: 690-698.

Strange, B., Fletcher, P., Henson, R., Friston, K., & Dolan, R. (1999). Segregating the functions of human hippocampus. Proceedings of the National Academy of Sciences, 96: 4034-4039.

Sutker, P., Winstead, D., Galina, Z., & Allain, A. (1991). Cognitive deficits and psychopathology among former prisoners of war and combat veterans of the Korean conflict. American Journal of Psychiatry, 148: 67-72.

Sutton, S., Braren, M., Zubin, J., & John, E. (1965). Evoked-potential correlates of stimulus uncertainty. Science, 150: 1187-1188.

Tanaka, S. (1999). Architecture and dynamics of the primate prefrontal cortical circuit for spatial working memory. Neural Networks, 12: 1007-1020.

Tesch, C., & Karhu, J. (2000). Theta oscillations index human hippocampal activation during a working memory task. Proceedings of the National Academy of Sciences, 97: 919-924.

Thrasher, S., Dalgleish, T., & Yule, W. (1994). Information processing in post-traumatic stress disorder. Behaviour Research and Therapy, 32: 247-254.

Toni, I., Schluter, N., Josephs, O., Friston, K., Passingham, R. (1999). Signal-, set- and movement-related activity in the human brain: An event-related fMRI study. Cerebral Cortex, 9: 35-49.

Towle, V., Bolanos, J., Suarez, D., Tan, K., Grzeszcuk, R., Levin, D., Cakmur, R., Frank, S., & Spire, J. (1993). The spatial location of EEG electrodes: locating the best-fitting sphere relative to cortical anatomy. Electroencephalography and Clinical Neurophysiology, 86: 1-6.

Trandel, D., & McNally, R. (1987). Perception of threat cues in post-traumatic stress disorder: semantic processing without awareness? Behaviour Research and Therapy, 25: 469-476.

Treisman, A. (1982). Perceptual grouping and attention in visual search for features and for objects. Journal of Experimental Psychology: Human Perception and Performance, 8: 194-214.

Treisman, A. (1996). The binding problem. Current Opinion in Neurobiology, 6: 171-178.

Treisman, A., & Gelade, G. (1980). A feature-integration theory of attention. Cognitive Psychology, 12: 97-136.

Ts'o, D., & Roe, A. (1995). Functional compartments in visual cortex: Segregation and interaction. In M. Gazzaniga (Ed.), The Cognitive Neurosciences. Cambridge, Massachusetts: MIT Press, pp. 325-337.

Tulving, E., & Kroll, N. (1995). Novelty assessment in the brain and long-term memory encoding. Pychonomic Bulletin & Review, 2: 387-390.

Tulving, E., Markowitsch, H., Craik, F., Habib, R., & Houle, S. (1996). Novelty and familiarity activations in PET studies of memory encoding and retrieval. Cerebral Cortex, 6: 71-79.

Uddo, M., Vasterling, J., Brailey, K., & Sutker, P. (1993). Memory and attention in combat-related post-traumatic stress disorder. Journal of Psychopathology and Behavioural Assessment, 15: 43-52.

Ungerleider, L., Courtney, S., & Haxby, J. (1998). A neural system for human visual working memory. Proceedings of the National Academy of Science, 95: 883-890.

Vaina, L. (1994). Functional segregation of color and motion processing in the human visual cortex: Clinical evidence. Cerebral Cortex, 5: 555-572.

Vaiva, G., Ducrocq, F., Jezequel, K., Averland, B., Lestavel, P., Brunet, A., & Marmar, C. (2003). Immediate treatment with propranolol decreases posttraumatic stress disorder two months after trauma. Biological Psychiatry, 54: 947-949.

Valdes-Sosa, M., Bobes, M., Rodriguez, V., & Pinilla, T. (1998). Switching attention without shifting the spotlight: Object-based attentional modulation of brain potentials. Journal of Cognitive Neuroscience, 10: 137-151.

van der Kolk, B. (1997). The psychobiology of traumatic memory: Clinical implications of neuroimaging studies. Annals of the New York Academy of Sciences, 821: 99-113.

van der Kolk, B., Herron, N., & Hostetler, A. (1994). The history of trauma in psychiatry. Psychiatric Clinics of North America, 17: 583-600.

van der Stelt, O., Kok, A., Smulders, F.T.Y., Snel, J., & Gunning, W.B. (1998). Cerebral event-related potentials associated with selective attention to color: Developmental changes from childhood to adulthood. Psychophysiology, 35: 227-239.

van Essen, D., & Deyoe, E. (1995). Concurrent processing in the primate visual cortex. In M. Gazzaniga (Ed.), The Cognitive Neurosciences. Cambridge, Massachusetts: MIT Press, pp. 383-400.

van Hoesen, G. (1982). The parahippocampal gyrus: New observations regarding its cortical connections in the monkey. Trends in Neuroscience, Oct: 345-350.

Varela, F., Lachaux, J., Rodriguez, E., & Martinerie, J. (2001). The brainweb: phase synchronization and large-scale integration. Nature Reviews: Neuroscience, 2: 229-239.

Vargha-Khadem, F., Gadian, D., Watkins, K., Connelly, A., Van Paesschen, W., Mishkin, M. (1997). Differential effects of early hippocampal pathology on episodic and semantic memory. Science, 277: 376-380.

Vasterling, J., Duke, L., Brailey, K., Constans, J., Allain, A., Sutker, P. (2002). Attention, learning, and memory performances and intellectual resources in Vietnam veterans: PTSD and no-disorder comparisons. Neuropsychology, 16: 5-14.

Villarreal, G., & King, C. (2001). Brain imaging in posttraumatic stress disorder. Seminars in Clinical Neuropsychiatry, 6: 131-145.

Vinogradova, O. (2001). Hippocampus as comparator: role of the two input and two output systems of the hippocampus in selection and registration of information. Hippocampus, 11: 578-598.

von Stein, A., Rappelsberger, P., Sarnthein, J., & Petsche, H. (1999). Synchronization between temporal and parietal cortex during multimodal object processing in man. Cerebral Cortex, 9: 137-150.

Wagner, A., Schacter, D., Rotte, M., Koutstaal, W., Maril, A., Dale, A., Rosen, B., & Buckner, R. (1998). Building memories: Remembering and forgetting of verbal experiences as predicted by brain activity. Science, 281: 1188-1191.

Wahba, G. (1990). Spline Models for Observational Data. SIAM, Philadelphia, PA.

Wald, G. (1968). Molecular basis of visual excitation. Science, 162: 230-239.`

Wang, W., Begleiter, H., & Porjesz, B. (1994). Surface energy, its density and distance: New measures with application to human cerebral potentials. Brain Topography, 6: 193-202.

Warshaw, M., Fierman, E., Pratt, L., Hunt, M., Yonkers, K., Massion, A., & Keller, M. (1993). Quality of life and dissociation in anxiety disorder patients with histories of trauma or PTSD. American Journal of Psychiatry, 150: 1512-1516.

Watanabe, Y., Gould, H., Cameron, D., Daniels, D., McEwen, B. (1992). Phenytoin prevents stress- and corticosterone-induced atrophy of CA3 pyramidal neurons. Hippocampus, 2: 431-436.

Watanabe, Y., Gould, H., Daniels, D., Cameron, D., McEwen, B. (1992). Tianeptine attenuates stress-induced morphological changes in the hippocampus. European Journal of Pharmacology, 222: 157-162.

Watanabe, Y., Gould, H., McEwen, B. (1992). Stress induces atrophy of apical dendrites of hippocampal CA3 pyramidal neurons. Brain Research, 588: 341-345.

Weine, S., Becker, D., McGlashan, T., Laub, D., Lazrove, S., Vojvoda, D., & Hyman, L. (1995). Psychiatric consequences of "ethnic cleansing": Clinical assessments and trauma testimonies of newly resettled bosnian refugees. American Journal of Psychiatry, 152: 536-542.

Wijers, A., Mulder, G., Okita, T., & Mulder, L. (1989a). An ERP study on memory search and selective attention to letter size and conjunctions of letter size and color. Psychophysiology, 26: 529-547.

Wijers, A.A., Mulder, G., Okita, T., Mulder, L.J.M., & Scheffers, M.K. (1989b). Attention to color: An analysis of selection, controlled search, and motor activation, using event-related potentials. Psychophysiology, 26: 89-109.

Wijers, A., Otten, L., Feenstra, S., Mulder, G., & Mulder, L., (1989c). Brain potentials during selective attention, memory search, and mental rotation. Psychophysiology, 26: 452-467.

Wilson, F., Scalaidhe, S., & Goldman-Rakic, P. (1993). Dissociation of object and spatial processing domains in primate prefrontal cortex. Science, 260: 1955-1957.

Wise, S., Boussaoud, D., Johnson, P., & Caminiti, R. (1997). Premotor and parietal cortex: corticocortical connectivity and combinatorial computations. Annual Review of Neuroscience, 20: 25-42.

Wright, J., Rennie, C., Lees, G., Robinson, P., Bourke, P., Chapman, C., Gordon, E., Rowe, D. (2003). Simulated electrocortical activity at microscopic, mesoscopic and global scales. Neuropsychopharmacology, 28: 80-93.

Yehuda, R. (2001). Are glucocortoids responsible for putative hippocampal damage in PTSD? How and when to decide. Hippocampus, 11: 85-89.

Yehuda, R., Kahana, B., Schmeidler, J., Southwick, S., Wilson, S., & Giller, E. (1995). Impact of cumulative lifetime trauma and recent stress on current posttraumatic stress disorder symptoms in holocaust survivors. American Journal of Psychiatry, 152: 1815-1818.

Yehuda, R., Keefe, R., Harvey, P., Levengood, R., Gerber, D., Geni, J., & Siever, L. (1995). Learning and memory in combat veterans with posttraumatic stress disorder. American Journal of Psychiatry, 152: 137-139.

Yehuda, R., & McFarlane, A. (1995). Conflict between current knowledge about posttraumatic stress disorder and its original conceptual basis. American Journal of Psychiatry, 152: 1705-1713.

Yordanova, J., & Kolev, V. (1998). Single-sweep analysis of the theta frequency band during an auditory oddball task. Psychophysiology, 35: 116-126.

Zangaladze, A., Epstein, C., Grafton, S., & Sathlan, K. (1999). Involvement of visual cortex in tactile discrimination of orientation. Nature, 401: 587-590.

Zeitlin, S., & McNally, R. (1991). Implicit and explicit memory bias for threat in post-traumatic stress disorder. Behaviour Research and Therapy, 29: 451-457.

Zeki, S., & Shipp, S. (1988). The functional logic of cortical connections. Nature, 335: 311-317.

Zeki, S., Watson, J., Lueck, C., Friston, K., Kennard, C., & Frackowiak, R. (1991). A direct demonstration of functional specialization in human visual cortex. Journal of Neuroscience, 11: 641-649.

Zhang, Y., Brady, M., & Smith, S. (2001). Segmentation of brain MR images through a hidden Markov random field model and the expectation maximization algorithm. IEEE Transactions in Medical Imaging, 20: 45–57.