


Supporting Information

Synthetic Modification of the Natural Pyrethrins


Todd E. Markham

General Supporting Information

Representative Homonuclear Decoupling Experiments




Representative Multiplet Analysis



Reduction Chemistry Characterisation Data

4'R-51a NMR Characterisation



Current Data Parameters

NAME 20180914 Pyrethrin I Alcohol
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters


Date 20180914
Time 18.43
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 80.6
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 =====

SFO1 600.1337060 MHz
NUC1 1H
P1 8.40 usec
PLW1 12.55000019 W

F2 - Processing parameters

SI 65536
SF 600.1300266 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20190118_Pyrstrin_I_Alcohol_Major_diastereomer
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date 20190118
Time 23:30
TECO 1000 sec
PROBHD 5 mm PABBT 1H/
PULPROG zgpp3d
TD 65536
SWEVENT G13
NS 2048
DS 2
SWH 36037.691 Hz
ETDRES 0.54015 Hz
AQ 0.9087659 sec
RG 1620
DW 13.88 usec
RG 13.88 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
ID0 1

===== CHANNEL f1 =====
SF01 150.9178988 MHz
NUC1 1H
P1 16.00 usec
EW1 110.76600214 W

===== CHANNEL f2 =====
SF02 600.1324005 MHz
NUC2 1H
CPDPFG12 Waltz16
TD02 65536 sec
ETW2 12.55000019 W
EW12 0.18072000 W
EW13 0.00855400 W

F2 - Processing parameters
SI 32768
SF 150.9027905 MHz
WDW no
SSB 0 Hz
LB 0 Hz
GB 0
PC 1.40



Current Data Parameters
NAME: 20190118_Pyrethrin_I_Alcohol_Major_diaastereomer

EXPNO: 11

PROCNO: 1

p2 - Acquisition Parameters

Date: 20190118 Time: 20.13

INSTRUM: spect

PROBHD: 5 mm PABBT1W/

PULPROG: csoygppphpp

TD: 65536 ALA

SWH: 10000.000 Hz

SEGMENT: 1024

NS: 10

DS: 4

SW0: 4504.504 Hz

EDD: 2.159448 Hz

AQ: 0.2273280 sec

RG: 2050

DM: 111.000 usec

DE: 6.50 usec

TSP: 2048.000 sec

D0: 0.0001030 sec

D1: 1.9111169 sec

D11: 0.03000000 sec

D12: 0.00002000 sec

D16: 0.00020000 sec

IMD: 0.00022200 sec

CHANNEL E1

SW01: 600.1324422 MHz

NUC1: 13C

DP: 8.40 usec

P1: 16.80 usec

P17: 2500.00 usec

P1M1: 12.55000019 sec

P1M10: 1.30999994 sec

GRADIENT CHANNEL

GPNAME[1]: SWP910.100

GPNAME[2]: SWP910.100

GPZ1: 10.00 g

GPZ2: 20.00 g

P1G: 1000.00 usec

F1 - Acquisition parameters

TD: 256

SW01: 600.1324422 MHz

SW: 17.59376 Hz

ZW: 7.500 ppm

PRMGROW: States-TIP1

F1 - Processing parameters

S1: 1024

S2: States-TIP1

SF: 600.1300296 MHz

WM: QSINE

SSB: 2

LB: 0 Hz

GB: 0

PC: 1.40

F1 - Processing parameters

S1: 1024

S2: States-TIP1


SF: 600.1300294 MHz

WM: QSINE

SSB: 2

LB: 0 Hz

GB: 0





Current Data Parameters
NAME 20190118_Pyrethrin I Alcohol Major diastereomer
EXPNO 14
PROCNO 1

P2 - Acquisition Parameters

Data_ 20190118
Time 23.35
INSTRUM spect
PROBHD 5 mm PARH17
PULPROG hsqcgp
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4629.50 Hz
FIDRES 4.521122 usec
AQ 0.1105920 sec
RG 2050
IM 108.000 usec
DE 6.50 usec
TE 293.0 K
CRGT2 145.000000
D0 0.00000300 sec
D1 1.45494401 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
MEGPTMS

CHANNEL F1
SW01 600.1324577 MHz
NUC1 1H
P1 8.80 usec
P2 16.80 usec
P2B 1000.00 usec
P1W1 12.55000019 W


CHANNEL F2
SW02 150.9140436 MHz
NUC2 13C
CPDPFG[2] garp
p3 16.00 usec
p4 32.00 usec
DCPD2 60.00 usec
P1M2 110.76000214 W
P1M12 7.87610006 W

GRADIENT CHANNEL
GPNAME[1] SW5Q10.100
GPNAME[2] SW5Q10.0
GP1 80.00 &
GP2 20.10 &
P1.6 1000.00 usec

P1 - Acquisition parameters
TD 1024
SW01 150.9141 MHz
FIDRES 97.656250 Hz
IM 165.657 ppm
FmCorr Echo-Antiecho

P2 - Processing parameters
SI 1024
SF 600.1300245 MHz
WM QSMIN 2
SSB 0 Hz
LB 0 Hz
GB 1.40

P1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028261 MHz
WM QSMIN 2
SSB 0 Hz
LB 0 Hz





Current Data Parameters
NAME 20190122 Pyrethrin I Alcohol MAJOR
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190122
Time 9.11
INSTRUM spect
PROBHD 5 mm PARBI 1H/
PULPROG noesygpph
TD 4096
SOLVENT CDCl3
NS 2
DS 16
SWH 5411.255 Hz
FIDRES 1.321107 Hz
AQ 0.3784704 sec
RG 203
DW 92.400 usec
DE 6.50 usec
TE 298.2 K
D0 0.00008170 sec
D1 3.0000000 sec
D8 0.6000002 sec
D16 0.00020000 sec
IN0 0.00018480 sec


===== CHANNEL f1 =====
SFO1 600.1323960 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P1W1 12.55000019 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPZ1 40.00 %
P16 1000.00 usec


F1 - Acquisition parameters
ID 472
SFO1 600.130234 MHz
FIDRES 11.464524 Hz
SW 9.017 ppm
FnMODE States-TPII


F2 - Processing parameters
SI 4096
SF 600.1300256 MHz
WDW QSINK
SSB 0
LB 0 Hz
GB 0
PC 1.00

F1 - Processing parameters
SI 1024
MC2 States-TPII
SF 600.1300234 MHz
WDW QSINK
SSB 0
LB 0 Hz
GB 0



4'S-51a NMR Characterisation






Current Data Parameters
NAME 20190122 Pyrethrin I OH MINOR
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190122
Time 16.43
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 215
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 1440
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

----- CHANNEL f1 -----
SFO1 150.917898 MHz
NUC1 13C
P1 16.00 usec
PLW1 110.76000214 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 12.55000019 W
PLW12 0.18072000 W
PLW13 0.08855400 W

F2 - Processing parameters
SI 32768
SF 150.9027917 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20190118_Pyrethrin I Alcohol Minor diastereomer
EXPRO 14
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190120
Time 14:57
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG hsqctgpp
TD 65536
SOLVENT CDCl3
NS 70
D1 16
SWH 4629.622 Hz
FIDRES 4.521122 Hz
AQ 0.1105920 sec
RG 2050
DM 10800 usec
DE 6.50 usec
TE 298.3 K
CZST2 145.000000 sec
D0 0.000000 sec
D1 1.45494401 sec
D4 0.00172414 sec
D11 0.000000 sec
D16 0.000000 sec
DNO 0.00002000 sec
ZGOTHS

===== CHANNEL f1 =====
SF01 600.1324815 MHz
NUC1 1H
P1 10.00 usec
P2 16.80 usec
P2B 1000.00 usec
PLW1 12.55000019 W


===== CHANNEL f2 =====
SF02 150.9140636 MHz
NUC2 13C
CPDPRG[2] 100
P1 16.00 usec
P4 32.00 usec
PCPD2 60.00 usec
PLW2 110.76000214 W
PLW12 7.87610006 W

===== GRADIENT CHANNEL =====
GRADPRM[1] SINE 100
GRADPRM[2] SINE210-100
GPZ1 80.0 %
GPZ2 20.0 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SF01 600.1300257 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FIDSOE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300257 MHz
WDW QSIMD
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9026140 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190122 Pyrethrin I OH MINOR
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date 20190122
Time 16.54
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG noesypph
TD 4096
SOLVENT CDCl3
NS 2
DS 16
SWH 5411.255 Hz
FIDRES 1.321107 Hz
AQ 0.3784704 sec
RG 50.8
DW 92.400 usec
DE 6.50 usec
TE 298.2 K
D0 0.00008170 sec
D1 3.0000000 sec
D8 0.60000002 sec
D16 0.00020000 sec
INO 0.00018480 sec


----- CHANNEL f1 -----
SFO1 600.1323960 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
PLW1 12.55000019 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 40.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 127
SFO1 600.1324 MHz
FIDRES 42.608311 Hz
SW 9.017 ppm
FnMODE States-TPPI

F2 - Processing parameters
SI 4096
SF 600.1300253 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.00

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 600.1300135 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0




51a IR Spectrum


PerkinElmer Spectrum Version 10.4.2
Monday, 5 November 2018 1:51 PM

Analyst
Date

Analyst
Monday, 5 November 2018 1:51 PM



4'R-51b NMR Characterisation




Current Data Parameters
NAME 20190117 Pyrethrin II Allylic alcohol
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters

Date_ 20190117
Time_ 17.14
INSTRUM spect
PROBHD 5 mm PABEI 1H/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 228
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
F1 8.40 usec
PLW1 12.55000019 W

F2 - Processing parameters
SI 65536
SF 600.1300258 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20190117_Pyrethrin II Allylic alcohol
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters

Date_ 20190117
Time_ 19.45
INSTRUM spect
PROBHD 5 mm PABSI 1H/
PULPROG zqpg30
TD 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087653 sec
RG 1440
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TDO 1

----- CHANNEL f1 -----
SFO1 150.9178983 MHz
NUC1 13C
PI 16.00 usec
PLW1 110.76000214 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPFG[2] waltz16
PCPD2 70.00 usec
PLM2 12.55000019 W
PLM12 0.18072000 W
PLM13 0.09855400 W

F2 - Processing parameters
SI 32768
SF 150.9027891 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20190117_Pyrethrin II Allylic alcohol

EXPNO 11
PROCNO 1

F2 - Acquisition Parameters

Date_ 20190117
Time_ 17.16
INSTRUM spect
PROBHD 5 mm PABSI 1H/
PULPROG cosyqppmfpchpp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 4464.286 Hz
FIDRES 2.179827 Hz
AQ 0.2293760 sec
RG 2050
DW 112.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00010130 sec
D1 1.90996894 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00022400 sec

CHANNEL f1

SFO1 600.1321673 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P17 2500.00 usec
PLM1 12.55000019 W
PLM10 1.30999994 W

GRADIENT CHANNEL

GPNAME[1] SINE210.100

GPNAME[2] SINEQ10.100

GPZ1 10.00 %

GPZ2 20.00 %

P16 1000.00 usec

F1 - Acquisition parameters

TD 256

SFO1 600.1322 MHz

FIDRES 17.438616 Hz

SW 7.439 ppm

FnMODE States-TFF1

F2 - Processing parameters

SI 1024

SF 600.1300296 MHz

WDW QSINE

SSB 2

LB 0 Hz

GB 0

PC 1.40

F1 - Processing parameters

SI 1024

MC2 States-TFF1


SF 600.1300274 MHz


WDW QSINE

SSB 2

LB 0 Hz

GB 0





Current Data Parameters
NAME 20190117 Pyrethrin II Allylic alcohol
EXPNO 14
PRCCNO 1

F2 - Acquisition Parameters
Date_ 20190117
Time 19.51
INSTRUM spect
PROBHD 5 mm PABSI 1H/
PULPROG hsqcet3pp
TD 1024
SOLVENT CDCl3
NS 45
DS 16
SWH 4201.681 Hz
FIDRES 4.103204 Hz
AQ 0.1218560 sec
RG 2050
DW 119.000 usec
DE 6.50 usec
TE 299.2 K
CPSMTR 145.0000000
D0 0.00000300 sec
D1 1.44368005 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
ZGOPTNS

CHANNEL f1 -----
SF01 600.1322686 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P2g 1000.00 usec
PLM1 12.55000019 W


CHANNEL f2 -----
SF02 150.9140636 MHz
NUC2 13C
CPDPGRG[2] 90°
P3 18.00 usec
P4 32.00 usec
PCPD2 60.00 usec
PLM2 110.76000214 W
PLM12 7.87610006 W

GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SF01 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300209 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
M2 echo-antiecho
SF 150.907813 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190121_Pyrethrin II OH MAJOR
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters

Date_ 20190121
Time 8.41
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG noesypph
TD 4096
SOLVENT CDCl3
NS 2
DS 16
SWH 5411.255 Hz
FIDRES 1.321107 Hz
AQ 0.3784704 sec
RG 203
DW 92.400 usec
DE 6.50 usec
TE 298.2 K
D0 0.00008170 sec
D1 3.0000000 sec
D8 0.6000002 sec
D16 0.00020000 sec
INO 0.00018480 sec


----- CHANNEL f1 -----
SFO1 600.1323960 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
PLW1 12.55000019 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 40.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 397
SFO1 600.1324 MHz
FIDRES 13.630366 Hz
SW 9.017 ppm
FnMODE States-TPPI

F2 - Processing parameters
SI 4096
SF 600.1300252 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.00

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 600.1300210 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0



4'S-51b NMR Characterisation






Current Data Parameters
NAME 20190123 Pyrethrin II OH MINOR
EXPNO 20
PROCNO 1

F2 - Acquisition Parameters
Date 20190123
Time 18.28
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TDO 1

----- CHANNEL f1 -----
SFO1 600.1337060 MHz
NUC1 1H
P1 8.40 usec
PLW1 12.55000019 W

F2 - Processing parameters
SI 65536
SF 600.1300305 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00






Current Data Parameters
NAME 20190121_Pyrethrin II Minor OH
EXENO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190121
Time 22.33
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zgppg30
TD 65536
SOLVENT CDCl3
NS 6144
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 1440
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 16.00 usec
PLW1 110.76000214 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 12.55000019 W
PLW12 0.18072000 W
PLW13 0.08855400 W

F2 - Processing parameters
SI 32768
SF 150.9027895 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
 NAME 20190125 Pyrethrin II OH MINOR
 EXNO 11
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20190125
 Time 10.54
 INSTRUM spect
 PROBHD 5 mm PABBI 1H/
 PULPROG cosygppmfpffpp
 TD 2048
 SOLVENT CDCl3
 NS 6
 DS 4
 SWH 4201.681 Hz
 FIDRES 2.051602 Hz
 AQ 0.2437120 sec
 RG 2050
 DW 119.000 usec
 DE 6.50 usec
 TE 298.2 K
 D0 0.00010830 sec
 D1 1.89473295 sec
 D11 0.03000000 sec
 D12 0.00002000 sec
 D16 0.00002000 sec
 INO 0.00023800 sec

===== CHANNEL f1 =====
 SFO1 600.1322665 MHz
 NUC1 1H
 P1 8.40 usec
 P2 16.80 usec
 P17 2500.00 usec
 PLW1 12.55000019 W
 PLW10 1.30999994 W

===== GRADIENT CHANNEL =====
 GENAM[1] SMSQ10.100
 GENAM[2] SMSQ10.100
 GPZ1 10.00 *
 GPZ2 20.00 *
 P16 1000.00 usec

F1 - Acquisition parameters
 TD 124
 SFO1 600.1323 MHz
 FIDRES 33.884521 Hz
 SW 7.001 ppm
 FnMODE States-TPPI

F2 - Processing parameters
 SI 1024
 SF 600.1300272 MHz
 WDW QSINE
 SSB 2
 LB 0 Hz
 GB 0
 PC 1.40

F1 - Processing parameters
 SI 1024
 MC2 States-TPPI
 SF 600.1300209 MHz
 WDW QSINE
 SSB 2
 LB 0 Hz
 GB 0



Current Data Parameters
NAME: 20190118_Pyrothrin II Alcohol Minor diastereomer
EXPNO: 12
PROCNO: 1

F2 - Acquisition Parameters

Date: 20190119
Time: 12:26
DSTBDM: spect
PROBID: 5 mm PABET 1H/
PULPROG: hsqcetgp
TD: 65536
SOLVENT: CDCl3
NS: 70
DS: 16
SWH: 4347.042 Hz
FIDRES: 4.245324 Hz
AQ: 0.1177600 sec
RG: 2050
DW: 115.000 usec
DE: 6.50 usec
TE: 298.3 K
CPDGT2: 145.000
D0: 0.0000320 sec
D1: 1.4477596 sec
D4: 0.00172414 sec
D11: 0.0002000 sec
D16: 0.0002000 sec
IM: 0.0002000 sec
ZGOPTNS:

===== CHANNEL f1 =====
SF01: 600.1322032 MHz
NUC1: 1H
D1: 8.0 usec
P2: 16.00 usec
P28: 1000.00 usec
PLN1: 12.5500019 W


===== CHANNEL f2 =====
SF02: 150.9140636 MHz
NUC2: 13C
CPDPRG[2]: 34TP
P3: 16.00 usec
P4: 32.00 usec
PCPD2: 50.00 usec
PLN2: 110.7600014 W
PLNL2: 7.87610006 W

===== GRADIENT CHANNEL =====
GRNM[1]: SM5101.100
GRNM[2]: SM5101.100
GFZ1: 80.00 %
GFZ2: 20.10 %
PL6: 1000.00 usec

F1 - Acquisition parameters
TD: 65536
SF01: 150.91411 MHz
FIDRES: 97.656250 Hz
SW: 165.657 ppm
PMLINE: Echo-Antiecho

F2 - Processing parameters
SI: 1024
SF: 600.1320000 MHz
WDW: QSINE
SSB: 2
LB: 0 Hz
GB: 0
PC: 1.40

F1 - Processing parameters
SI: 1024
MC2: echo-antiecho
SF: 150.9628085 MHz
WDW: QSINE
SSB: 2
LB: 0 Hz
GB: 0





Current Data Parameters
NAME 20190121 Pyrethrin II OH MINOR
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date 20190121
Time 13.10
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG noesypph
TD 4096
SOLVENT CDCl3
NS 2
DS 16
SWH 5411.255 Hz
FIDRES 1.321107 Hz
AQ 0.3784704 sec
RG 575
DW 92.400 usec
DE 6.50 usec
TE 298.2 K
D0 0.00008170 sec
D1 3.0000000 sec
D8 0.60000002 sec
D16 0.00020000 sec
INO 0.00018480 sec


----- CHANNEL f1 -----
SFO1 600.1323960 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
PLW1 12.55000019 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 40.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 384
SFO1 600.1324 MHz
FIDRES 14.091811 Hz
SW 9.017 ppm
FnMODE States-TIPPI

F2 - Processing parameters
SI 4096
SF 600.1300256 MHz
NDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.00

F1 - Processing parameters
SI 1024
MC2 States-TIPPI
SF 600.1300184 MHz
NDW QSINE
SSB 0
LB 0 Hz
GB 0




51b IR Spectrum


Analyst
Date

Analyst
Monday, 5 November 2018 1:52 PM

PerkinElmer Spectrum Version 10.4.2
Monday, 5 November 2018 1:52 PM



4'R-52a NMR Characterisation




Current Data Parameters
NAME 20190218 Pyrethrin I Acetate MAJOR
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190218
Time 18.32
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 322
DW 41.600 usec
DE 6.50 usec
TE 298.1 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 =====
SF01 600.1337061 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.0000000 W

F2 - Processing parameters
SI 65536
SF 600.1300256 MHz
WDW no
SSB 0 Hz
LB 0 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20190218_Pyrethrin_I_Acetate.MJ^A
EXPNO 22
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190218
Time_ 21.23
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgppg10
TD 65536
SOLVENT CDCl₃
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPFG[2] waltz16
PCPD2 70.00 usec
PLW2 17.0000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9027902 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20190218_Pyrethrin_I_Acetate_MAJOR
EXPNO 21
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190218
Time 18.54
INSTRUM spect
PROBHD 5 mm PABBO BB/
PLPROG $\cos\gamma\text{ppmrf}$
TD 2048
SOLVENT CDCl₃
NS 1
DS 10
SWH 4587.156 Hz
FIDRES 2.239822 Hz
AQ 0.2232320 sec
RG 161
DW 109.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.0000300 sec
D1 1.30456295 sec
D11 0.0300000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
TIN 0.00021800 sec


===== CHANNEL f1 =====
SFO1 600.1323992 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GP21 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1324 MHz
FIDRES 35.837154 Hz
SW 7.644 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300252 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300274 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190218_Pyrethrin_I_Acetate_MAJOR
EXPNO 24
PROCNO 1

F2 - Acquisition Parameters
Date 20190218
Time 21:31
INSTRUM spect
PROBHD 5 mm PABBO BB/
DULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4672.897 Hz
FIDRES 4.563376 Hz
AQ 0.1095680 sec
RG 2050
DW 107.000 usec
DE 6.50 usec
TE 298.3 K
CNST2 145.0000000
D0 0.00000300 sec
D1 1.45596802 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324365 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P28 1000.00 usec
PLW1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CEDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 80.00000000 W
PLW12 3.20000005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec


P1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FA MODE Echo-Antiecho

P2 - Processing parameters
SI 1024
SF 600.1300252 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

P1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028159 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0



4'S-52a NMR Characterisation




Current Data Parameters
 NAME 20190225 PI Acetate Minor
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20190225
 Time 18.41
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 32
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 256
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.0000000 sec
 TDO 1

===== CHANNEL f1 =====
 SFO1 600.1337061 MHz
 NUC1 1H
 P1 13.50 usec
 PLW1 17.0000000 W

F2 - Processing parameters
 SI 65536
 SF 600.1300258 MHz
 WDW no
 SSB 0
 LB 0 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20190225 PI Acetate Minor
EXPNO 22
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190225
Time 21.28
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPGR[2] waltz16
PCPD2 70.00 usec
PLW2 17.0000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9027908 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20190225 PI Acetate Minor
EXPNO 21
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190225
Time 18.59
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppcf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 4587.156 Hz
FIDRES 2.239822 Hz
AQ 0.2232320 sec
RG 144
DW 109.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.90456295 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00021800 sec


----- CHANNEL f1 -----
SFO1 600.1323978 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1324 MHz
FIDRES 35.837154 Hz
SW 7.644 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300256 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300261 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190225 PI Acetate Minor
EXPNO 24
PROCNO 1

F2 - Acquisition Parameters
Date 20190225
Time 21:37
INSTRUM spect
PROBHD 5 mm PABBO BB/
DULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4587.156 Hz
FIDRES 4.479644 Hz
AQ 0.1116160 sec
RG 2050
DW 109.000 usec
DE 6.50 usec
TE 298.3 K
CNST2 145.0000000
D0 0.0000300 sec
D1 1.45392001 sec
D4 0.00172414 sec
D11 0.0300000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324175 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P28 1000.00 usec
PLW1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPFG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 80.00000000 W
PLW12 3.20000005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec


F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FA MODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300234 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40


F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028227 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0



52a IR Spectrum



4'R-52b NMR Characterisation




Current Data Parameters
 NAME 20190220 PII Acetate MAJOR
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date 20190220
 Time 17.35
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 16
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 322
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.0000000 sec
 TDO 1

===== CHANNEL f1 =====
 SF01 600.1337061 MHz
 NUC1 1H
 P1 13.50 usec
 PLW1 17.0000000 W

F2 - Processing parameters
 SI 65536
 SF 600.1300283 MHz
 WDW no
 SSB 0
 LB 0 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20190220 PII Acetate MAJOR
EXPNO 22
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190220
Time 20.14
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl₃
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 ¹³C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 ¹H
CPDPRG[2 waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9027925 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20190220 PII Acetate MAJOR
EXPNO 21
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190220
Time 17.45
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppcf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 4237.288 Hz
FIDRES 2.068988 Hz
AQ 0.2416640 sec
RG 161
DW 118.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.88613105 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
IN0 0.00023600 sec


----- CHANNEL f1 -----
SFO1 600.1322008 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1322 MHz
FIDRES 33.103813 Hz
SW 7.061 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1299971 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1299966 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190220_P11_Acetate_MAJOR
EXPNO 24
PROCNO 1

P2 - Acquisition Parameters
Date 20190220
Time 20.22
INSTRUM spect
PROBHD 5 mm PABBO BB/
DULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4201.681 Hz
FIDRES 4.103204 Hz
AQ 0.1218560 sec
RG 2050
DW 119.000 usec
DE 6.50 usec
TE 298.3 K
CNST2 145.000000
D0 0.00000300 sec
D1 1.44368005 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1322258 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P28 1000.00 usec
PLW1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPFG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 80.00000000 W
PLW12 3.20000005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SNSQ10.100
GPNAME[2] SNSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec


P1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FA MODE Echo-Antiecho

P2 - Processing parameters
SI 1024
SF 600.1300260 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

P1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9027807 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0



4'S-52b NMR Characterisation



Current Data Parameters
NAME 20190226 Pyrethrin II Acetate Minor
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190226
Time 17:11
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 287
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 600.1337061 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.0000000 W

F2 - Processing parameters
SI 65536
SF 600.1300261 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00




Current Data Parameters
NAME 20190226_Pyrethrin II Acetate Minor
EXPNO 22
PROCNO 1


F2 - Acquisition Parameters
Date_ 20190226
Time 21.20
INSTRUM spect
PROBHD 5 mm PARBO BB/
PULPROG zgppg30
TD 65536
SOLVENT CDCl3
NS 3096
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178986 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 76.00 usec
PLW2 17.0000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9027906 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.40





Current Data Parameters
NAME 20190226 Pyrethrin II Acetate Minor
EXPNO 21
PROCNO 1

P2 - Acquisition Parameters
Date_ 20190226
Time 17:59
INSTRUM spect
PROBHD 5 mm PARBO BB/
PULPROG *cosyqppprf*
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 4629.629 Hz
FIDRES 2.260561 Hz
AQ 0.2211840 sec
RG 144
DW 108.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.000030 sec
D1 1.90661097 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
IN0 0.00021600 sec

----- CHANNEL f1 -----
SFO1 600.1323879 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1324 MHz
FIDRES 36.168980 Hz
SW 7.714 ppm
FnMODE QF

P2 - Processing parameters
SI 1024
SF 600.1300249 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300256 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0



Current Data Parameters
NAME 20190226 Pyrethrin II Acetate Minor
EXPNO 24
PROCNO 1

F2 - Acquisition Parameters

Date_ 20190226
Time_ 21.28
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4629.629 Hz
FIDRES 4.521122 Hz
AQ 0.1105920 sec
RG 2050
DW 108.000 usec
DE 6.50 usec
TE 298.3 K
CNST2 145.000000
D0 0.00000300 sec
D1 1.45494401 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1323855 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P28 1000.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 80.0000000 W
PLW12 3.2000005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GP11 50.00 %
GP12 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
PIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300250 MHz
WDW QSTINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028175 MHz
WDW QSTINE
SSB 2
LB 0 Hz
GB 0




52b IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Friday, 30 November 2018 9:10 AM

Analyst
Date

Analyst
Friday, 30 November 2018 9:10 AM



Representative ^1H NMR showing dihydropyrethrin 55




Current Data Parameters
NAME 20180614 Hydrogenation Pyrethrin I
EXPNO 10
PROCNO 1

#2 - Acquisition Parameters
Date_ 20180614
Time 10.25
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 114
DW 41.600 usec
DE 6.50 usec
TK 298.2 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 8.40 usec
PLW1 12.55000019 W

#2 - Processing parameters
SI 65536
SF 600.1300249 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00

53a NMR Characterisation




Current Data Parameters
 NAME 20180904 Hydrogenation PI
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20180904
 Time 18.28
 INSTRUM spect
 PROBHD 5 mm PABBI 1H/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 64
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 161
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.0000000 sec
 TDO 1

===== CHANNEL f1 =====
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 8.40 usec
 PLW1 12.55000019 W

F2 - Processing parameters
 SI 65536
 SF 600.1300297 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20180904 Hydrogenation PI
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20180904
Time 20.13
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zpg30
TD 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 1820
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 16.00 usec
PLW1 110.76000214 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 12.55000019 W
PLW12 0.18072000 W
PLW13 0.08855400 W

F2 - Processing parameters
SI 32768
SF 150.9027920 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20180904_Hydrogenation.PI
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Date 20180904
Time 20.20
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG cosygppfhhpg
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 3816.794 Hz
FIDRES 1.863669 Hz
AQ 0.2682880 sec
RG 2050
DW 131.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00012030 sec
D1 1.87015700 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
IN0 0.00026200 sec


----- CHANNEL f1 -----
SFO1 600.1318677 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P17 2500.00 usec
PLW1 12.55000019 W
PLW10 1.30999994 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1319 MHz
FIDRES 14.909351 Hz
SW 6.360 ppm
FnMODE States-TPPI

F2 - Processing parameters
SI 1024
SF 600.1300271 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 600.1300277 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20180904 Hydrogenation PI
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date 20180904
Time 21.10
INSTRUM spect
PROBHD 5 mm PABBT18/
DULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 3616.794 Hz
FIDRES 3.727338 Hz
AQ 0.1341440 sec
RG 2050
DW 131.000 usec
DE 6.50 usec
TE 298.0 K
CNST2 145.0000000
D0 0.00000300 sec
D1 1.43139195 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1318677 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P28 1000.00 usec
PLW1 12.55000019 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CEDPRG[2] garp
P3 16.00 usec
P4 32.00 usec
PCPD2 60.00 usec
PLW2 110.76000214 W
PLW12 7.87610006 W

===== GRADIENT CHANNEL =====
GPNAME[1] SNSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FA MODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300915 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9027851 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0




53a IR Spectrum


PerkinElmer Spectrum Version 10.4.2
Wednesday, 17 October 2018 3:00 PM


Analyst:
Date

Analyst
Wednesday, 17 October 2018 3:00 PM



53b NMR Characterisation





Current Data Parameters
NAME 20180914_Hydrogenation_Pyrethrin_II
EXPNO 30
PROCNO 1

F2 - Acquisition Parameters

Date_ 20180914
Time 21.08
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zgppg30
TD 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 1440
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 16.00 usec
PLW1 110.76000214 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPFG[2] waltz16
PCPD2 76.00 usec
PLW2 12.55000019 W
PLW12 0.18072000 W
PLW13 0.08855400 W

F2 - Processing parameters
SI 32768
SF 150.9027904 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20180914_Hydrogenation_Pyrethrin II
EXPNO 32
PROCNO 1

P2 - Acquisition Parameters
Date_ 20180914
Time 21:35
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG cosygppmfpbbp
TD 2048
SOLVENT CDCl3
NS 10
DS 4
SWH 4132.231 Hz
FIDRES 2.017691 Hz
AQ 0.2478080 sec
RG 2050
DW 121.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00011030 sec
D1 1.89063704 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
IN0 0.00024200 sec


===== CHANNEL f1 =====
SFO1 600.1321235 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P17 2500.00 usec
PLW1 12.5500019 W
PLW10 1.30999994 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1321 MHz
FIDRES 16.141529 Hz
SW 6.886 ppm
PwMODE States-TPPI

P2 - Processing parameters
SI 1024
SF 600.1300327 MHz
WDW QSIMSE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 600.1300295 MHz
WDW QSIMSE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20180914 Hydrogenation Pyrethrin II
EXPNO 34
PROCNO 1

P2 - Acquisition Parameters

Date_ 20180914
Time_ 23.37
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4464.286 Hz
FIDRES 4.359654 Hz
AQ 0.1146880 sec
RG 2050
DW 112.000 usec
DE 6.50 usec
TE 298.0 K
CNST2 145.000000
D0 0.00000300 sec
D1 1.45084798 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====

SFO1 600.1319837 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P28 1000.00 usec
PLW1 12.55000019 W

===== CHANNEL f2 =====

SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 16.00 usec
P4 32.00 usec
PCPD2 60.00 usec
PLW2 110.76000214 W
PLW12 7.87610006 W

===== GRADIENT CHANNEL =====

GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GP11 50.00 %
GP12 20.10 %
P16 1000.00 usec

P1 - Acquisition parameters


TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

P2 - Processing parameters

SI 1024
SF 600.1300288 MHz
WDW QSTINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

P1 - Processing parameters

SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSTINE
SSB 2
LB 0 Hz
GB 0




53b IR Spectrum


PerkinElmer Spectrum Version 10.4.2
Wednesday, 17 October 2018 3:01 PM

Analyst:
Date

Analyst
Wednesday, 17 October 2018 3:01 PM



34a NMR Characterisation




Current Data Parameters
NAME 20190404 Trans PI CLEAN
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190405
Time 3.28
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl₃
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 287
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TD0 1

----- CHANNEL f1 -----
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300263 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20190404 Trans PI CLEAN
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190405
Time 5.59
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TDO 1

----- CHANNEL f1 -----
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPGRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9027893 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20190404 Trans PI CLEAN
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date 20190405
Time 3.30
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppcf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 4545.455 Hz
FIDRES 2.219460 Hz
AQ 0.2252800 sec
RG 144
DW 110.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.90251505 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00022000 sec


----- CHANNEL f1 -----
SFO1 600.1324241 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1324 MHz
FIDRES 35.511364 Hz
SW 7.574 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300250 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300264 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190404 Trans PI CLEAN
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date 20190405
Time 6:44
INSTRUM spect
PROBHD 5 mm PABBO BB/
DULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4464.286 Hz
FIDRES 4.359654 Hz
AQ 0.1146880 sec
RG 2050
DW 112.000 usec
DE 6.50 usec
TE 298.2 K
CNST2 145.000000
D0 0.00000300 sec
D1 1.45084798 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324484 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P28 1000.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 80.0000000 W
PLW12 3.2000005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SNSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 137
SFO1 150.9141 MHz
FIDRES 182.481750 Hz
SW 165.657 ppm
FA MODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300246 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028116 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0




34a IR Spectrum


PerkinElmer Spectrum Version 10.4.2
Wednesday, 17 October 2018 3:01 PM

Analyst
Date

Analyst
Wednesday, 17 October 2018 3:01 PM



34b NMR Characterisation




Current Data Parameters
NAME 20181008 Transfer Hydrogenation PII
EXPNO 20
PROCNO 1

F2 - Acquisition Parameters
Date 20181008
Time 17.10
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 90.5
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TDO 1

===== CHANNEL f1 =====
SF01 600.1337060 MHz
NUC1 1H
P1 8.40 usec
PLW1 12.55000019 W

F2 - Processing parameters
SI 65536
SF 600.1300270 MHz
WDW EM
SSB 0 0.30 Hz
LB 0
GB 0
PC 1.00



Current Data Parameters
NAME 20181008 Transfer Hydrogenation PII
EXPNO 21
PROCNO 1

F2 - Acquisition Parameters

Date_ 20181008
Time 18.16
INSTRUM spect
PROBHD 5 mm PAB511H/
PULPROG zgppg30
TD 65536
SOLVENT CDCl3
NS 1024
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 1620
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====

SFO1 150.9178988 MHz
NUC1 13C
P1 16.00 usec
PLW1 110.76000214 W

===== CHANNEL f2 =====

SFO2 600.1324005 MHz
NUC2 1H
CPDPFG[2 waltz16
PCPD2 70.00 usec
PLW2 12.55000019 W
PLW12 0.18072000 W
PLW13 0.08855400 W

F2 - Processing parameters

SI 32768
SF 150.9027908 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20181008 Transfer Hydrogenation PII
EXPNO 23
PROCNO 1

F2 - Acquisition Parameters
Date_ 20181008
Time_ 18.23
INSTRUM spect
PROBHD 5 mm PABBT1H/
PULPROG cosygppmiphpp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 4716.981 Hz
FIDRES 2.303213 Hz
AQ 0.2170880 sec
RG 2050
DW 106.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00009530 sec
D1 1.32135704 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
TIN 0.00021200 sec


===== CHANNEL f1 =====
SF01 600.1323382 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P17 2500.00 usec
PLW1 12.55000019 W
PLW10 1.30999994 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMS10.100
GPNAME[2] SMSQ10.100
GP21 10.00 %
GP22 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SF01 600.1323 MHz
FIDRES 18.425707 Hz
SW 7.660 ppm
FnMODE States-TPPPI

F2 - Processing parameters
SI 1024
SF 600.1300250 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TPPPI
SF 600.1300203 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20181008 Transfer Hydrogenation PII
EXPNO 24
PROCNO 1

P2 - Acquisition Parameters
Date_ 20181008
Time_ 19.12
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 35
DS 16
SWH 4716.981 Hz
FIDRES 4.606427 Hz
AQ 0.1085440 sec
RG 2050
DW 106.000 usec
DE 6.50 usec
TE 298.1 K
CNST2 145.000000
D0 0.00000300 sec
D1 1.45699203 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1323382 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P28 1000.00 usec
PLW1 12.55000019 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 16.00 usec
P4 32.00 usec
PCPD2 60.00 usec
PLW2 110.76000214 W
PLW12 7.87610006 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GP11 50.00 %
GP12 20.10 %
P16 1000.00 usec

P1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

P2 - Processing parameters
SI 1024
SF 600.1300239 MHz
WDW QSTINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

P1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028240 MHz
WDW QSTINE
SSB 2
LB 0 Hz
GB 0




34b IR Spectrum


PerkinElmer Spectrum Version 10.4.2
Wednesday, 17 October 2018 3:02 PM

Analyst
Date

Analyst
Wednesday, 17 October 2018 3:02 PM



25a NMR Characterisation




Current Data Parameters
 NAME 20190404 Iso PI CLEAN
 EXPNO 10
 PROBNO 1

F2 - Acquisition Parameters
 Date_ 20190404
 Time 19.08
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 64
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 287
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.0000000 sec
 TDO 1

===== CHANNEL f1 =====
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 13.50 usec
 PLW1 17.0000000 W

F2 - Processing parameters
 SI 65536
 SF 600.1300277 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20190404 Iso PI CLEAN
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date 20190404
Time 21.39
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 ¹³C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 ¹H
CPDPKG[2] waltz16
PCPD2 70.00 usec
PLW2 17.0000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9027898 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20190404 Iso PI CLEAN
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190404
Time 19.10
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppcf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 4807.692 Hz
FIDRES 2.347506 Hz
AQ 0.2129920 sec
RG 144
DW 104.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.91480303 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00020800 sec


----- CHANNEL f1 -----
SFO1 600.1325742 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1326 MHz
FIDRES 37.560097 Hz
SW 8.01 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300254 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300271 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190404 Iso PI CLEAN
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190404
Time 21.44
INSTRUM spect
PROBHD 5 mm PABBO BB/
DULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4761.905 Hz
FIDRES 4.650298 Hz
AQ 0.1075200 sec
RG 2050
DW 105.000 usec
DE 6.50 usec
TE 298.3 K
CNUST2 145.0000000
D0 0.00000300 sec
D1 1.45801604 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1325854 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P28 1000.00 usec
PLW1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CETPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 80.0000000 W
PLW12 3.2000005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GP11 80.00 %
GP12 20.10 %
P16 1000.00 usec

P1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FA MODE Echo-Antiecho

P2 - Processing parameters
SI 1024
SF 600.1300256 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

P1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028185 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0




25a IR Spectrum


PerkinElmer Spectrum Version 10.4.2
Friday, 16 November 2018 2:10 PM

Analyst
Date

Analyst
Friday, 16 November 2018 2:10 PM



25b NMR Characterisation



Current Data Parameters
 NAME 20181008 Transfer Hydrogenation PII
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters


Date 20181008
 Time 17.03
 INSTRUM spect
 PROBHD 5 mm PABBI 1H/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 64
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 71.8
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.0000000 sec
 TDO 1

CHANNEL f1

SFO1 600.1337060 MHz
 NUC1 1H
 PI 8.40 usec
 PLW1 12.55000019 W

F2 - Processing parameters

SI 65536
 SF 600.1300267 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20181008 Transfer Hydrogenation PII
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters

Date_ 20181008
Time 3.59
INSTRUM spect
PROBHD 5 mm PARBI 1H/
PULPROG zgppg30
TD 65536
SOLVENT CDCl3
NS 1024
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 1820
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 16.00 usec
PLW1 110.76000214 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPFG[2] waltz16
PCPD2 76.00 usec
PLW2 12.55000019 W
PLW12 0.18072000 W
PLW13 0.08855400 W

F2 - Processing parameters
SI 32768
SF 150.9027924 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20181107 Isopyrethrin II
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date 20181107
Time 9.58
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG cosygpppcf
TD 2048
SOLVENT CDCl3
NS 5
DS 8
SWH 5000.000 Hz
FIDRES 2.441406 Hz
AQ 0.2048000 sec
RG 64
DW 100.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.92299497 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.0000400 sec
D16 0.00020000 sec
INO 0.00020000 sec


----- CHANNEL f1 -----
SFO1 600.1324960 MHz
NUC1 1H
P0 8.40 usec
P1 8.40 usec
P17 2500.00 usec
PLW1 12.55000019 W
PLW10 1.30999994 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1325 MHz
FIDRES 39.062500 Hz
SW 8.331 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300342 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300265 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20181008 Transfer Hydrogenation PII
EXPNO 14
PROCNO 1

P2 - Acquisition Parameters
Date_ 20181008
Time_ 14:45:55
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 35
DS 16
SWH 5050.505 Hz
FIDRES 4.932134 Hz
AQ 0.1013760 sec
RG 2050
DW 99.000 usec
DE 6.50 usec
TE 298.1 K
CNUST2 145.0000000
D0 0.00000300 sec
D1 1.46415997 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324643 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P28 1000.00 usec
PLW1 12.55000019 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPGRG[2] garp
P3 16.00 usec
P4 32.00 usec
PCPD2 60.00 usec
PLW2 110.76000214 W
PLW12 7.87610006 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GP11 50.00 %
GP12 20.10 %
P16 1000.00 usec

P1 - Acquisition parameters
TD 1024
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

P2 - Processing parameters
SI 1024
SF 600.1300237 MHz
WDW QSTINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

P1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028198 MHz
WDW QSTINE
SSB 2
LB 0 Hz
GB 0




25b IR Spectrum


PerkinElmer Spectrum Version 10.4.2
Friday, 16 November 2018 2:11 PM

Analyst:
Date

Analyst
Friday, 16 November 2018 2:11 PM



Semi-synthetic 7a + 53a mixture NMR Characterisation




Current Data Parameters
 NAME 20180704 Diimide Reduction PI
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20180704
 Time 18.13
 INSTRUM spect
 PROBHD 5 mm PABBI 1H/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 64
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 181
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.0000000 sec
 TDO 1

----- CHANNEL f1 -----
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 8.40 usec
 PLW1 12.55000019 W

F2 - Processing parameters
 SI 65536
 SF 600.1300237 MHz
 WDW no
 SSB 0
 LB 0 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20180704 Diimide Reduction PI
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20180704
Time 19.12
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 1024
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 1820
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TDO 1

----- CHANNEL f1 -----
SFO1 150.917898 MHz
NUC1 13C
P1 16.00 usec
PLW1 110.76000214 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 12.55000019 W
PLW12 0.18072000 W
PLW13 0.08855400 W

F2 - Processing parameters
SI 32768
SF 150.9027915 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20180704_Diimide Reduction PI
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20180704
Time 18:15
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG cosyppppgf
TD 2048
SOLVENT CDCl3
NS 1
DS 8
SWH 4672.897 Hz
FIDRES 2.281688 Hz
AQ 0.2191360 sec
RG 64
DW 107.000 usec
DE 6.50 usec
TB 298.2 K
D0 0.00000300 sec
D1 1.90865898 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00021400 sec


===== CHANNEL f1 =====
SFO1 600.1323996 MHz
NUC1 1H
P0 8.40 usec
P1 8.40 usec
P17 2500.00 usec
PLW1 12.55000019 W
PLW10 1.30999994 W

===== GRADIENT CHANNEL =====
GPBNM[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1324 MHz
FIDRES 36.507008 Hz
SW 7.786 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300204 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300260 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20180704 Dimide Reduction PI
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date 20180704
Time 19.18
INSTRUM spect
PROBHD 5 mm PABBO 1H/
DULPROG
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4607.692 Hz
FIDRES 4.695012 Hz
AQ 0.1064960 sec
RG 2050
DW 104.000 usec
DE 6.50 usec
TE 298.0 K
CNST2 145.000000
D0 0.00000300 sec
D1 1.45904005 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1323536 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P28 1000.00 usec
PLW1 12.55000019 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPFG[2] garp
P3 16.00 usec
P4 32.00 usec
PCPD2 60.00 usec
PLW2 110.76000214 W
PLW12 7.87610006 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

P1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FA MODE Echo-Antiecho

P2 - Processing parameters
SI 1024
SF 600.1300242 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

P1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028278 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0




Semi-synthetic 7a + 53a mixture IR Spectrum



PerkinElmer Spectrum Version 10.4.2
Wednesday, 17 October 2018 2:58 PM

Analyst
Date


Analyst
Wednesday, 17 October 2018 2:58 PM



Semi-synthetic 7a + 53a mixture LC-MS



Semi-synthetic 7b + 53b mixture NMR Characterisation




Current Data Parameters
 NAME 20180831_JII (Diimide reduction)
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20180831
 Time 18.02
 INSTRUM spect
 PROBHD 5 mm PABBI 1H/
 PULPROG zq30
 TD 65536
 SOLVENT CDCl3
 NS 64
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 203
 DW 41.600 us
 DE 6.50 us
 TE 298.2 K
 D1 1.0000000 sec
 TDO 1

===== CHANNEL f1 =====
 SF01 600.1337060 MHz
 NUC1 1H
 P1 8.40 us
 PLW1 12.55000019 W

F2 - Processing parameters
 SI 65536
 SF 600.1300252 MHz
 WDW no
 SSB 0
 LB 0 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20180831_JII (Diimide reduction)
EXPTNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20180831
Time_ 19.55
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 1820
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

----- CHANNEL f1 -----
SFO1 150.9178988 MHz
NUC1 13C
P1 16.00 usec
PLW1 110.76000214 W

----- CHANNEL f2 -----
SFO2 600.1524005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 12.55000019 W
PLW12 0.18072000 W
PLW13 0.08055400 W

F2 - Processing parameters
SI 32768
SF 150.9027891 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20180831_JII (Diimide reduction)
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Date_ 20180831
Time_ 20.19
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG cosygppmfpbpp
TD 2048
SOLVENT CDCl3
NS 15
DS 4
SWH 4054.369 Hz
FIDRES 2.370297 Hz
AQ 0.2109440 sec
RG 2050
DW 103.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.0000230 sec
D1 1.92750096 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INQ 0.00020600 sec


===== CHANNEL f1 =====
SFO1 600.1323522 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P17 2500.00 usec
PLW1 12.55000019 W
PLW10 1.30999994 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1324 MHz
FIDRES 18.962379 Hz
SW 8.089 ppm
PnMODE States-TPP1

F2 - Processing parameters
SI 1024
SF 600.1300312 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TPP1
SF 600.1300305 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20180831_JII (Diimide reduction)
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters

Date 20180831
Time 22:52
INSTRUM spect
PROBHD 5 mm PABBT18/
DULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4854.369 Hz
FIDRES 4.740595 Hz
AQ 0.1054720 sec
RG 2050
DW 103.000 usec
DE 6.50 usec
TE 298.0 K
CNST2 145.0000000
D0 0.00000300 sec
D1 1.46006405 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1323522 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P28 1000.00 usec
PLW1 12.55000019 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 16.00 usec
P4 32.00 usec
PCPD2 60.00 usec
PLW2 110.76000214 W
PLW12 7.87610006 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GP11 80.00 %
GP12 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FA MODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300246 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028264 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0




Semi-synthetic 7b + 53b mixture IR Spectrum



PerkinElmer Spectrum Version 10.4.2
Wednesday, 17 October 2018 2:59 PM

Analyst:
Date


Analyst
Wednesday, 17 October 2018 2:59 PM



Semi-synthetic 7b + 53b mixture LC-MS



Natural 7a NMR Characterisation




Current Data Parameters
NAME Natural Jasmolin I
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20191022
Time 17.17
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 161
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 =====
SF01 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.0000000 W

F2 - Processing parameters
SI 65536
SF 600.1300262 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME Natural Jasmolin I
EXPNO 11
PROCNO 1


F2 - Acquisition Parameters
Date_ 20191022
Time 17.48
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 603
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.00000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028135 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

Natural 7b NMR Characterisation




Current Data Parameters
NAME Natural Jasmolin II
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20191022
Time_ 17.55
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 228
DW 41.600 usec
DE 6.50 usec
TE 298.3 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 =====
SF01 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300260 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME Natural Jasmolin II
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20191022
Time 19.38
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.00000000 sec
D11 0.03000000 sec
TD0 1


===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 ¹³C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 ¹H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028144 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

Diels-Alder Chemistry Characterisation Data

71 NMR Characterisation




Current Data Parameters
NAME Bisphenyltetrazine
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20191108
Time 16.26
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 406
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 ======

SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300000 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00




71 IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Friday, 3 January 2020 10:55 AM

Analyst
Date

Analyst
Friday, 3 January 2020 10:55 AM



72 NMR Characterisation



Current Data Parameters
NAME 20190929_2pytetrazine
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190929
Time 11.52
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl₃
NS 16
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.00000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300175 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00




Current Data Parameters
NAME 20190929_2pytetrazine
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190930
Time 9.10
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgppg30
TD 65536
SOLVENT CDC13
NS 432
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028165 MHz
WDW no
SSB 0
LB 0 Hz
CB 0
PC 1.40




72 IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Friday, 3 January 2020 11:02 AM

Analyst
Date

Analyst
Friday, 3 January 2020 11:02 AM



73 NMR Characterisation




Current Data Parameters
NAME 3pyridyltetrazine
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20191108
Time 17.24
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.4 K
D1 1.0000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300295 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 3pyridyltetrazine
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20191108
Time 17.34
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 189
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TDO 1


===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2 waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W


F2 - Processing parameters
SI 32768
SF 150.9028151 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

73 IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 3 January 2020 11:09 AM



74 NMR Characterisation



Current Data Parameters
NAME 4pyridyltetrazine
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20191108
Time 17.40
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl₃
NS 16
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 322
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300260 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00




Current Data Parameters
NAME 4pyridyltetrazine
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20191108
Time 17.42
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 1024
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.3 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.0000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028163 MHz
WDW EM
SSB 0
LB 0 1.00 Hz
GB 0
PC 1.40




74 IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Friday, 3 January 2020 11:15 AM

Analyst
Date

Analyst
Friday, 3 January 2020 11:15 AM



76 NMR Characterisation



Current Data Parameters

NAME India Triaminoguanidine HCl
EXPNO 1210
PROCNO 1

F2 - Acquisition Parameters

Date 20190822
Time 7.57
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT DMSO
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 287
DW 41.600 usec
DE 6.50 usec
TE 298.1 K
D1 1.0000000 sec
TD0 1

----- CHANNEL f1 -----

SFO1 600.1337061 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.0000000 W

F2 - Processing parameters

SI 65536
SF 600.1300041 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00




Current Data Parameters
NAME 20200102 Triaminoguanidine HCl
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200102
Time 11.56
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT DMSO
NS 302
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.3 K
D1 2.0000000 sec
D11 0.03000000 sec
TDO 1


----- CHANNEL f1 -----
SFO1 150.917898 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPGRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028085 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



77 NMR Characterisation




Current Data Parameters
NAME 20200103 Dihydropyrazolyltetrazine
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date 20200103
Time 10.40
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 322
DW 41.600 usac
DE 6.50 usac
TE 298.2 K
D1 1.0000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usac
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300271 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20200103 Dihydropyrazolyltetrazine
EXPNO 13
PROCNO 1


F2 - Acquisition Parameters
Date 20200103
Time 20.36
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 us
DE 6.50 us
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.917898 MHz
NUC1 ¹³C
P1 12.00 us
PIW1 80.0000000 W


===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 ¹H
CPDPFG[2 waltz16
PCPD2 70.00 us
PIW2 17.0000000 W
PIW12 0.63230002 W
PIW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028142 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

77 IR Spectrum



⁷NMR Characterisation




Current Data Parameters
NAME 20200107 Pyrazolyltetrazine
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200107
Time 17.49
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl₃
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TD0 1

----- CHANNEL f1 -----
SF01 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.0000000 W

F2 - Processing parameters
SI 65536
SF 600.1300260 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20200107 Pyrazolyltetrazine
EXPNO 13
PROCNO 1


F2 - Acquisition Parameters
Date_ 20200107
Time 19.40
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

----- CHANNEL f1 -----
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W


----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028144 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

78 IR Spectrum



79 NMR Characterisation



Current Data Parameters
NAME 20200106 Dihydrazinyltetrazine
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200106
Time 17.34
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT DMSO
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 287
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
DI 1.0000000 sec
TDO 1

----- CHANNEL f1 -----
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.0000000 W

F2 - Processing parameters
SI 65536
SF 600.1300085 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00




Current Data Parameters
NAME 20200106 Dihydrazinyltetrazine
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200107
Time 9.15
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT DMSO
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

----- CHANNEL f1 -----
SFO1 150.917898 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.0000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028798 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40




79 IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Tuesday, 7 January 2020 1:46 PM

Analyst
Date

Analyst
Tuesday, 7 January 2020 1:46 PM



80 NMR Characterisation



Current Data Parameters
NAME 20200109 Dichlorotetrazine
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200109
Time 21.17
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zpgc30
TD 65536
SOLVENT CDCl3
NS 4096
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TDO 1

----- CHANNEL f1 -----
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.0000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W


F2 - Processing parameters
SI 32768
SF 150.9028132 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

80 IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Wednesday, 8 January 2020 9:22 AM

Analyst
Date

Analyst
Wednesday, 8 January 2020 9:22 AM



88a NMR Characterisation




Current Data Parameters
NAME 20200109 Phen I
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date 20200109
Time 21.24
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 322
DW 41.600 usec
DE 6.50 usec
TE 298.3 K
D1 1.0000000 sec
TDO 1

===== CHANNEL f1 =====
SF01 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.0000000 W

F2 - Processing parameters
SI 65536
SF 600.1300261 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20200109 Phen_I
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200109
Time 23.55
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zppg30
TD 65536
SOLVENT CDCl₃
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TDO 1

===== CHANNEL f1 ======
SFO1 150.9178988 MHz
NUC1 ¹³C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 ======
SFO2 600.1324005 MHz
NUC2 ¹H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028130 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200109 Phen I
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200109
Time 21.25
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosypprf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 5263.158 Hz
FIDRES 2.569901 Hz
AQ 0.1945600 sec
RG 161
DW 95.000 usec
DE 6.50 usec
TE 298.3 K
D0 0.00000300 sec
D1 1.93323505 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00019000 sec


----- CHANNEL f1 -----
SFO1 600.1327082 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 128
SFO1 600.1327 MHz
FIDRES 41.118420 Hz
SW 8.770 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300260 MHz
WOW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 OF
SF 600.1300248 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200109_Phen_I
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date 20200110
Time 0

INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetp
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 5208.333 Hz
FIDRES 5.086263 Hz
AQ 0.0983040 sec
RG 200.0
DW 96.000 usec
DE 6.50 usec
TE 298.1 K
CNSP2 145.000000
D0 0.000000 sec
D1 1.46723199 sec
D4 0.00172414 sec
D11 0.0300000 sec
D16 0.00020000 sec
IN0 0.0002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1327198 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPFG[2] 9.00
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 80.0000000 W
PLW12 3.20000005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 9.165625 Hz
DW 16.657 ppm
FmMode Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300253 MHz
NMW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40


F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028473 MHz
W1W QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME: 20200109_Phen_I
EXPNO: 15
PROCNO: 1

ppm F2 - Acquisition Parameters
Data_ 20200110
Time 5.40
INSTRUM spect
PROBHD 5 mm PABBO B7/
PULPROG hmbcpndqf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 5208.333 Hz
FIDRES 1.271566 Hz
AQ 0.3932160 sec
RG 2050
DW 96.000 usec
DE 6.50 usec
TE 299.2 K
CNUST13 8.0000000
D0 0.00000300 sec
D1 1.36237395 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec
===== CHANNEL f1 =====
SFO1 600.1327198 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W
===== CHANNEL F2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 80.00000000 W
===== GRADIENT CHANNEL =====
GPNAME[1] SMBQ10.100
GPNAME[2] SMBQ10.100
GPNAME[3] SMBQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec
P1 - Acquisition parameters
TD 79
SFO1 150.9179 MHz
FIDRES 424.772736 Hz
SW 222.353 ppm
FnMODE QF
P2 - Processing parameters
SI 1024
SF 600.1300269 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40
P1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028645 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




88a IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Friday, 3 January 2020 11:57 AM

Analyst
Date

Analyst
Friday, 3 January 2020 11:57 AM



88b NMR Characterisation



Current Data Parameters
NAME 20190929 InvDa PhenII
EXPNO 20
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190929
Time 13.13
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl₃
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 144
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.0000000 W

F2 - Processing parameters
SI 65536
SF 600.1300252 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00



51.81
41.95
35.66
32.97
30.62
22.89
22.29
20.38
14.13
12.86



Current Data Parameters
NAME 20190929_InvBa_PhenII
EXPNO 22
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190929
Time 16.14
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 3072
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028172 MHz
WDW EM
SSB 0 1.00 Hz
LB 0
GB 0 1.40
PC



Current Data Parameters
NAME 20190929_InvBa_PhenII
EXPNO 21
PROCNO 1

R2 - Acquisition Parameters
Date_ 20190929
Time 13.17
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosyppprf
TD 2048
SOLVENT CDCl3
NS 5
DS 8
SWH 5208.333 Hz
FIDRES 2.543132 Hz
AQ 0.1966080 sec
RG 64
DW 96.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.93118703 sec
D11 0.0300000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00019200 sec


----- CHANNEL f1 -----
SF01 600.1327516 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W


----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SF01 600.1328 MHz
FIDRES 40.690105 Hz
SW 8.679 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300257 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300258 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190929_InvD3_PhenII
EXPNO 24
PROCNO 1

F2 - Acquisition Parameters
Data_ 20190929
Time 16.19
INSTRUM spect
PROBPC 5 mm FABER BB/
PULPROG hsqcgp3
TD 1024
SWH 5319.49 Hz
FIDRES 5.19448 Hz
AQ 0.0962560 sec
RG 2050
DW 94.000 usec
DE 6.50 usec
TE 298.2 K
CPSIG2 145.0000000 sec
D0 0.0000300 sec
D1 1.46928000 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
ZGPPING 0.00002000 sec

===== CHANNEL f1 =====
SF01 600.1327458 MHz
NUC1 1H
P1 13.0 usec
P2 27.00 usec
P2B 1000.00 usec
PLW1 17.0000000 W

===== CHANNEL f2 =====
SF02 150.9140536 MHz
NUC2 13C
CPDPGRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 80.0000000 W
PLW12 3.2000005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMCQ10.100
GPNAME[2] SMCQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SF01 150.9141 MHz
FIDRES 97.6520 Hz
SW 165.637 ppm
PmMode Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300253 MHz
WOW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028617 MHz
WOW QSINE
SSB 2
LB 0 Hz
GB 0



Current Data Parameters
NAME 20190929_InvBa_PhenII
EXPNO 25
PRCNO 1

F2 - Acquisition Parameters
Date 20190929
Time 19.44
INSTRUM spect
PROBID 5 mm PABBO BB/
PULPROG hmbcpndif
TD 4096
SOLVENT CDCl3
MS 50
DS 16
SWH 5319.149 Hz
FIDRES 1.298620 Hz
AQ 0.3850240 sec
RG 2050
DW 94.000 usec
DE 6.50 usec
TE 299.0 K
R1 8.0000000
NMST13 0.00000300 sec
D0 0.00000601 sec
D1 1.37056601 sec
D6 0.06250000 sec
D16 0.00020000 sec
IN0 0.00001490 sec

===== CHANNEL f1 =====
SF01 600.1327458 MHz
NUC1 1H
P1 13.50 usec
F2 27.00 usec
PLW1 17.00000000 w


===== CHANNEL f2 =====
SF02 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 80.00000000 w

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SF01 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300254 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
FC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028627 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




88b IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Friday, 3 January 2020 12:02 PM

Analyst
Date

Analyst
Friday, 3 January 2020 12:02 PM



87a NMR Characterisation




Current Data Parameters
NAME 20190527_Inv_DA_PI_2Py_Terminal_Isomer
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Data_ 20190527
Time 17.24
INSTRUM spect
PROBHD 5 mm PARROT BBV
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.72621 sec
RG 161
DW 41.600 ussec
DE 6.50 ussec
TE 298.2 K
D1 1.0000000 sec
TDO 1

CHANNEL f1
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 ussec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300261 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME: 20190527_Inv_DA_Pt_20y_Terminal_Isomer
EXPNO: 12
PROCNO: 1

F2 - Acquisition Parameters
Date: 20190527
Time: 22.27
INSTRUM: spect
PROBHD: 5 mm PABBO BB/
PULPROG: zgpg30
TD: 65536
SOLVENT: CDCl3
NS: 5120
DS: 2
SWH: 36057.691 Hz
FIDRES: 0.5581539 Hz
AQ: 0.9087659 sec
RG: 2050
DW: 13.867 ussec
DE: 6.50 ussec
TE: 298.2 K
D1: 2.00000000 sec
D1L: 0.03000000 sec
TDO: 1

CHANNEL F1
SF01: 150.9178388 MHz
NUC1: 13C
PI: 12.00 ussec
PLW1: 80.00000000 W

CHANNEL F2
SF02: 600.1324005 MHz
NUC2: 1H
CPDPG[2]: waltz16
CPDPG2: 75.00 ussec
PLW2: 17.00000000 W
PLW12: 0.63230002 W
PLW13: 0.30983001 W

F2 - Processing parameters
SI: 32768
SF: 150.9027918 MHz
WDW: EM
SSB: 0
LB: 1.00 Hz
GB: 0
PC: 1.40



Current Data Parameters
NAME 20190527_Inv_DA_PI_2Py_Terminal_Isome
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Data 20190527
Time 17.26
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosyppprqf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 5681.818 Hz
FIDRES 2.774325 Hz
AQ 0.180212 sec
RG 64
DW 88.000 usec
DE 6.50 usec
TE 298.2 K
DO 0.00000300 sec
D1 1.4870000 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00017600 sec


CHANNEL f1
SF01 600.1328416 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

GRADIENT CHANNEL
GPNAME[1] SMSQ10.100
GPX1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 1024
SF 600.1300255 MHz
FIDRES 44.389206 Hz
SW 9.468 ppm
PmMode QF

F2 - Processing parameters
SI 1024
SF 600.1300255 MHz
WDW QSIMINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 0
SF 600.1300255 MHz
WDW QSIMINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME: 20190527_Inv_DA.PI.2Dy.Terminal.Isonor
EXPNO: 14
PROCNO: 1

F2 - Acquisition Parameters
Data: 20190527
Time: 22.32
INSTRUM: spect
PROBHD: 5 mm PABBO BB/
PULPROG: hsqqcsp1d
TD: 1024
SOLVENT: CDCl3
NS: 50
DS: 16
SWH: 5681.83 Hz
FIDRES: 5.549851 Hz
AQ: 0.0901120 sec
RG: 2050
DW: 88.000 us/sec
DE: 6.50 us/sec
TE: 298.0 K
CNUST2: 145.0000000
DD: 0.00000300 sec
D1: 1.47542405 sec
D1A: 0.174000 sec
D1L: 0.03000000 sec
D16: 0.00020000 sec
INO: 0.00002000 sec
ZGCPTRNS:


CHANNEL F1
SF01: 600.1328390 MHz
NUC1: 1H
P1: 13.50 us/sec
P2: 27.00 us/sec
P2B: 1000.00 us/sec
PLW1: 17.00000000 W
CHANNEL F2
SF02: 150.9140536 MHz
NUC2: 13C
CPDPGRG[2]: garp
P3: 12.00 us/sec
P4: 24.00 us/sec
CPDPD2: 60.00 us/sec
PLW2: 80.00000000 W
PLW12: 3.20000005 W

GRADIENT CHANNEL
GPNAME[1]: SMSg10.100
GPNAME[2]: SMSg10.100
GPX1: 80.00 %
GPZ2: 20.10 %
P16: 1000.00 us/sec

F1 - Acquisition parameters
TD: 256
SF01: 150.9141 MHz
FIDRES: 97.65625 Hz
SW: 165.657 ppm
FMOD0K: Echo-Antiecho

F2 - Processing parameters
SI: 1024
SF: 600.1300259 MHz
WDW: QSINE
SSB: 2
LB: 0 Hz
GB: 0
PC: 1.40

F1 - Processing parameters
SI: 1024
NC2: echo-antiecho
SF: 150.9028237 MHz
WDW: QSINE
SSB: 2
LB: 0 Hz
GB: 0





Current Data Parameters
NAME: 20190527_ImidPA_PI_2Py_Terminal_Isomer
EXPNO: 15
PROCNO: 1

F1 - Acquisition Parameters

Data: 20190528
Time: 4.13
INSTRUM: spect
PROBHD: 5 mm PABBO BB
PULPROG: hmbcgp3dppf
TD: 4096
SOLVENT: CDCl3
NS: 70
DS: 16
SWH: 5681.818 Hz
FIDRES: 1.387163 Hz
AQ: 0.3604480 sec
RG: 2050
DW: 80.00 usec
DE: 4.50 usec
TE: 298.1 K
CNST13: 8.0000000 sec
D1: 1.39314196 sec
D6: 0.06250000 sec
D16: 0.00020000 sec
INO: 0.0000149 sec

==== CHANNEL F1 ====

SFO1: 600.1328390 MHz
NUC1: 1H
P1: 13.50 usec
P2: 27.00 usec
PLW1: 17.00000000 W

==== CHANNEL F2 ====

SFO2: 150.9178748 MHz
NUC2: 13C
P3: 12.00 usec
PLW2: 80.00000000 W

==== GRADIENT CHANNEL ====

GPNAME[1]: SINEQ10.100
GPNAME[2]: SINEQ10.100
GPNAME[3]: SINEQ10.100
GP1: 0.00 %
GP2: 30.00 %
GP3: 40.10 %
P16: 1000.00 usec

F1 - Acquisition parameters


TD: 128
SFO1: 150.9179 MHz
FIDRES: 262.164429 Hz
SW: 222.351 ppm
FDMODE: QF

F1 - Processing parameters

S1: 1024
SF: 600.1300232 MHz
WDW: SINK
SSB: 0
LB: 0 Hz
GB: 0
PC: 1.40

F1 - Processing parameters

S1: 1024
MC2: QF
SF: 150.9028154 MHz
WDW: SINK
SSB: 0
LB: 0 Hz
GB: 0




87a IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Tuesday, 18 June 2019 10:43 AM

Analyst
Date

Analyst
Tuesday, 18 June 2019 10:43 AM



Sample Name	Description	Quality Checks
PI 2Py Cis	Sample 007 By Analyst Date Tuesday, June 18 2019	The Quality Checks do not report any warnings for the sample.




Current Data Parameters
NAME 20190806 Inv DA PII 2Py
EXPNO 30
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190806
Time 18.05
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 203
DW 41.600 usec
DE 6.50 usec
TE 298.4 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.0000000 W

F2 - Processing parameters
SI 65536
SF 600.1300260 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20190806 Inv DA PII 2PY
EXPNO 32
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190806
Time 20.38
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TDO 1 sec

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2 waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028162 MHz
WDW EM
SSB 0 1.00 Hz
LB 0
GB 0 1.40
PC



Current Data Parameters
NAME 20190806_Inv_DA_PII_2Py
EXPNO 31
PROCNO 1

F2 - Acquisition Parameters

Date 20190806
Time 18.09
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 5747.126 Hz
FIDRES 2.806214 Hz
AQ 0.1781760 sec
RG 64
DW 87.000 usec
DE 6.50 usec
TE 297.8 K
D0 0.00000300 sec
D1 1.94961905 sec
D11 0.0300000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00017400 sec

----- CHANNEL f1 -----

SFO1 600.1329257 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----

GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters


ID 128
SFO1 600.1329 MHz
FIDRES 44.899426 Hz
SW 9.576 ppm
FnMODE QF

F2 - Processing parameters

SI 1024
SF 600.1300262 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters

SI 1024
MC2 QF
SF 600.1300278 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190806 Inv DA PII 2Py
EXPNO 34
PROCNO 1

ppm
0
20
40
60
80
100
120
140

p2 - Acquisition Parameters
Data_ 20190806
Time 20.44
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcet3d
TD 32768
SOLVENT CDCl3
NS 50
DS 16
SWH 5681.818 Hz
FIDRES 5.54651 Hz
AQ 0.090112 sec
RG 650
DW 88.000 ussec
DE 6.50 ussec
TR 299.7 K
CNUST2 145.0000000
D0 0.00000300 sec
D1 1.4754200 sec
D4 0.0000414 sec
D11 0.0300000 sec
D16 0.0002000 sec
INO 0.0000200 sec
ZGOPTNS

===== CHANNEL F1 =====
SF01 600.1330024 MHz
NUC1 1H
P1 13.50 ussec
P2 27.00 ussec
P28 1000.00 ussec
PIW1 17.0000000 W


===== CHANNEL F2 =====
SF02 150.9140636 MHz
NUC2 13C
CPDPFG[2] garp
P3 12.00 ussec
P4 24.00 ussec
PCPD2 60.00 ussec
PIW2 80.0000000 W
PIW12 3.2000000 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 ussec

F1 - Acquisition parameters
ID 256
SF01 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300246 MHz
WDW QSBINKE
SSB 2
LB 0 Hz
GB 0
PC 1.40


F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028455 MHz
WDW QSBINKE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190806_Inv_DA_PII_2Py
EXPNO 35
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20190806
Time 2.24
INSTRUM spect
PROBHD 5 mm PABBO BN/
PULPROG hmbcpndqf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 5681.818 Hz
FIDRES 1.387163 Hz
AQ 0.3604480 sec
RG 2050
DW 88.000 usec
DE 12.000 usec
TE 299.6 K
CNUST13 8.0000000
D0 0.0000300 sec
D1 1.39514196 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec
===== CHANNEL f1 =====
SF01 600.1330024 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W
===== CHANNEL f2 =====
SF02 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 80.00000000 W
===== GRADIENT CHANNEL =====
GPNAME[1] SMBQ10.100
GPNAME[2] SMBQ10.100
GPNAME[3] SMBQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec
F1 - Acquisition parameters
TD 128
SF01 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMOKE QF
F2 - Processing parameters
SI 1024
SF 600.1300222 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40
F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028408 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0



87b IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Tuesday, 18 June 2019 10:45 AM

Analyst

Date


Analyst

Tuesday, 18 June 2019 10:45 AM



Sample Name	Description	Quality Checks
PII @Py cis	Sample 009 By Analyst Date Tuesday, June 18 2019	The Quality Checks do not report any warnings for the sample.

89a NMR Characterisation




Current Data Parameters
NAME 20200227_3Py_I (PURIFIED)
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200227
Time 17.41
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TDO 1

----- CHANNEL f1 -----
SF01 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.0000000 W

F2 - Processing parameters
SI 65536
SF 600.1300262 MHz
WDW EM
SSB 0 0.30 Hz
LB 0
GB 0 1.00
PC 1.00




Current Data Parameters
NAME 20200401_3Py_I
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200401
Time 21.49
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 5120
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.4 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028140 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200227_3Py_I (PURIFIED)
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters

Date_ 20200227
Time 17.43
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosyppppf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 6024.096 Hz
FIDRES 2.941453 Hz
AQ 0.1699840 sec
RG 181
DW 81.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.95781100 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
IN0 0.00016600 sec

----- CHANNEL f1 -----
SFO1 600.1330829 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 128
SFO1 600.1331 MHz
FIDRES 47.063251 Hz
SW 10.038 ppm
FnMDDE QF

F2 - Processing parameters
SI 1024
SF 600.1300256 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300272 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0



Current Data Parameters
NAME: 20200403_3Py_i
EXPNO: 11
PROCNO: 1

F2 - Acquisition Parameters
Date: 20200404
Time: 09.38
INSTRUM: spect
PROBHD: 5 mm PABBO BB/
PULPROG: hsqcet6p
TD: 1024
SOLVENT: CDCl3
NS: 60
DS: 16
SWH: 6097.561 Hz
FIDRES: 5.954649 Hz
AQ: 0.0839680 sec
RG: 2030
DW: 82.00 usec
DE: 6.50 usec
TE: 298.3 K
CNST2: 145.0000000
D0: 0.00000300 sec
D1: 1.4815179 sec
D4: 0.01724 sec
D11: 0.0300000 sec
D16: 0.0002000 sec
IN0: 0.00002000 sec
ZGOPTNS

===== CHANNEL F1 =====
SWFO1: 600.1330546 MHz
NUC1: 1H
P1: 13.50 usec
P2: 27.00 usec
P2B: 1000.00 usec
P1M1: 17.0000000 W


===== CHANNEL F2 =====
SWFO2: 150.9140636 MHz
NUC2: 13C
CPDPFRG[2]: garp
P3: 12.00 usec
P4: 2.00 usec
PCPD2: 60.00 usec
PIM2: 79.98300171 W
PIM12: 3.19930005 W

===== GRADIENT CHANNELS =====
GPNAME[1]: SNGS10.100
GPNAME[2]: SNGS10.100
GPZ1: 80.00 %
GPZ2: 20.10 %
P16: 1000.00 usec

F1 - Acquisition parameters
TD: 1024
SWFO1: 150.9141 MHz
FIDRES: 97.656250 Hz
SW: 165.657 ppm
FnMOKE: Echo-Antiecho

F2 - Processing parameters
SI: 1024
SF: 600.1300252 MHz
WDW: QSIMSE
SSB: 2
LB: 0 Hz
GB: 0
PC: 1.40

F1 - Processing parameters
SI: 1024
MC2: echo-antiecho
SF: 150.9028449 MHz
WDW: QSIMSE
SSB: 2
LB: 0 Hz
GB: 0





Current Data Parameters
NAME 20200403_3py_I
EXPNO 12
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20200404
Time 16.26
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcpndpf
TD 4096
SOLVENT CDCl3
NS 80
DS 16
SWH 6097.561 Hz
FIDRES 1.488662 Hz
AQ 0.3358720 sec
RG 2050
DW 82.000 usec
DE 6.50 usec
TE 298.3 K
CNS113 8.0000000
D0 0.00000300 sec
D1 1.41971803 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1330546 MHz
NUC1 1H
F1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
F2 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMEQ10.100
GPNAME[2] SMEQ10.100
GPNAME[3] SMEQ10.100
GP21 50.00 %
GP22 30.00 %
GP23 40.10 %
P16 1000.00 usec


F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FIDMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300246 MHz
WDW SINEK
SSB 0
LB 0 Hz
GB 0
PC 1.40


F1 - Processing parameters
SI 1024
MCZ QF
SF 150.9028548 MHz
WDW SINEK
SSB 0
LB 0 Hz
GB 0




89a IR Spectrum

PerkinElmer Spectrum Version 10.4.2
Monday, 23 March 2020 10:18 AMAnalyst
DateAnalyst
Monday, 23 March 2020 10:18 AM

Sample Name	Description	Quality Checks
3Py I	Sample 110 By Analyst Date Wednesday, March 18 2020	The Quality Checks do not report any warnings for the sample.






Current Data Parameters
 NAME 20200310 3Py II CONC
 EXPNO 12
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20200310
 Time 18.29
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zpg30
 TD 65536
 SOLVENT CDC13
 NS 4096
 DS 2
 SWH 36057.691 Hz
 FIDRES 0.550197 Hz
 AQ 0.9087659 sec
 RG 2050
 DW 13.867 usec
 DE 6.50 usec
 TE 298.2 K
 D1 2.0000000 sec
 D11 0.03000000 sec
 TDO 1

===== CHANNEL f1 =====
 SFO1 150.9178988 MHz
 NUC1 13C
 P1 12.00 usec
 PLW1 80.0000000 W

===== CHANNEL f2 =====
 SFO2 600.1324005 MHz
 NUC2 1H
 CPDPRG[2] waltz16
 PCPD2 70.00 usec
 PLW2 17.0000000 W
 PLW12 0.63230002 W
 PLW13 0.30983001 W

F2 - Processing parameters
 SI 32768
 SF 150.9028147 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.40





Current Data Parameters
NAME 20200310_3Py_II CONC
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200310
Time 23.11
INSTRUM spect
PROBHD 5 mm PARBO BB/
PULPROG hsqcet3d
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 6024.096 Hz
FIDRES 5.688290 Hz
AQ 0.0849920 sec
RG 2050
DW 83.000 usec
DE 6.50 usec
TE 298.2 K
C1 145.000000 sec
D0 0.00000300 sec
D1 1.48054397 sec
D4 0.00172414 sec
D11 0.03000000 sec
D14 0.00020000 sec
IN0 0.00002000 sec
ZGPGFINS

===== CHANNEL f1 =====
SF01 600.1330875 MHz
NUC1 1H
P1 13.00 usec
P2 27.00 usec
P2B 1000.00 usec
P1W1 17.00000000 W


===== CHANNEL F2 =====
SF02 150.9140836 MHz
NUC2 13C
CPDPGRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
P1W2 79.98300171 W
P1W12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GP1 80.00 %
GP2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SF01 150.9140836 MHz
FIDRES 9.765230 Hz
SW 165.657 Ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300211 MHz
WDW QSIMINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antischo
SF 150.9028409 MHz
WDW QSIMINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200310_3Py_II_CONC
EXBNO 15
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200311
Time 4.51
INSTRUM spect
PROBHD 5 mm PABBO BB7
PULPROG hmbcgpndqf
ID 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 6024.096 Hz
FIDRES 1.470727 Hz
AQ 0.3399680 sec
RG 2050
DW 83.000 usec
DE 6.50 usec
TE 298.2 K
CNST13 8.000000000 sec
DD 0.00000300 sec
D1 1.41562200 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec


===== CHANNEL f1 =====
SFO1 600.1330875 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W
===== CHANNEL F2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
PLG 1000.00 usec

F1 - Acquisition parameters
TD 115
SFO1 150.9179 MHz
FIDRES 291.800415 Hz
SW 222.353 ppm
FMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300254 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028505 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




89b IR Spectrum


PerkinElmer Spectrum Version 10.4.2
Monday, 23 March 2020 10:17 AM

Analyst
Date

Analyst
Monday, 23 March 2020 10:17 AM



Sample Name	Description	Quality Checks
3Py II	Sample 111 By Analyst Date Monday, March 23 2020	The Quality Checks do not report any warnings for the sample.




Current Data Parameters
 NAME 20190603 Inv DA PI 4PY
 EXPNO 20
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20190604
 Time 1.59
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 64
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 161
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.0000000 sec
 TDO 1

===== CHANNEL f1 =====
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 13.50 usec
 PLW1 17.00000000 W

F2 - Processing parameters
 SI 65536
 SF 600.1300257 MHz
 WDW EM
 SSB 0 0.30 Hz
 LB 0
 GB 0
 PC 1.00



Current Data Parameters
NAME 20190603 Inv DA PI 4P1
EXPNO 22
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190604
Time 3.16
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgppg30
TD 65536
SOLVENT CDCl3
NS 1024
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9027942 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20190603 Inv DA PI 4Py
EXPNO 21
PROCNO 1

F2 - Acquisition Parameters

Date_ 20190604

Time 2.00

INSTRUM spect

PROBHD 5 mm PABBO BB/

PULPROG cosyppppf

ID 2048

SOLVENT CDCl3

NS 5

DS 8

SWH 6097.561 Hz

FIDRES 2.977325 Hz

AQ 0.167936 sec

RG 64

DW 82.00 usec

DE 6.50 usec

IE 298.2 K

D0 0.00000300 sec

D1 1.95985901 sec

D11 0.03000000 sec

D12 0.00002000 sec

D13 0.00000400 sec

D16 0.00002000 sec

D10 0.00016400 sec

----- CHANNEL f1 -----

SFO1 600.1329381 MHz

NUC1 1H

P0 13.50 usec

P1 13.50 usec

P17 2500.00 usec

PLW1 17.00000000 W

PLW10 4.58319998 W

----- GRADIENT CHANNEL -----

GPNAME[1] SMSQ10.100

GPZ1 10.00 %

P16 1000.00 usec

F1 - Acquisition parameters

ID 128

SFO1 600.1329 MHz

FIDRES 47.637196 Hz

SW 10.160 ppm

FMODE QF

F2 - Processing parameters

SI 1024

SF 600.1300248 MHz

WDW QSINE

SSB 0

LB 0 Hz

GB 0

PC 1.40

F1 - Processing parameters

SI 1024

MC2 QF


SF 600.1300238 MHz

WDW QSINE

SSB 0

LB 0 Hz

GB 0





Current Data Parameters
NAME 20190603_Inv_DA_P1_4Fy
EXPNO 24
PROCNO 1

F2 - Acquisition Parameters
Date 20190604
Time 3.20
INSTRUM spect
PROBOD 5 mm PABBO BB
PULPROG hsqcsgppr1d
TD 1024
SOLVENT CDCl3
NS 25
DS 16
SWH 5813.984 Hz
FIDRES 5.677689 Hz
AQ 0.0880640 sec
RG 2050
DW 86.000 usec
DE 6.50 usec
TE 290.000 K
CNUST2 145.0000000
D0 0.00000300 sec
D1 1.47747195 sec
D4 0.00172414 sec
D11 0.03000000 sec
D15 0.00000000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL F1 =====
SF01 600.1329676 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
P1W1 17.00000000 W


===== CHANNEL F2 =====
SF02 150.9140636 MHz
NUC2 13C
CPDPFG[2] garp
P3 17.00 usec
I4 24.00 usec
PCPD2 60.00 usec
P1M2 80.00000000 W
P1W12 3.20000005 W

GRADIENT CHANNEL =====
GPWAM[1] SINE0.100
GPWAM[2] SINE0.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SF01 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300256 MHz
WDW QSINEK
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028304 MHz
WDW QSINEK
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190603 Inv DA PI 4Py
EXPNO 25
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20190604
Time 6.11
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 30
DS 16
SWH 5813.954 Hz
FIDRES 1.419422 Hz
AQ 0.3522560 sec
RG 2050
DW 86.000 usec
DE 6.50 usec
TE 298.3 K
CNST13 8.0000000
D0 0.0000000 sec
D1 1.40333402 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec


===== CHANNEL f1 =====
SFO1 600.1329676 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 w
===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 80.00000000 w

===== GRADIENT CHANNEL =====
GPZAM[1] SWSG10.100
GPZAM[2] SWSG10.100
GPZAM[3] SWSG10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F2 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300257 MHz
WDW SINEK
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028052 MHz
WDW SINEK
SSB 0
LB 0 Hz
GB 0




90a IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Tuesday, 18 June 2019 10:46 AM


Analyst
Date

Analyst
Tuesday, 18 June 2019 10:46 AM



Sample Name	Description	Quality Checks
PI 4Py	Sample 010 By Analyst Date Tuesday, June 18 2019	The Quality Checks do not report any warnings for the sample.





Current Data Parameters
NAME 20190617 PII 4Py
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date 20190618
Time 0.14
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 3096
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9027914 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20190617_Pt4Py
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190617
Time 20.06
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmpp
TD 2048
SOLVENT CDC13
NS 10
DS 4
SWH 6172.039 Hz
FIDRES 3.014082 Hz
AQ 0.165380 sec
RG 2050
DW 81.0000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00006381 sec
D1 1.97255695 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00016200 sec


----- CHANNEL f1 -----
SFO1 600.1328399 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 600.1328 MHz
FIDRES 24.112654 Hz
SW 10.286 ppm
FMODE States-TPPI

F2 - Processing parameters
SI 1024
SF 600.1300298 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 600.1300301 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME: 20190617_Pt_4Py
EXPNO: 14
PROCNO: 1

F2 - Acquisition Parameters
Date: 20190618
Time: 10:19
INSTRUM: spect
PROBHD: 5 mm PABBO BB/
PULPROG: hsqctgp
TD: 1024
SOLVENT: CDCl3
NS: 50
DS: 16
SWH: 6024.096 Hz
FIDRES: 5.882906 Hz
AQ: 0.0849920 sec
RG: 20
TM: 0.03
DW: 83.000 usec
DE: 6.50 usec
TE: 298.3 K
CNS12: 145.0000000
D0: 0.00000300 sec
D1: 1.0000000 sec
D4: 0.00172414 sec
D11: 0.03000000 sec
D16: 0.00020000 sec
IN0: 0.00002000 sec
ZGPPINS:

===== CHANNEL f1 =====
SFO1: 600.1328696 MHz
NUC1: 1H
P1: 13.50 usec
P2: 27.00 usec
P2B: 1000.00 usec
PIW1: 17.00000000 W


===== CHANNEL F2 =====
SFO2: 150.9140636 MHz
NUC2: 13C
CPDPFG[2]: gaga
P1: 12.00 usec
P4: 24.00 usec
PCPD2: 60.00 usec
PIW2: 80.0000000 W
PIW12: 3.20000005 W

===== GRADIENT CHANNEL =====
GPNAME[1]: SMBQ10.100
GPNAME[2]: SMBQ10.100
GPZ1: 80.00 %
GPZ2: 20.10 %
P16: 1000.00 usec

F1 - Acquisition parameters
TD: 256
SFO1: 150.9141 MHz
FIDRES: 97.656250 Hz
SW: 165.657 ppm
FMODE: Echo-Antiecho

F2 - Processing parameters
SI: 1024
SF: 600.1300249 MHz
WDW: QSBINE
SSB: 2
LB: 0 Hz
GB: 0
PC: 1.40

F1 - Processing parameters
SI: 1024
MC2: echo-antiecho
SF: 150.9028254 MHz
WDW: QSBINE
SSB: 2
LB: 0 Hz
GB: 0





Current Data Parameters
NAME 20190617_P1_4Py
EXPNO 15
PROCNO 1

F2 - Acquisition Parameters
Data_ 20190618
Time 5.59
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcpndqf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 6024.096 Hz
FIDRES 1.470727 Hz
AQ 0.3399680 sec
RG 2050
DW 83.000 usec
DE 6.50 usec
TE 298.2 K
D1 0.0000060 sec
D2 0.00000300 sec
D3 1.41562200 sec
D6 0.06250000 sec
D16 0.00020000 sec
IN0 0.00001490 sec

===== CHANNEL F1 =====
SFO1 600.1328696 MHz
NUC1 1H
F1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W


===== CHANNEL F2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 80.00000000 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMBQ10.100
GPNAME[2] SMBQ10.100
GPNAME[3] SMBQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
F16 1000.00 usec

F2 - Acquisition parameters
TD 81
SFO1 150.9179 MHz
FIDRES 414.284515 Hz
SW 222.353 ppm
P1 MODE QF

F2 - Processing parameters
SI 1024
SF 600.1300256 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028202 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




90b IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Tuesday, 18 June 2019 10:46 AM


Analyst
Date

Analyst
Tuesday, 18 June 2019 10:46 AM



Sample Name	Description	Quality Checks
PII 4Py	Sample 011 By Analyst Date Tuesday, June 18 2019	The Quality Checks do not report any warnings for the sample.

91a NMR Characterisation



Current Data Parameters
NAME 20190924 Pyr PI
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190924
Time 22.47
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 406
DW 41.600 usec
DE 6.50 usec
TE 297.9 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.0000000 W

F2 - Processing parameters
SI 65536
SF 600.1300257 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

— 203.72 —

172.39
171.30
166.64
156.22
152.39
151.77
150.57
142.94
141.98
141.10
136.12
135.46
134.50
123.32
121.51
120.88
110.60
107.33

— 73.01 —

42.12
34.66
33.19
29.34
25.70
23.17
22.23
21.19
20.55
18.65
15.17
14.44
14.34
13.84

— 60.54 —

BRUKER
Current Data Parameters
NAME 20190920 PI Pyr
EXPNO 21
PROCNO 1


F2 - Acquisition Parameters
Date_ 20190921
Time 11.16
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 4096
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.0000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9027898 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40

200 180 160 140 120 100 80 60 40 20 ppm



Current Data Parameters
NAME 20190924_Py_Pi
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190924
Time 22.48
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppqf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 5154.639 Hz
FIDRES 2.516914 Hz
AQ 0.1986560 sec
RG 228
DW 97.000 usec
DE 6.50 usec
TE 26.50 K
D0 0.00000300 sec
D1 1.92913902 sec
D11 0.0300000 sec
D12 0.0000200 sec
D13 0.0000040 sec
D16 0.0002000 sec
INO 0.00019400 sec

----- CHANNEL f1 -----
SF01 600.1327497 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.0000000 w
PLW10 4.58319998 w

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SF01 600.1327 MHz
FIDRES 40.270618 Hz
SW 8.589 ppm
FMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300000 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0



Current Data Parameters
NAME: 20190920_P1_Pyr
EXPNO: 24
PROCNO: 1

F2 - Acquisition Parameters
Date: 20190921
Time: 11.46
INSTRUM: spect
PROBHD: 5 mm PABBO BB/
PULPROG: hsqcetgp
TD: 1024
SOLVENT: CDCl3
NS: 50
DS: 16
SWH: 5154.639 Hz
FIDRES: 1.0331280 Hz
AQ: 0.0993280 sec
RG: 2050
DW: 97.000 usec
DE: 6.50 usec
TE: 298.2 K
CNS12: 145.0000000
D0: 0.0000000 sec
D1: 1.46620798 sec
D4: 0.00172414 sec
D11: 0.03000000 sec
D16: 0.00020000 sec
INO: 0.00002000 sec
ZGOFINS:

===== CHANNEL f1 =====
SF01: 600.13271389 MHz
NUC1: 1H
P1: 13.50 usec
P2: 27.00 usec
P2B: 1000.00 usec
P1M1: 17.00000000 W


===== CHANNEL f2 =====
SF02: 150.91406316 MHz
NUC2: 13C
CPDPFG[2]: garp
P3: 12.00 usec
P4: 24.00 usec
PCPD2: 60.00 usec
PIM2: 80.0000000 W
PIM12: 3.20000005 W

===== GRADIENT CHANNEL =====
GPNAME[1]: SMSQ10.100
GPNAME[2]: SMSQ10.100
GPZ1: 80.00 %
GPZ2: 20.10 %
P16: 1000.00 usec

F1 - Acquisition parameters
TD: 256
SF01: 150.9141 MHz
FIDRES: 97.656250 Hz
SW: 165.657 ppm
FnMODE: Echo-Antiecho

F2 - Processing parameters
SI: 1024
SF: 600.1300667 MHz
WDW: QSIMIN
SSB: 2
LB: 0 Hz
GB: 0
PC: 1.40

F1 - Processing parameters
SI: 1024
MC2: echo-antiecho
SF: 150.9028085 MHz
WDW: QSIMIN
SSB: 2
LB: 0 Hz
GB: 0





Current Data Parameters
NAME 20190920_Pt_Pyr
EXPNO 25
PRCNO 1

F2 - Acquisition Parameters
Data_ 20190921
Time 17.27
INSTRUM spect
PROBID 5 mm PABBO BB/
PULPROG hmbcgpnddf
TD 4096
SOLVENT CDCl3
MS 70
DS 16
SWH 5154.639 Hz
FIDRES 1.258457 Hz
AQ 0.3973120 sec
RG 2050
DW 97.000 usec
DE 6.50 usec
IR 29.0 K
CNSTI13 8.0000000
D0 0.00000300 sec
D1 1.35827804 sec
D6 0.06250000 sec
D16 0.00020000 sec
IN0 0.00001490 sec

===== CHANNEL F1 =====
SF01 600.1327389 MHz
NUC1 1H
P1 13.50 usec
F2 27.00 usec
PLW1 17.0000000 w


===== CHANNEL F2 =====
SF02 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 80.0000000 w

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 50
SF01 150.9179 MHz
FIDRES 671.140930 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300667 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0





91a IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 3 January 2020 11:38 AM

Analyst
Date

Analyst
Friday, 3 January 2020 11:38 AM






Current Data Parameters
 NAME 20191011_InvDA_Pyr_II
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date 20191011
 Time 19.07
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 64
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 362
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.0000000 sec
 TD0 1

===== CHANNEL f1 =====
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 13.50 usec
 PLW1 17.00000000 W

F2 - Processing parameters
 SI 65536
 SF 600.1300261 MHz
 WDW EM
 SSB 0 0.30 Hz
 LB 0
 GB 0 1.00
 PC



Current Data Parameters
NAME 20191011 InvDA Pyr II
EXPNO 17
PROCNO 1

F2 - Acquisition Parameters
Date_ 20191013
Time 13.13
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 4096
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SF01 150.917898 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SF02 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028135 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20191011_InvVA_Pyr II
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20191011
Time 19.09
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppof
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 5208.333 Hz
FIDRES 2.543132 Hz
AQ 0.1966080 sec
RG 203
DW 96.000 usec
DE 6.50 usec
IE 298.2 K
DO 0.00000300 sec
D1 1.93118703 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
IN0 0.00019200 sec


----- CHANNEL f1 -----
SFO1 600.1327298 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMS910.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 128
SFO1 600.1327 MHz
FIDRES 40.690105 Hz
SW 8.679 ppm
FIMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300262 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300266 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20191011_InvDAPyrII
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date_ 20191012
Time_ 0.16
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcet5p
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 5102.041 Hz
FIDRES 4.982462 Hz
AQ 0.1003520 sec
RG 20
DW 98.000 usec
DE 6.50 usec
TM 299.2 K
CNS12 145.0000000
D0 0.00000300 sec
D1 1.000000 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL F1 =====
SFO1 600.1327539 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
P1W1 17.0000000 W


===== CHANNEL F2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPFRG[2] g90
D3 12.00 usec
D4 24.00 usec
PCPD2 60.00 usec
P1M2 80.0000000 W
P1M12 3.20000005 W

===== GRADIENT CHANNEL =====
GRPNAM[1] SINEQ10.100
GRPNAM[2] SINEQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300252 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028465 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20191011_InvDA_Pyr II
EXPNO 15
PROCNO 1

ppm

F2 - Acquisition Parameters
Date_ 20191012
Time 5.56
INSTRUM spect
PROBID 5 mm PABBO BB/
PULPROG hmbcgpndf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 5102.041 Hz
FIDRES 1.245000 Hz
AQ 0.404000 sec
RG 2050
DW 98.000 usec
DE 6.50 usec
TE 298.2 K
CNS13 8.0000000
D0 0.00000300 sec
D1 1.35418200 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1327539 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 80.00000000 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GP1 50.00 %
GP2 30.00 %
GP3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300265 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028263 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




91b IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Friday, 3 January 2020 11:50 AM

Analyst
Date

Analyst
Friday, 3 January 2020 11:50 AM



92a + 93a NMR Characterisation




Current Data Parameters
NAME 20200911 C12 I
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200911
Time 17.39
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 322
DW 41.600 usec
DE 6.50 usec
TE 298.1 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300272 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00




Current Data Parameters
NAME 20200911 C12 I
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200912
Time_ 0.26
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 7168
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.1 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.0000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028153 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200911_G12_I
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200911
Time 17.42
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppfhp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 4672.897 Hz
FIDRES 2.281688 Hz
AQ 0.2191360 sec
RG 2050
DW 107.000 usec
DE 6.50 usec
TE 298.1 K
D0 0.0000981 sec
D1 1.91930902 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00021400 sec

----- CHANNEL f1 -----
SFO1 600.1325037 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 t
GPZ2 20.00 t
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1325 MHz
FIDRES 18.253504 Hz
SW 7.786 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300668 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300668 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0



Current Data Parameters
NAME 20200911_c12_I
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
date_ 20200912
time_ 0.29
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetp
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4672.897 Hz
FIDRES 4.563376 Hz
AQ 0.1095680 sec
RG 20
DW 107.000 usec
DE 6.50 usec
TK 298.3 K
CNST2 145.0000000
D0 0.00000300 sec
D1 1.4000000 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SF01 600.1325037 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
P1M1 17.0000000 w


===== CHANNEL f2 =====
SF02 150.9140636 MHz
NUC2 13C
CPDPFRG[2] garp
P3 12.00 usec
P4 24.00 usec
P2B2 60.00 usec
P1M2 79.9830005 w
P1M12 3.19930005 w

===== GRADIENT CHANNEL =====
GPNAME[1] SMSGQ10.100
GPNAME[2] SMSGQ10.100
GPX1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SF01 150.9141 MHz
FIDRES 97.656250 Hz
SW 163.657 ppm
P1 MODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300668 MHz
WID 1024
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WID 1024
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200911_C12.i
EXPNO 15
PROCNO 1

ppm F2 - Acquisition Parameters
Date_ 20200912
Time 6.10
INSTRUN spect
PROBID 5 mm FABBO BB
PULPROG hmbcgpddgf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 4672.897 Hz
FIDRES 1.140844 Hz
AQ 0.4382720 sec
RG 2050
DW 107.700 usec
DE 6.50 usec
TE 298.2 K
CNS13 8.0000000
D0 0.00000300 sec
D1 1.31731796 sec
D6 0.06250000 sec
D16 0.00020000 sec
IN0 0.00001490 sec

===== CHANNEL F1 =====
SFO1 600.1325037 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLM1 17.00000000 W


===== CHANNEL F2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLM2 79.98300171 W


===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GP1 50.00 %
GP2 30.00 %
GP3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
PmMode QF

F2 - Processing parameters
SI 1024
SF 600.1300668 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0






Current Data Parameters
 NAME 20200911 C12 II
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20200912
 Time 10.47
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 32
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 181
 DW 41.600 usec
 DE 6.50 usec
 TE 298.1 K
 D1 1.00000000 sec
 TD0 1

===== CHANNEL f1 =====
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 13.50 usec
 PLW1 17.00000000 W

F2 - Processing parameters
 SI 65536
 SF 600.1300274 MHz
 WDW no
 SSB 0
 LB 0 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20200911_C12_II
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200912
Time_ 17.34
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 7168
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.1 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028157 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200911_C12_II
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date 20200912
Time 10.51
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfpffp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 5263.158 Hz
FIDRES 2.569901 Hz
AQ 0.1945600 sec
RG 2050
DW 95.000 usec
DE 6.50 usec
TE 298.1 K
D0 0.00007781 sec
D1 1.94388497 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00019000 sec


----- CHANNEL f1 -----
SFO1 600.1322896 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W


----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1323 MHz
FIDRES 20.559210 Hz
SW 8.770 ppm
F1MODE States-TPI

F2 - Processing parameters
SI 1024
SF 600.1300638 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TPI
SF 600.1300638 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200911_C12_II
EXPNO 14
PROCNO 1

P2 - Acquisition Parameters
Data_ 20200912
Time 17.37
INSTRUM spect
PROBHD 5 mm PABBO BB/
BLPROG hzsqcsp32
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 5263.158 Hz
FIDRES 5.139802 Hz
AQ 0.0972800 sec
RG 200
DW 95.000 ussec
DE 6.50 ussec
TE 299.2 K
CNUST2 145.0000000
D0 0.00000300 sec
D1 1.46825600 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1322896 MHz
NUC1 1H
P1 13.50 ussec
P2 27.00 ussec
P2B 1000.00 ussec
PIM1 17.0000000 W

===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPGRG[2] garp
P3 12.00 ussec
P4 24.00 ussec
PCPD2 60.00 ussec
PIM2 79.98300171 W
PIM12 3.19930005 W

===== GRADIENT CHANNEL =====
CPWAM[1] SMQ10.100
CPWAM[2] SMQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 ussec

P1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 91.656250 Hz
SW 165.657 ppm
PmMode Echo-Antiecho

P2 - Processing parameters
SI 1024
SF 600.1300638 MHz
WOW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

P1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WOW QSINE
SSB 2
LB 0 Hz
GB 0



Current Data Parameters

NAME 20200911_C12_II

EXPNO 15

PROCNO 1

F2 - Acquisition Parameters

Date 20200912

Time 23.18

INSTRUM spect

PROBID 5 mm PABBO BB

PULPROG hmbcgraplif

TD 4096

SOLVENT CDCl3

NS 70

DS 16

SWH 5263.158 Hz

FIDRES 1.284951 Hz

AQ 0.3891200 sec

RG 200

WDW 95.000 usec

DE 6.50 usec

TE 298.2 K

CNST13 8.0000000

D0 0.00000300 sec

D1 1.3664699 sec

D6 0.0625000 sec

D16 0.00020000 sec

INO 0.00001490 sec

===== CHANNEL F1 =====

SFO1 600.1322896 MHz

NUC1 1H

P1 13.50 usec

P2 27.00 usec

PLW1 17.0000000 W

===== CHANNEL F2 =====

SFO2 150.9178748 MHz

NUC2 13C

P3 12.00 usec

PLW2 79.98300171 W

===== GRADIENT CHANNEL =====

GPNAM[1] SNSG10.100

GPNAM[2] SNSG10.100

GPNAM[3] SNSG10.100

GPZ1 50.00 %

GPZ2 30.00 %

GPZ3 40.10 %

P16 1000.00 usec

F1 - Acquisition parameters

TD 128

SFO1 150.9179 MHz

FIDRES 262.164429 Hz

SW 222.353 ppm

FnMODE QF

F2 - Processing parameters

SI 1024

SF 600.1300638 MHz

WDW SINE

SSB 0

LB 0 Hz

GB 0

PC 1.40

F1 - Processing parameters

SI 1024

MC2 QF


SF 150.9028085 MHz

WDW SINE

SSB 0


LB 0 Hz

GB 0



Mizoroki-Heck Chemistry Characterisation Data

111a NMR Characterisation



Current Data Parameters
 NAME 20200327 Phenyl Heck I
 EXPNO 20
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20200328
 Time 9.35
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 16
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 287
 DW 41.600 usec
 DE 6.50 usec
 TE 298.3 K
 D1 1.0000000 sec
 TDO 1

===== CHANNEL f1 =====
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 13.50 usec
 PLW1 17.00000000 W

F2 - Processing parameters
 SI 65536
 SF 600.1300268 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00




Current Data Parameters
NAME 20200327 Phenyl Heck I
EXPNO 22
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200328
Time 13.48
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 4096
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.0000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028085 MHz
WDW EM
SSB 0 1.00 Hz
LB 0
GB 0
PC 1.40





Current Data Parameters
NAME 20200327 Phenyl Heck I
EXPNO 21
PROCNO 1

F2 - Acquisition Parameters
Date 20200328
Time 9.37
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppgf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 4629.629 Hz
FIDRES 2.260561 Hz
AQ 0.2211840 sec
RG 161
DW 108.000 usec
DE 6.50 usec
TE 298.3 K
D0 0.00000300 sec
D1 1.90661097 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
IN0 0.00021600 sec


----- CHANNEL f1 -----
SF01 600.1324672 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SF01 600.1325 MHz
FIDRES 36.168980 Hz
SW 7.714 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300257 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300283 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200327 Phenyl Hack I
EXPNO 24
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200328
Time 13.54
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgpsp
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4629.629 Hz
FIDRES 4.521122 Hz
AQ 0.1105920 sec
RG 2050
DW 108.000 usec
DE 6.50 usec
TE 298.1 K
CNUST2 145.0000000
D0 0.00000300 sec
D1 1.45494401 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324760 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PIW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 79.98300171 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho


F2 - Processing parameters
SI 1024
SF 600.1300248 MHz
WDW QSINK
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028163 MHz
WDW QSINK
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200327 Phenyl Hack I
EXPNO 25
PROCNO 1




111a IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 9:58 AM

Analyst
Date


Analyst
Friday, 12 June 2020 9:58 AM



Sample Name	Description	Quality Checks
Phenyl I E	Sample	The Quality Checks do not report any warnings for the sample.



125a NMR Characterisation




Current Data Parameters
NAME 20200327 Phenyl Heck I
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200327
Time 18.04
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl₃
NS 16
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 256
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.00000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300265 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20200327 Phenyl Heck I
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200327
Time 22.17
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 4096
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.00000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028085 MHz
WDW EM
SSB 0 1.00 Hz
LB 0
GB 0 1.40
PC



Current Data Parameters
NAME 20200327 Phenyl Heck I
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200327
Time 18.06
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 4672.897 Hz
FIDRES 2.281688 Hz
AQ 0.2191360 sec
RG 128
DW 107.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.90865898 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00021400 sec


----- CHANNEL f1 -----
SFO1 600.1324992 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1325 MHz
FIDRES 36.507008 Hz
SW 7.786 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300259 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300258 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200327 Phenyl Hack I
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date 20200327
Time 22.23
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgpp
TD 1024
SOLVENT CDCl3
NS 70
DS 16
SWH 4629.629 Hz
FIDRES 4.521122 Hz
AQ 0.1105920 sec
RG 2050
DW 108.000 usec
DE 6.50 usec
TE 299.3 K
CNST2 145.0000000
D0 0.0000000 sec
D1 1.45494401 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324664 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PIW1 17.00000000 w


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PIW2 79.98300171 w
PIW12 3.19930005 w

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
F1MODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300255 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028464 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200327 Phenyl Heck I
EXPNO 15
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20200328
Time 6.17
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 50
DS 16
SWH 4629.629 Hz
FIDRES 1.130281 Hz
AQ 0.4423680 sec
RG 2050
DW 108.000 usec
DE 6.50 usec
TE 298.1 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.31322205 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1324664 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300285 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028550 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




125a IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 9:54 AM


Analyst
Date

Analyst
Friday, 12 June 2020 9:54 AM



Sample Name	Description	Quality Checks
Phenyl I Migration	Sample	The Quality Checks do not report any warnings for the sample.

111b NMR Characterisation






Current Data Parameters
NAME 20200417 PII Phenyl E
EXPNO 23
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200418
Time 10.39
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zpgpg30
TD 65536
SOLVENT CDCl3
NS 3072
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPKG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028141 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40





Current Data Parameters
NAME 20200417 PII Phenyl E
EXPNO 22
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200418
Time 7.19
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfpchpp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 4807.692 Hz
FIDRES 2.347506 Hz
AQ 0.2129920 sec
RG 2050
DW 104.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00008681 sec
D1 1.92545295 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00020800 sec


----- CHANNEL f1 -----
SFO1 600.1324848 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1325 MHz
FIDRES 18.780048 Hz
SW 8.011 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300677 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300677 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200417 PII Phenyl E
EXPNO 25
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200418
Time 10.45
INSTRUM spect
PROBHD 5 mm PARBO BB/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4854.369 Hz
FIDRES 4.740595 Hz
AQ 0.1054720 sec
RG 2050
DW 103.000 usec
DE 6.50 usec
TE 298.2 K
CNUST2 145.000000
D0 0.00000300 sec
D1 1.46006405 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324493 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
P1M1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPGR[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
P1M2 79.98300171 W
P1M12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300249 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028409 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200417 PII Phenyl E
EXPNO 26
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200418
Time 16.25
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 4854.369 Hz
FIDRES 1.185149 Hz
AQ 0.4218880 sec
RG 2050
DW 103.000 usec
DE 6.50 usec
TE 298.2 K
CNUST13 8.0000000
D0 0.00000300 sec
D1 1.33370197 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1324493 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300678 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




111b IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:05 AM


Analyst
Date

Analyst
Friday, 12 June 2020 10:05 AM



Sample Name	Description	Quality Checks
Phenyl II E	Sample	The Quality Checks do not report any warnings for the sample.

125b NMR Characterisation



1.00
2.02
2.90
1.61
1.71
0.98
1.45

4.59
1.73
0.90
1.14
0.96
1.98
2.54
4.81
1.56
5.06
5.09




Current Data Parameters
NAME 20200417 PII Phenyl Z
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200417
Time 17.34
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 322
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.00000000 sec
T0 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300277 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00




Current Data Parameters
NAME 20200417 PII Phenyl Z
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200417
Time 20.56
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zpgpg30
TD 65536
SOLVENT CDCl₃
NS 3072
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.00000000 sec
D11 0.03000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 ¹³C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 ¹H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028129 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200417 PII Phenyl z
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200417
Time 17.36
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfpffpp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 4672.897 Hz
FIDRES 2.281688 Hz
AQ 0.2191360 sec
RG 2050
DW 107.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00008981 sec
D1 1.91930902 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00021400 sec

----- CHANNEL f1 -----
SFO1 600.1325048 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 600.1325 MHz
FIDRES 18.253504 Hz
SW 7.786 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300000 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0



Current Data Parameters
NAME 20200417 PII Phenyl z
EXPNO 15
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200417
Time 21.02
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgp
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4587.156 Hz
FIDRES 4.479644 Hz
AQ 0.1116160 sec
RG 2050
DW 109.000 ussec
DE 6.50 ussec
TE 298.2 K
CNST2 145.000000
D0 0.00000300 sec
D1 1.45392001 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
ZGOPTINS

===== CHANNEL f1 =====
SFO1 600.1324790 MHz
NUC1 1H
P1 13.50 ussec
P2 27.00 ussec
P2B 1000.00 ussec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPGRG[2] garp
P3 12.00 ussec
P4 24.00 ussec
PCPD2 60.00 ussec
PLW2 79.98300171 W
PLW12 3.19930005 W


===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 ussec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300242 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028372 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200417 PII Phenyl Z
EXPNO 16
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200418
Time 2.42
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 4587.156 Hz
FIDRES 1.119911 Hz
AQ 0.4464640 sec
RG 2050
DW 109.000 ussec
DE 6.50 ussec
TE 298.2 K
CNSTI3 0.0000000
D0 0.00000300 sec
D1 1.30912602 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1324790 MHz
NUC1 1H
P1 13.50 ussec
P2 27.00 ussec
PLW1 17.00000000 w
===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 ussec
PLW2 79.98300171 w

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 ussec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300245 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40


F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028501 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0

125b IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:02 AM


Analyst
Date


Analyst
Friday, 12 June 2020 10:02 AM



Sample Name	Description	Quality Checks
Phenyl II Mig	Sample	The Quality Checks do not report any warnings for the sample.

129a NMR Characterisation






Current Data Parameters
 NAME 20200324 PI p-NO₂ Hec
 EXPNO 62
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20200324
 Time 21.47
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zgpg30
 TD 65536
 SOLVENT CDCl₃
 NS 4096
 DS 2
 SWH 36057.691 Hz
 FIDRES 0.550197 Hz
 AQ 0.9087659 sec
 RG 2050
 DW 13.867 usec
 DE 6.50 usec
 TE 298.2 K
 D1 2.0000000 sec
 D11 0.03000000 sec
 TDO 1

===== CHANNEL f1 =====
 SFO1 150.9178988 MHz
 NUC1 ¹³C
 P1 12.00 usec
 PLW1 80.0000000 W

===== CHANNEL f2 =====
 SFO2 600.1324005 MHz
 NUC2 ¹H
 CPDPRG[2] waltz16
 PCPD2 70.00 usec
 PLW2 17.0000000 W
 PLW12 0.63230002 W
 PLW13 0.30983001 W

F2 - Processing parameters
 SI 32768
 SF 150.9028151 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.40



Current Data Parameters
NAME 20200324 PI p-NO₂ Heck
EXPNO 61
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200324
Time 17.36
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosypppgf
TD 2048
SOLVENT CDCl₃
NS 10
DS 8
SWH 5494.505 Hz
FIDRES 2.682864 Hz
AQ 0.1863680 sec
RG 64
DW 91.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.94142699 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
IN0 0.00018200 sec

----- CHANNEL f1 -----
SF01 600.1326379 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SF01 600.1326 MHz
FIDRES 42.925823 Hz
SW 9.155 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300253 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300233 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0



Current Data Parameters
NAME 20200324 PI pNO2 Heck
EXPNO 64
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200324
Time 21.50
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 5494.505 Hz
FIDRES 5.365728 Hz
AQ 0.0931840 sec
RG 2050
DW 91.000 usec
DE 6.50 usec
TE 298.4 K
CNUST2 145.000000
D0 0.00000300 sec
D1 1.47235203 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1326379 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
P1W1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
P1W2 79.98300171 W
P1W12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300252 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiicho
SF 150.9028521 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200324 PI p-NO₂ Heck
EXPNO 65
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200325
Time 3.31
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcpndqf
TD 4096
SOLVENT CDCl₃
NS 70
DS 16
SWH 5494.505 Hz
FIDRES 1.341432 Hz
AQ 0.3727360 sec
RG 2050
DW 91.000 usec
DE 6.50 usec
TE 298.2 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.38285398 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL F1 =====
SFO1 600.1326379 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W


===== CHANNEL F2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF


F2 - Processing parameters
SI 1024
SF 600.1300240 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028362 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




129a IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Thursday, 11 June 2020 5:10 PM



Sample Name	Description	Quality Checks:
4NO2 E	Sample	The Quality Checks do not report any warnings for the sample.

129b NMR Characterisation




Current Data Parameters
NAME 20200403 p-NO₂ II
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200405
Time 10.48
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDC13
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 322
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 ======

SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300266 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20200403 p-N02 II
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200405
Time 15.51
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 5120
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028140 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200403_p-NO2_II
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200405
Time 10:50
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppof
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 5319.149 Hz
FIDRES 2.597241 Hz
AQ 0.1925120 sec
RG 161
DW 94.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.93528295 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
IN0 0.00018800 sec


----- CHANNEL f1 -----
SFO1 600.1326853 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAM[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 128
SFO1 600.1327 MHz
FIDRES 41.555851 Hz
SW 8.863 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300260 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300259 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200403_p-NO2_II
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date 20200405
Time 15.57
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 5263.158 Hz
FIDRES 5.139802 Hz
AQ 0.0972800 sec
RG 2050
DW 95.000 usec
DE 6.50 usec
TE 298.2 K
CNUST2 145.000000
D0 0.00000300 sec
D1 1.46825600 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1327035 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 79.98300171 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300667 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200403_p-NO2_II
EXPNO 15
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20200405
Time 21.36
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcpndpf
TD 4096
SOLVENT CDCl3
NS 50
DS 16
SWH 5263.158 Hz
FIDRES 1.284951 Hz
AQ 0.3891200 sec
RG 2050
DW 95.000 us
DE 6.50 us
TE 298.1 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.36646998 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec


===== CHANNEL f1 =====
SFO1 600.1327035 MHz
NUC1 1H
P1 13.50 us
P2 27.00 us
PLW1 17.0000000 W
===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 us
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 us

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300667 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




129b IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Thursday, 11 June 2020 5:16 PM


Analyst
Date


Analyst
Thursday, 11 June 2020 5:16 PM



Sample Name	Description	Quality Checks
4NO2 II E	Sample	The Quality Checks do not report any warnings for the sample.

¹³Oa NMR Characterisation






Current Data Parameters
NAME 20200608_3NO2_I_E
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200608
Time 21.49
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 8000
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.1 K
D1 2.00000000 sec
D11 0.03000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028123 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200608_3NO2_I_E
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200608
Time 14.43
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfpfpp
ID 2048
SOLVENT CDCl3
NS 3
DS 4
SWH 5208.333 Hz
FIDRES 2.543132 Hz
AQ 0.1966080 sec
RG 2050
DW 96.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00007881 sec
D1 1.94183695 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INU 0.00019200 sec

----- CHANNEL f1 -----
SFO1 600.1327068 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 600.1327 MHz
FIDRES 20.345053 Hz
SW 8.679 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300282 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300273 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0



Current Data Parameters
NAME 20200608_3NO2_I_E
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters

Date 20200608
Time 21:54
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetqp
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 5154.639 Hz
FIDRES 5.033827 Hz
AQ 0.0993280 sec
RG 2050
DW 97.000 usec
DE 6.50 usec
TE 298.1 K
CNUST2 145.0000000
D0 0.00000300 sec
D1 1.46620798 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1326998 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PLW1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 79.98300171 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200608_3NO2_I_E
EXPNO 15
PROCNO 1

ppm r2 - Acquisition Parameters
Data_ 20200609
Time 3.34
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 5154.639 Hz
FIDRES 1.258457 Hz
AQ 0.3973120 sec
RG 2050
DW 97.000 ussec
DE 6.50 ussec
TE 298.3 K
CNST13 0.0000000
D0 0.00000300 sec
D1 1.35827804 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.000001490 sec

===== CHANNEL f1 =====
SFO1 600.1326998 MHz
NUC1 1H
P1 13.50 ussec
P2 27.00 ussec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 ussec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 ussec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF


F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




130a IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:59 AM



Sample Name	Description	Quality Checks:
3NO2 E	Sample	The Quality Checks do not report any warnings for the sample.

135a NMR Characterisation





Current Data Parameters
NAME 20200605 3NO2 I mig
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200606
Time 1.02
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl₃
NS 8000
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.1 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 ¹³C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 ¹H
CPDPKG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028128 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200605_3NO2_I.mig
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200605
Time 17.37
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfpfpp
ID 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 5102.041 Hz
FIDRES 2.491231 Hz
AQ 0.2007040 sec
RG 2050
DW 98.000 usec
DE 6.50 usec
TE 298.1 K
D0 0.00008081 sec
D1 1.93774104 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00002000 sec
IN0 0.00019600 sec


----- CHANNEL f1 -----
SFO1 600.1326455 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 600.1326 MHz
FIDRES 19.929848 Hz
SW 8.502 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300264 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300254 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200605_3NO2_I.mig
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters

Date_ 20200606
Time 1.05
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgpp
TD 1024
SOLVENT CDCl3
NS 40
DS 16
SWH 5102.041 Hz
FIDRES 4.982462 Hz
AQ 0.1003520 sec
RG 2050
DW 98.000 usec
DE 6.50 usec
TE 298.2 K
CNST2 145.0000000
D0 0.0000300 sec
D1 1.46518397 sec
D4 0.00172414 sec
D11 0.0300000 sec
D16 0.0002000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SF01 600.1326455 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PIW1 17.0000000 W


===== CHANNEL F2 =====
SF02 150.9140636 MHz
NUC2 13C
CPDPGRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PIW2 79.98300171 W
PIW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SF01 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300256 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028423 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200605_3NO2_I.mig
EXPNO 15
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20200606
Time 5.38
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndgf
TD 4096
SOLVENT CDCl3
NS 60
DS 16
SWH 5102.041 Hz
FIDRES 1.245615 Hz
AQ 0.4014080 sec
RG 2050
DW 98.000 usec
DE 6.50 usec
TE 298.0 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.35418200 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL F1 =====
SFO1 600.1326455 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W


===== CHANNEL F2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMMQ10.100
GPNAME[2] SMMQ10.100
GPNAME[3] SMMQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300676 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




135a IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:57 AM


Analyst
Date

Analyst
Friday, 12 June 2020 10:57 AM



Sample Name	Description	Quality Checks
3NO2 Mig	Sample	The Quality Checks do not report any warnings for the sample.

130b NMR Characterisation




Current Data Parameters
NAME 20200612_3NO2_II_E
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200613
Time 8.39
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.1 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300254 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
 NAME 20200612_3NO2_II_E
 EXPNO 12
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20200613
 Time 16.05
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zgpg30
 TD 65536
 SOLVENT CDC13
 NS 8000
 DS 2
 SWH 36057.691 Hz
 FIDRES 0.550197 Hz
 AQ 0.9087659 sec
 RG 2050
 DW 13.867 usec
 DE 6.50 usec
 TE 298.1 K
 D1 2.00000000 sec
 D11 0.03000000 sec
 TD0 1

===== CHANNEL f1 =====
 SFO1 150.9178988 MHz
 NUC1 13C
 P1 12.00 usec
 PLW1 80.0000000 W

===== CHANNEL f2 =====
 SFO2 600.1324005 MHz
 NUC2 1H
 CPDPRG[2] waltz16
 PCPD2 70.00 usec
 PLW2 17.00000000 W
 PLW12 0.63230002 W
 PLW13 0.30983001 W

F2 - Processing parameters
 SI 32768
 SF 150.9028137 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.40



Current Data Parameters
NAME 20200612_3NO2_II_E
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200613
Time 8.41
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppfphpp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 5208.333 Hz
FIDRES 2.543132 Hz
AQ 0.1966080 sec
RG 2050
DW 96.000 usec
DE 6.50 usec
TE 298.1 K
D0 0.00007881 sec
D1 1.94183695 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INU 0.00019200 sec


----- CHANNEL F1 -----
SFO1 600.1326981 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1327 MHz
FIDRES 20.345053 Hz
SW 8.679 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300292 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300245 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200612_3NO2_II_E
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters

Date 20200613
Time 16.10
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 40
DS 16
SWH 5154.639 Hz
FIDRES 5.033827 Hz
AQ 0.0993280 sec
RG 2050
DW 97.000 usec
DE 6.50 usec
TR 298.0 K
CNUST2 145.000000
D0 0.00000300 sec
D1 1.46620798 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGCPINS

===== CHANNEL f1 =====
SFO1 600.1327104 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 79.98300171 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P1_6 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200612_3NO2_II_E
EXPNO 15
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200613
Time 20.43
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 50
DS 16
SWH 5154.639 Hz
FIDRES 1.258457 Hz
AQ 0.3973120 sec
RG 2050
DW 97.000 us
DE 6.50 us
TE 298.1 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.35827804 sec
D6 0.06250000 sec
D16 0.00020000 sec
IN0 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1327104 MHz
NUC1 1H
P1 13.50 us
P2 27.00 us
PLW1 17.00000000 W


===== CHANNEL F2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 us
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 us

F1 - Acquisition parameters
ID 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




130b IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 11:04 AM


Analyst
Date

Analyst
Friday, 12 June 2020 11:04 AM



Sample Name	Description	Quality Checks
3NO2 II E	Sample	The Quality Checks do not report any warnings for the sample.

135b NMR Characterisation



1.00
0.91
1.02
1.02
0.99

1.02
1.87
1.92
0.93

3.24
1.88
1.02
1.40
1.37
2.86
3.29
1.14
2.04
1.95
1.75
1.74
1.73
1.72
1.71
1.63
1.54
0.53
0.27




Current Data Parameters
 NAME 20200612 3NO2 II Mig
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20200612
 Time 17.16
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zg30
 TD 65536
 SOLVENT CDC13
 NS 32
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 362
 DW 41.600 usec
 DE 6.50 usec
 TE 298.1 K
 D1 1.0000000 sec
 TDO 1

===== CHANNEL f1 =====
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 13.50 usec
 PLW1 17.00000000 W

F2 - Processing parameters
 SI 65536
 SF 600.1300259 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20200612_3NO2_II_Mig
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200613
Time 0.42
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 8000
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.1 K
D1 2.0000000 sec
D11 0.03000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028141 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200612_3NO2_II_Mig
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date 20200612
Time 17.17
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppfphpp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 5208.333 Hz
FIDRES 2.543132 Hz
AQ 0.1966080 sec
RG 2050
DW 96.000 usec
DE 6.50 usec
TE 298.1 K
D0 0.00007881 sec
D1 1.94183695 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00019200 sec


----- CHANNEL f1 -----
SFO1 600.1326417 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1326 MHz
FIDRES 20.345053 Hz
SW 8.679 ppm
FnMODE States-TIPI

F2 - Processing parameters
SI 1024
SF 600.1300279 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TIPI
SF 600.1300264 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200612_3NO2_II_Mig
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date 20200613
Time 0.47

INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 40
DS 16
SWH 5102.041 Hz
FIDRES 4.982462 Hz
AQ 0.1003520 sec
RG 2050
DW 98.000 usec
DE 6.50 usec
TE 298.0 K
CNST2 145.0000000
D0 0.00000300 sec
D1 1.46518397 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1326605 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
P1W1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPFG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
P1W2 79.98300171 W
P1W12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSq10.100
GPNAME[2] SMSq10.100
GPX1 80.00 %
GPX2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho


F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200612_3NO2_II_Mig
EXPNO 15
PROCNO 1




135b IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 11:01 AM


Analyst
Date

Analyst
Friday, 12 June 2020 11:01 AM



Sample Name	Description	Quality Checks
3NO2 II Mig	Sample	The Quality Checks do not report any warnings for the sample.

¹³C NMR Characterisation





Current Data Parameters
NAME 20200803_2NO2_I_E
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200803
Time 16.00
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 16
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 228
DW 41.600 usec
DE 6.50 usec
TE 298.1 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300245 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00






Current Data Parameters
 NAME 20200803_2NO2_I_E
 EXPNO 11
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20200803
 Time 16.29
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zgpg30
 TD 65536
 SOLVENT CDC13
 NS 1024
 DS 2
 SWH 36057.691 Hz
 FIDRES 0.550197 Hz
 AQ 0.9087659 sec
 RG 2050
 DW 13.867 usec
 DE 6.50 usec
 TE 298.2 K
 D1 2.00000000 sec
 D11 0.03000000 sec
 TD0 1

===== CHANNEL f1 =====
 SFO1 150.9178988 MHz
 NUC1 13C
 P1 12.00 usec
 PLW1 80.00000000 W

===== CHANNEL f2 =====
 SFO2 600.1324005 MHz
 NUC2 1H
 CPDPRG[2] waltz16
 PCPD2 70.00 usec
 PLW2 17.00000000 W
 PLW12 0.63230002 W
 PLW13 0.30983001 W

F2 - Processing parameters
 SI 32768
 SF 150.9028085 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.40



Current Data Parameters
NAME 20200424_2NO2_I_E
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200424
Time 17.07
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfpchpp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 5000.000 Hz
FIDRES 2.441406 Hz
AQ 0.2048000 sec
RG 2050
DW 100.000 usec
DE 6.50 usec
TE 298.2 K
DO 0.00008281 sec
D1 1.93364501 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00020000 sec

----- CHANNEL f1 -----
SFO1 600.1325984 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1326 MHz
FIDRES 19.531250 Hz
SW 8.331 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300674 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300674 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0



Current Data Parameters
NAME 20200424_2NO2_I_E
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200424
Time 22.15
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 5434.783 Hz
FIDRES 5.307405 Hz
AQ 0.0942080 sec
RG 2050
DW 92.000 us
DE 6.50 us
TE 298.2 K
CNUST2 145.000000
D0 0.00000300 sec
D1 1.47132802 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.11324025 MHz
NUC1 1H
P1 13.50 us
P2 27.00 us
P2B 1000.00 us
PLW1 17.00000000 W


===== CHANNEL F2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPGRG[2] garp
P3 12.00 us
P4 24.00 us
PCPD2 60.00 us
PLW2 79.98300171 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 us
F1 - Acquisition parameters

TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho


F2 - Processing parameters
SI 1024
SF 600.11300675 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSINE
SSB Z
LB 0 Hz
GB 0






Current Data Parameters
NAME 20200424_ZNO2_I_E
EXPNO 15
PROCNO 1




131a IR Spectrum



Sample Name	Description	Quality Checks
2NO2 E	Sample	The Quality Checks do not report any warnings for the sample.

136a NMR Characterisation




Current Data Parameters
 NAME 20200423_2NO2_I_Z
 EXPNO 11
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20200423
 Time 17.36
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 32
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 161
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.00000000 sec
 TDO 1

===== CHANNEL f1 =====
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 13.50 usec
 PLW1 17.00000000 W

F2 - Processing parameters
 SI 65536
 SF 600.1300322 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00




Current Data Parameters
 NAME 20200423_2NO2_I_Z
 EXPNO 13
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20200423
 Time 22.39
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zgpg30
 TD 65536
 SOLVENT CDCl3
 NS 5120
 DS 2
 SWH 36057.691 Hz
 FIDRES 0.550197 Hz
 AQ 0.9087659 sec
 RG 2050
 DW 13.867 usec
 DE 6.50 usec
 TE 298.2 K
 D1 2.00000000 sec
 D11 0.03000000 sec
 TDO 1

===== CHANNEL f1 =====
 SFO1 150.9178988 MHz
 NUC1 13C
 P1 12.00 usec
 PLW1 80.00000000 W

===== CHANNEL f2 =====
 SFO2 600.1324005 MHz
 NUC2 1H
 CPDPRG[2] waltz16
 PCPD2 70.00 usec
 PLW2 17.00000000 W
 PLW12 0.63230002 W
 PLW13 0.30983001 W

F2 - Processing parameters
 SI 32768
 SF 150.9028154 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.40



Current Data Parameters
NAME 20200423_2NO2_I_Z
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200423
Time 17.37
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfpchpp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 5208.333 Hz
FIDRES 2.543132 Hz
AQ 0.1966080 sec
RG 2050
DW 96.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00007881 sec
D1 1.94183695 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00019200 sec

----- CHANNEL f1 -----
SFO1 600.1325270 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1325 MHz
FIDRES 20.345053 Hz
SW 8.679 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300341 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300290 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0



Current Data Parameters
NAME 20200423_2NO2_I_Z
EXPNO 15
PROCNO 1

F2 - Acquisition Parameters
Date 20200423
Time 22:45
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcstop
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 5102.041 Hz
FIDRES 4.982462 Hz
AQ 0.1003520 sec
RG 2050
DW 98.000 usec
DE 6.50 usec
TE 298.2 K
CNUST2 145.0000000
D0 0.00000300 sec
D1 1.46518397 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1325706 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
P1W1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPGRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
P1M2 79.98300171 W
P1M12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPX1 80.00 %
GPX2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FmMode Echo-Antiecho


F2 - Processing parameters
SI 1024
SF 600.1300665 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200423_ZNO2_i_Z
EXPNO 16
PROCNO 1




136a IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:46 AM


Analyst
Date

Analyst
Friday, 12 June 2020 10:46 AM



Sample Name	Description	Quality Checks
2NO2 Mig	Sample	The Quality Checks do not report any warnings for the sample.

¹³¹b NMR Characterisation




Current Data Parameters
NAME 20200508_2NO2_II_E
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200510
Time 22.33
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.1 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 ====== SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300260 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00




Current Data Parameters
NAME 20200508_2NO2_II_E
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200511
Time 4.04
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zpgpg30
TD 65536
SOLVENT CDC13
NS 6144
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 ¹³C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 ¹H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028135 MHz
NDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200508_2NO2_II_E
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200510
Time 22.35
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppqf
TD 2048
SOLVENT CDCl3
NS 5
DS 8
SWH 4950.495 Hz
FIDRES 2.417234 Hz
AQ 0.2068480 sec
RG 203
DW 101.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.92094696 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00020200 sec

----- CHANNEL f1 -----
SFO1 600.1326129 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAM[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1326 MHz
FIDRES 38.675743 Hz
SW 8.249 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300254 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300285 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0



Current Data Parameters
NAME 20200508_2NO2_II_E
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200511
Time 4.09
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgpp
TD 1024
SOLVENT CDCl3
NS 40
DS 16
SWH 5000.000 Hz
FIDRES 4.882813 Hz
AQ 0.1024000 sec
RG 2050
DW 100.000 usec
DE 6.50 usec
TE 298.2 K
CNS2T 145.0000000
D0 0.0000300 sec
D1 1.4631396 sec
D4 0.00172414 sec
D11 0.0300000 sec
D16 0.0002000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SF01 600.1326057 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PLW1 17.0000000 W


===== CHANNEL F2 =====
SF02 150.9140636 MHz
NUC2 13C
CPDPGRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 79.98300171 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 238
SF01 150.9141 MHz
FIDRES 105.042015 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200511_ZNO2_II_E
EXPNO 11
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20200512
Time 6.08
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndgf
TD 4096
SOLVENT CDCl3
NS 50
DS 16
SWH 4950.495 Hz
FIDRES 1.208617 Hz
AQ 0.4136960 sec
RG 2050
DW 101.000 usec
DE 6.50 usec
TE 298.2 K
CNST13 0.0000000
D0 0.00000300 sec
D1 1.34189403 sec
D6 0.06250000 sec
D16 0.00020000 sec
IN0 0.00001490 sec


===== CHANNEL F1 =====
SFO1 600.1326199 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W
===== CHANNEL F2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




131b IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:55 AM


Analyst
Date

Analyst
Friday, 12 June 2020 10:55 AM



Sample Name	Description	Quality Checks
2NO2 II E	Sample	The Quality Checks do not report any warnings for the sample.

136b NMR Characterisation




Current Data Parameters
 NAME 20200508_2NO2_II_Z
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20200510
 Time 8.27
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 32
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 362
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.0000000 sec
 TD0 1

===== CHANNEL f1 =====
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 13.50 usec
 PLW1 17.0000000 W

F2 - Processing parameters
 SI 65536
 SF 600.1300265 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20200508_2NO2_II_Z
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200510
Time 13.57
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl₃
NS 6144
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.00000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 ¹³C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 ¹H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028125 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200508_2NO2_II_Z
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200510
Time 8.28
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppqr
TD 2048
SOLVENT CDCl3
NS 5
DS 8
SWH 5050.505 Hz
FIDRES 2.466067 Hz
AQ 0.2027520 sec
RG 203
DW 99.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.92504299 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00019800 sec


----- CHANNEL f1 -----
SFO1 600.1325881 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1326 MHz
FIDRES 39.457069 Hz
SW 8.416 ppm
FnMODE QF

F1 - Processing parameters
SI 1024
SF 600.1300258 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300253 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200508_ZNO2_II_Z
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200510
Time 14.02
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcstsp
TD 1024
SOLVENT CDCl3
NS 40
DS 16
SWH 5050.505 Hz
FIDRES 4.93234 Hz
AQ 0.1013760 sec
RG 2050
DW 99.000 usec
DE 6.50 usec
TE 298.1 K
CNST2 145.000000
D0 0.00000300 sec
D1 1.46415997 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1325968 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P28 1000.00 usec
PIW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PIW2 79.98300171 W
PIW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho


F2 - Processing parameters
SI 1024
SF 600.1300668 MHz
WDW QSINK
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSINK
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200508_ZNO2_II_Z
EXPNO 15
PROCNO 1




ppm F2 - Acquisition Parameters
Data_ 20200510
Time 18.35
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcpndqf
TD 4096
SOLVENT CDCl3
NS 60
DS 16
SWH 5050.505 Hz
FIDRES 1.233033 Hz
AQ 0.4055040 sec
RG 2050
DW 99.000 usec
DE 6.50 usec
TE 298.1 K
CNUST13 8.0000000
D0 0.00000300 sec
D1 1.35008597 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec
===== CHANNEL f1 =====
SF01 600.1325968 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.0000000 W
===== CHANNEL f2 =====
SF02 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W
===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec
F1 - Acquisition parameters
TD 128
SF01 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF
F2 - Processing parameters
SI 1024
SF 600.1300668 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40
F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0

136b IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:52 AM


Analyst
Date

Analyst
Friday, 12 June 2020 10:52 AM



Sample Name	Description	Quality Checks
2NO2 II Mig	Sample	The Quality Checks do not report any warnings for the sample.

132a NMR Characterisation






Current Data Parameters
NAME 20200522_40Me_I_E
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200524
Time 12.52
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zpgpg30
TD 65536
SOLVENT CDCl3
NS 6144
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.00000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPKG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028126 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40





Current Data Parameters
NAME 20200522_4OMe_I_E
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date 20200524
Time 7.18
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfpfpp
TD 2048
SOLVENT CDCl3
NS 3
DS 4
SWH 4629.629 Hz
FIDRES 2.260561 Hz
AQ 0.2211840 sec
RG 2050
DW 108.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00009081 sec
D1 1.91726100 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00002000 sec
IN0 0.00021600 sec


----- CHANNEL f1 -----
SFO1 600.1324690 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1325 MHz
FIDRES 18.084490 Hz
SW 7.714 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300673 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300673 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200522_4OMe_I_E
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200524
Time 12.55
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgppr
TD 1024
SOLVENT CDCl3
NS 40
DS 16
SWH 4629.629 Hz
FIDRES 4.521122 Hz
AQ 0.1105920 sec
RG 2050
DW 108.000 usac
DE 6.50 usac
TE 298.2 K
CNS1T2 145.000000
D0 0.0000300 sec
D1 1.45494401 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SF01 600.1324690 MHz
NUC1 1H
P1 13.50 usac
P2 27.00 usac
P2B 1000.00 usac
P1W1 17.0000000 W


===== CHANNEL f2 =====
SF02 150.9140636 MHz
NUC2 13C
CPDPFRG[2] garp
P3 12.00 usac
P4 24.00 usac
PCPD2 60.00 usac
P1W2 79.98300171 W
P1W12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usac

F1 - Acquisition parameters
TD 256
SF01 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300246 MHz
WIN QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028395 MHz
WIN QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200522_4OMe_I_E
EXPNO 14
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20200524
Time 17.27
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT cdc13
NS 60
DS 16
SWH 4629.629 Hz
FIDRES 1.130281 Hz
AQ 0.4423680 sec
RG 2050
DW 108.000 usec
DE 6.50 usec
TE 298.2 K
CNUST13 8.0000000
D0 0.00000300 sec
D1 1.31322205 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====
SF01 600.1324690 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SF02 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec


F1 - Acquisition parameters
TD 128
SF01 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300226 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028515 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




132a IR Spectrum



Sample Name	Description	Quality Checks
40Me I E	Sample	The Quality Checks do not report any warnings for the sample.

137a NMR Characterisation




Current Data Parameters
NAME 20200522_40Me_I_migration
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200523
Time 18.20
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDC13
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TDO 1

----- CHANNEL f1 -----
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300259 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20200522_40Me_I_migration
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200523
Time 23.55
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zpgpg30
TD 65536
SOLVENT CDCl3
NS 6144
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.00000000 sec
D11 0.03000000 sec
TD0 1

----- CHANNEL f1 -----
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028144 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200522_4OMe_I_migration
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200523
Time 18.21
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfp_hpp
TD 2048
SOLVENT CDCl3
NS 3
DS 4
SWH 4629.629 Hz
FIDRES 2.260561 Hz
AQ 0.2211840 sec
RG 2050
DW 108.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00009081 sec
D1 1.91726100 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00021600 sec


----- CHANNEL f1 -----
SFO1 600.1324621 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAM[1] SMSQ10.100
GPNAM[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1325 MHz
FIDRES 18.084490 Hz
SW 7.714 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300673 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300673 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200522_4OMe_I_migration
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Data 20200523
Time 23.58
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetqp
TD 1024
SOLVENT CDCl3
NS 35
DS 16
SWH 4629.629 Hz
FIDRES 4.521122 Hz
AQ 0.1105920 sec
RG 2050
DW 108.000 usec
DE 6.50 usec
TE 298.1 K
CNUST2 145.0000000
D0 0.00000300 sec
D1 1.45494401 sec
D4 0.00172414 sec
D11 0.0300000 sec
D16 0.0002000 sec
INO 0.00002000 sec
ZGOPINS

===== CHANNEL f1 =====
SFO1 600.1324621 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPGRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 79.98300173 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300243 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028395 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200522_40Me_I_migration
EXPNO 14
PROCNO 1

ppm F2 - Acquisition Parameters

Data_ 20200524
Time 3.57
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 50
DS 16
SWH 4629.629 Hz
FIDRES 1.1130281 Hz
AQ 0.4423680 sec
RG 2050
DW 108.000 usec
DE 6.50 usec
TE 298.2 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.31322205 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec


===== CHANNEL f1 =====
SFO1 600.1324621 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.000000000 W
===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300673 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




137a IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:20 AM


Analyst
Date

Analyst
Friday, 12 June 2020 10:20 AM



Sample Name	Description	Quality Checks
4OMe I Mig	Sample	The Quality Checks do not report any warnings for the sample.

132b NMR Characterisation




Current Data Parameters
NAME 20200807 4OMe II E
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200808
Time 12.27
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl₃
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 322
DW 41.600 usec
DE 6.50 usec
TE 298.1 K
D1 1.00000000 sec
TDO 1

===== CHANNEL f1 ======
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300277 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00





Current Data Parameters
NAME 20200807_4OMe_II_E
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200808
Time 12.31
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmffpp
TD 2048
SOLVENT CDCl3
NS 3
DS 4
SWH 4672.897 Hz
FIDRES 2.281688 Hz
AQ 0.2191360 sec
RG 2050
DW 107.000 usec
DE 6.50 usec
TE 298.1 K
D0 0.00008981 sec
D1 1.91930902 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00002000 sec
INO 0.00021400 sec


----- CHANNEL f1 -----
SF01 600.1324671 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SF01 600.1325 MHz
FIDRES 18.253504 Hz
SW 7.786 ppm
FnMODE States-TPPI

F2 - Processing parameters
SI 1024
SF 600.1300675 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 600.1300675 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200807_40Ma_II_E
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200808
Time 14.45
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgppr
TD 1024
SOLVENT CDCl3
NS 25
DS 16
SWH 4672.897 Hz
FIDRES 4.563376 Hz
AQ 0.1095680 sec
RG 2050
DW 107.000 usec
DE 6.50 usec
TE 298.0 K
CNUST2 145.000000
D0 0.00000300 sec
D1 1.45596802 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324671 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PIW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PIW2 79.98300171 W
PIW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300675 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200807_4OMe_II_E
EXPNO 15
PROCNO 1

ppm F2 - Acquisition Parameters
Date 20200808
Time 17.36
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndpf
TD 4096
SOLVENT CDCl3
NS 40
DS 16
SWH 4672.897 Hz
FIDRES 1.140844 Hz
AQ 0.4382720 sec
RG 2050
DW 107.000 usec
DE 6.50 usec
TE 298.2 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.31731796 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1324671 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300675 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
FC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




132b IR Spectrum


PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:43 AM


Analyst
Date

Analyst
Friday, 12 June 2020 10:43 AM



Sample Name	Description	Quality Checks
40Me II E	Sample	The Quality Checks do not report any warnings for the sample.





Current Data Parameters
NAME 20200529 4OMe II migration
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200531
Time 8.28
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zqpg30
TD 65536
SOLVENT CDC13
NS 6144
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.1 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

----- CHANNEL f1 -----
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPGRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028155 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200529_4OMe II migration
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200531
Time 1.49
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppfhhpp
ID 2048
SOLVENT CDCl3
NS 10
DS 4
SWH 4761.905 Hz
FIDRES 2.325149 Hz
AQ 0.2150400 sec
RG 2050
DW 105.000 usec
DE 6.50 usec
TE 298.1 K
DO 0.00008781 sec
D1 1.92340505 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00002000 sec
INO 0.00021000 sec


----- CHANNEL f1 -----
SFO1 600.1324450 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 600.1324 MHz
FIDRES 18.601191 Hz
SW 7.935 ppm
FnMODE States-TPPI

F2 - Processing parameters
SI 1024
SF 600.1300293 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 600.1300296 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200529_4cMe II migration
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200531
Time 8.33
INSTRUM spect
PROBHD 5 mm PARBO BB/
PULPROG hsqcetgpp
TD 1024
SOLVENT CDCl3
NS 45
DS 16
SWH 4716.981 Hz
FIDRES 4.60427 Hz
AQ 0.1085440 sec
RG 2050
DW 106.000 usec
DE 6.50 usec
TE 298.0 K
CNST2 145.000000
D0 0.00000300 sec
D1 1.45699203 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324337 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PIW1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 79.98300171 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Anticho


F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW QSIMINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-anticho
SF 150.9028085 MHz
WDW QSIMINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200529_40Me II migration
EXPNO 15
PROCNO 1



F2 - Acquisition Parameters

Data_ 20200531
Time 13.40
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndgf
TD 4096
SOLVENT CDCl3
NS 60
DS 16
SWH 4716.981 Hz
FIDRES 1.151607 Hz
AQ 0.4341760 sec
RG 2050
DW 106.000 us
DE 6.50 us
TE 298.1 K
CNUST13 8.0000000
D0 0.00000300 sec
D1 1.32141399 sec
D6 0.06250000 sec
D16 0.00020000 sec
IN0 0.00001490 sec

===== CHANNEL f1 =====

SFO1 600.1324337 MHz
NUC1 1H
P1 13.50 us
F2 27.00 us
PLW1 17.0000000 W

===== CHANNEL f2 =====

SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 us
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====

GPNAM[1] SMSQ10.100
GPNAM[2] SMSQ10.100
GPNAM[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 us

F1 - Acquisition parameters
ID 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW SINE
SSB 0 Hz
LB 0 Hz
GB 0
PC 1.40


F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0 Hz
LB 0 Hz
GB 0

137b IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:40 AM


Analyst
Date

Analyst
Friday, 12 June 2020 10:40 AM



Sample Name	Description	Quality Checks
4OMe II Mig	Sample	The Quality Checks do not report any warnings for the sample.

133a NMR Characterisation



Current Data Parameters
NAME 20200522 30Me I E
EXPNO 10
PROCNO 1


```

F2 - Acquisition Parameters
Date_          20200523
Time           5.23
INSTRUM        spect
PROBHD        5 mm PABBO BB/
PULPROG       zg30
TD             65536
SOLVENT        CDC13
NS              32
DS              2
SWH            12019.230 Hz
FIDRES        0.183399 Hz
AQ             2.7262976 sec
RG              362
DW             41.600 usec
DE              6.50  usec
TE              298.2 K
D1             1.0000000 sec
TD0                 1

```

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300279 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20200522_30Me_I_E
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200523
Time 10.58
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zpgpg30
TD 65536
SOLVENT CDC13
NS 6144
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028146 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200522_30Me_I_E
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date 20200523
Time 5.24
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfp.php
TD 2048
SOLVENT CDCl3
NS 3
DS 4
SWH 4716.981 Hz
FIDRES 2.303213 Hz
AQ 0.2170880 sec
RG 2050
DW 106.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00008881 sec
D1 1.92135704 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00002000 sec
INO 0.00021200 sec


----- CHANNEL f1 -----
SFO1 600.1324392 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1324 MHz
FIDRES 18.425707 Hz
SW 7.860 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300347 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300311 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200522_30Me_I_E
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200523
Time 11.01
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgppr1d
TD 1024
SOLVENT CDCl3
NS 35
DS 16
SWH 4716.981 Hz
FIDRES 4.606427 Hz
AQ 0.1085440 sec
RG 2050
DW 106.000 usac
DE 6.50 usac
TE 298.2 K
CNST2 145.0000000
D0 0.00000300 sec
D1 1.45699203 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324392 MHz
NUC1 1H
P1 13.50 usac
P2 27.00 usac
P2B 1000.00 usac
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usac
P4 24.00 usac
PCPD2 60.00 usac
PLW2 79.98300171 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usac

F1 - Acquisition parameters
ID 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300245 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028365 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200522_30Ma_I_E
EXPNO 14
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20200523
Time 15.00
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 50
DS 16
SWH 4716.981 Hz
FIDRES 1.151607 Hz
AQ 0.43341760 sec
RG 2050
DW 106.000 ussec
DE 6.50 ussec
TE 298.2 K
CNUST13 0.0000000
D0 0.00000300 sec
D1 1.32141399 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1324392 MHz
NUC1 1H
P1 13.50 ussec
P2 27.00 ussec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 ussec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 ussec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300244 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028297 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




133a IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:11 AM


Analyst
Date

Analyst
Friday, 12 June 2020 10:11 AM



Sample Name	Description	Quality Checks
3OMe I E	Sample	The Quality Checks do not report any warnings for the sample.

138a NMR Characterisation



Current Data Parameters
NAME 20200522_30Me_I_migration
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200524
Time 21.26
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDC13
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TDO 1

----- CHANNEL f1 -----
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300263 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00




Current Data Parameters
NAME 20200522_30Me_I_migration
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date 20200525
Time 3.01
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 6144
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TDO 1

----- CHANNEL f1 -----
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.0000000 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028135 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40





Current Data Parameters
NAME 20200522_30MeI_migration
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200524
Time 21.27
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfp.hpp
TD 2048
SOLVENT CDCl3
NS 3
DS 4
SWH 4716.981 Hz
FIDRES 2.303213 Hz
AQ 0.2170880 sec
RG 2050
DW 106.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00008881 sec
D1 1.92135704 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
IN0 0.00021200 sec


----- CHANNEL f1 -----
SF01 600.1324773 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W


----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SF01 600.1325 MHz
FIDRES 18.425707 Hz
SW 7.860 ppm
FnMODE States-TPII

F2 - Processing parameters
SI 1024
SF 600.1300295 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TPII
SF 600.1300330 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200522_30Me_I_migration
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters

Date_ 20200525
Time 3.03
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 35
DS 16
SWH 4716.981 Hz
FIDRES 4.606427 Hz
AQ 0.1085440 sec
RG 2050
DW 106.000 ussec
DE 6.50 ussec
TE 298.1 K
CNUST2 145.0000000
D0 0.00000300 sec
D1 1.45699203 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324773 MHz
NUC1 1H
P1 13.50 ussec
P2 27.00 ussec
P2B 1000.00 ussec
PIW1 17.0000000 w

===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPBPG[2] garp
P3 12.00 ussec
P4 24.00 ussec
PCPD2 60.00 ussec
PIW2 79.98300171 w
PIW12 3.19930005 w

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 ussec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300246 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028465 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0



Current Data Parameters
NAME 20200522_3OMe_I_migration
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Data_ 20200525
Time 7.02
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcpndqf
TD 4096
SOLVENT CDCl3
NS 50
DS 16
SWH 4716.981 Hz
FIDRES 1.151607 Hz
AQ 0.4341760 sec
RG 2050
DW 106.000 usec
DE 6.50 usec
TE 298.1 K
CNST13 0.0000000
D0 0.00000300 sec
D1 1.32141399 sec
D6 0.06250000 sec
D16 0.00020000 sec
IN0 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1324773 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 88
SFO1 150.9179 MHz
FIDRES 381.330078 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300260 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028206 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




138a IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:07 AM


Analyst
Date

Analyst
Friday, 12 June 2020 10:07 AM



Sample Name	Description	Quality Checks
3OMe I Mig	Sample	The Quality Checks do not report any warnings for the sample.

133b NMR Characterisation



Current Data Parameters
NAME 20200529_30Me_II_E
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200530
Time 9.56
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.1 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300672 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00

1.38
1.35
1.19
1.23
1.06
2.28
1.11
1.00
1.08

3.59
4.06
1.93
1.30
3.83
3.67
3.64
1.44
4.32
6.31




Current Data Parameters
NAME 20200807_30Me_II_E
EXPNO 11
PROCNO 1


F2 - Acquisition Parameters
Date_ 20200807
Time 22.31
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.1 K
D1 2.00000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028131 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40





Current Data Parameters
NAME 20200807_3OMe_II_E
EXPNO 13
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200807
Time 22.35
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfpffpp
TD 2048
SOLVENT CDCl3
NS 3
DS 4
SWH 4761.905 Hz
FIDRES 2.325149 Hz
AQ 0.2150400 sec
RG 2050
DW 105.000 usec
DE 6.50 usec
TE 299.1 K
D0 0.00008781 sec
D1 1.92340505 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00021000 sec

----- CHANNEL f1 -----
SFO1 600.1324618 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 600.1325 MHz
FIDRES 18.601191 Hz
SW 7.935 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300672 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300672 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0



Current Data Parameters
NAME 20200807_30Ma_II_E
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date 20200807
Time 23:06
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgp
TD 1024
SOLVENT CDCl3
NS 25
DS 16
SWH 4761.905 Hz
FIDRES 4.650298 Hz
AQ 0.1075200 sec
RG 2050
DW 105.000 usec
DE 6.50 usec
TE 298.0 K
CNUST2 145.000000
D0 0.00000300 sec
D1 1.45801604 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTINS

===== CHANNEL f1 =====
SFO1 600.1324618 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 79.98300171 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300672 MHz
WDW QSLINE
SSB 2
LB 0 Hz
GB 0
PC 1.40


F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSLINE
SSB 2
LB 0 Hz
GB 0






Current Data Parameters
NAME 20200807_30Ma_II_E
EXPNO 15
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20200808
Time 1.57
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 40
DS 16
SWH 4761.905 Hz
FIDRES 1.162574 Hz
AQ 0.4300800 sec
RG 2050
DW 105.000 usec
DE 6.50 usec
TE 298.2 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.32551003 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec
===== CHANNEL f1 =====
SF01 600.1324618 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.0000000 W
===== CHANNEL f2 =====
SF02 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W
===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec
F1 - Acquisition parameters
ID 128
SF01 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF
F2 - Processing parameters
SI 1024
SF 600.1300672 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40
F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




133b IR Spectrum



Sample Name	Description	Quality Checks
30Me II E	Sample	The Quality Checks do not report any warnings for the sample.

138b NMR Characterisation




Current Data Parameters
NAME 20200807_30Me_II_Mig
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200808
Time 4.38
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 287
DW 41.600 usec
DE 6.50 usec
TE 298.1 K
D1 1.0000000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300269 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.00



Current Data Parameters
 NAME 20200807_30Me_II_Mig
 EXPNO 13
 PROCNO 1

F2 - Acquisition Parameters

Date_ 20200808
 Time 6.52
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zpgpg30
 TD 65536
 SOLVENT CDC13
 NS 2048
 DS 2
 SWH 36057.691 Hz
 FIDRES 0.550197 Hz
 AQ 0.9087659 sec
 RG 2050
 DW 13.867 usec
 DE 6.50 usec
 TE 298.1 K
 D1 2.00000000 sec
 D11 0.03000000 sec
 TDO 1

===== CHANNEL f1 =====

SFO1 150.9178988 MHz
 NUC1 13C
 P1 12.00 usec
 PLW1 80.00000000 W

===== CHANNEL f2 =====

SFO2 600.1324005 MHz
 NUC2 1H
 CPDPRG[2] waltz16
 PCPD2 70.00 usec
 PLW2 17.00000000 W
 PLW12 0.63230002 W
 PLW13 0.30983001 W

F2 - Processing parameters

SI 32768
 SF 150.9028148 MHz
 WDW no
 SSB 0
 LB 0 Hz
 GB 0
 PC 1.40



Current Data Parameters
NAME 20200807_3OMe_II_Mig
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200808
Time 4.41
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppmfpchpp
TD 2048
SOLVENT CDCl3
NS 3
DS 4
SWH 4761.905 Hz
FIDRES 2.325149 Hz
AQ 0.2150400 sec
RG 2050
DW 105.000 usec
DE 6.50 usec
TE 298.1 K
D0 0.00008781 sec
D1 1.92340505 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00021000 sec


----- CHANNEL f1 -----
SFO1 600.1324627 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1325 MHz
FIDRES 18.601191 Hz
SW 7.935 ppm
FnMODE States-TPPI

F2 - Processing parameters
SI 1024
SF 600.1300672 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 600.1300672 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200807_3OMe_II_Mig
EXPNO 14
PROCNO 1

ppm F2 - Acquisition Parameters
Date 20200808
Time 6.55
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcotp
TD 1024
SOLVENT CDCl3
NS 25
DS 16
SWH 4761.905 Hz
FIDRES 4.650298 Hz
AQ 0.1075200 sec
RG 2050
DW 105.000 usec
DE 6.50 usec
TE 298.0 K
CNUST2 145.000000
D0 0.00000300 sec
D1 1.45801604 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1324627 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140630 MHz
NUC2 13C
CPDPFG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 79.98300171 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
Pnmode Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300672 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200807_3OMe_II_Mig
EXPNO 15
PROCNO 1

ppm F2 - Acquisition Parameters

Date 20200808
Time 9.46
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 40
DS 16
SWH 4761.905 Hz
FIDRES 1.162574 Hz
AQ 0.4300800 sec
RG 2050
DW 105.000 usec
DE 6.50 usec
TE 298.2 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.32551003 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====

SFO1 600.1324627 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W

===== CHANNEL f2 =====

SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====

GPNAME[1] SMQ10.100
GPNAME[2] SMQ10.100
GPNAME[3] SMQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters

TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FmMode QF


F2 - Processing parameters

SI 1024
SF 600.1300672 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters

SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE

SSB 0
LB 0 Hz
GB 0




138b IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Friday, 12 June 2020 10:15 AM


Analyst
Date

Analyst
Friday, 12 June 2020 10:15 AM



Sample Name	Description	Quality Checks
3OMe II Mig	Sample	The Quality Checks do not report any warnings for the sample.

134a NMR Characterisation




Current Data Parameters
NAME 20200612 4CF3 I E
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200614
Time 0.02
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.1 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300285 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME 20200612 4CF3 I E
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200614
Time 7.28
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 8000
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.1 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028123 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20200612_4CF3_I_E
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200614
Time 0.03
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppfphpp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 4901.961 Hz
FIDRES 2.393536 Hz
AQ 0.2088960 sec
RG 2050
DW 102.000 usec
DE 6.50 usec
TE 298.1 K
D0 0.00008481 sec
D1 1.92954898 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00020400 sec


----- CHANNEL f1 -----
SFO1 600.1325295 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SFO1 600.1325 MHz
FIDRES 19.148285 Hz
SW 8.168 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300267 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300267 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200612_4CF3_I_E
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date 20200614
Time 7.33
INSTRUM spect
PROBHD 5 mm PARBO BB/
PULPROG hsqcetgps
TD 1024
SOLVENT CDCl3
NS 40
DS 16
SWH 4807.692 Hz
FIDRES 4.695012 Hz
AQ 0.1064960 sec
RG 2050
DW 104.000 ussec
DE 6.50 ussec
TE 297.9 K
CNUST2 145.0000000
D0 0.00000300 sec
D1 1.45994005 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTINS

===== CHANNEL f1 =====
SF01 600.1325643 MHz
NUC1 1H
P1 13.50 ussec
P2 27.00 ussec
P2B 1000.00 ussec
PIW1 17.0000000 W


===== CHANNEL f2 =====
SF02 150.9140636 MHz
NUC2 13C
CPDPGRG[2] garp
P3 12.00 ussec
P4 24.00 ussec
PCPD2 60.00 ussec
PIW2 79.98300171 W
PIW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMCQ10.100
GPNAME[2] SMCQ10.100
GP21 80.00 %
GP22 20.10 %
P16 1000.00 ussec

F1 - Acquisition parameters
TD 256
SF01 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300249 MHz
WDW QSINEK
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028385 MHz
WDW QSINEK
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200612_4CF3_1_E
EXPNO 15
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20200614
Time 12.06
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 50
DS 16
SWH 4807.692 Hz
FIDRES 1.173753 Hz
AQ 0.4259840 sec
RG 2050
DW 104.000 usec
DE 6.50 usec
TE 298.0 K
CNUST13 8.000000
D0 0.00000300 sec
D1 1.32960606 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec


===== CHANNEL f1 =====
SFO1 600.1325643 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.0000000 W
===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300292 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028622 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




134a IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Thursday, 11 June 2020 5:25 PM


Analyst
Date

Analyst
Thursday, 11 June 2020 5:25 PM



Sample Name	Description	Quality Checks
4CF31 E	Sample	The Quality Checks do not report any warnings for the sample.

134b NMR Characterisation



Current Data Parameters
NAME 20200612_4CF3_II_E
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200614
Time 15.25
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 362
DW 41.600 usec
DE 6.50 usec
TE 298.1 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 13.50 usec
PLW1 17.00000000 W

F2 - Processing parameters
SI 65536
SF 600.1300269 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00




Current Data Parameters
NAME 20200612_4CF3_II_E
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200614
Time 22.51
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 8000
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.1 K
D1 2.00000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9028138 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40





Current Data Parameters
NAME 20200612_4CF3_II_E
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date 20200614
Time 15.27
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygppfhhpp
TD 2048
SOLVENT CDCl3
NS 5
DS 4
SWH 4901.961 Hz
FIDRES 2.393536 Hz
AQ 0.2088960 sec
RG 2050
DW 102.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00008481 sec
D1 1.92954898 sec
D11 0.03000000 sec
D12 0.00002000 sec
D16 0.00020000 sec
INO 0.00020400 sec


----- CHANNEL f1 -----
SFO1 600.1325235 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P17 2500.00 usec
PLW1 17.0000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 10.00 %
GPZ2 20.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 600.1325 MHz
FIDRES 19.148285 Hz
SW 8.168 ppm
FnMODE States-IPPI

F2 - Processing parameters
SI 1024
SF 600.1300263 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-IPPI
SF 600.1300270 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200612_4CF3_II_E
EXPNO 14
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20200614
Time 22.57
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetqp
ID 1024
SOLVENT CDCl3
NS 40
DS 16
SWH 4807.692 Hz
FIDRES 4.695012 Hz
AQ 0.1064960 sec
RG 2050
DW 104.000 usec
DE 6.50 usec
TE 298.0 K
CNST2 145.000000
D0 0.00000300 sec
D1 1.45904005 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IN0 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SF01 600.1324890 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
PLW1 17.00000000 W


===== CHANNEL f2 =====
SF02 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
ECPD2 60.00 usec
PLW2 79.98300171 W
PLW12 3.19930005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 256
SF01 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
PRMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300259 MHz
WDW QSIMPLE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028509 MHz
WDW QSIMPLE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20200612_4CF3_II_E
EXPNO 15
PROCNO 1

ppm F2 - Acquisition Parameters

Data_ 20200615
Time 3.29
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 50
DS 16
SWH 4807.692 Hz
FIDRES 1.173753 Hz
AQ 0.4259840 sec
RG 2050
DW 104.000 usec
DE 6.50 usec
TE 299.0 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.32960606 sec
D6 0.06250000 sec
D16 0.00020000 sec
IN0 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1324890 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 79.98300171 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300239 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028536 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




134b IR Spectrum

PerkinElmer Spectrum Version 10.4.00
Thursday, 11 June 2020 5:31 PM

Analyst
Date


Analyst
Thursday, 11 June 2020 5:31 PM



Sample Name	Description	Quality Checks
4CF3 II E	Sample	The Quality Checks do not report any warnings for the sample.

Model Compound Characterisation Data

NMR Characterisation 188



Current Data Parameters
NAME 20180227 Dianion alkylation
EXPNO 10
PROCNO 1

F2 - Acquisition Parameters
Date_ 20180227
Time 17.22
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT CDCl3
NS 64
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7262976 sec
RG 228
DW 41.600 usec
DE 6.50 usec
TE 298.2 K
D1 1.0000000 sec
TD0 1

----- CHANNEL f1 -----
SFO1 600.1337060 MHz
NUC1 1H
P1 14.00 usec
PLW1 17.79999924 W

F2 - Processing parameters
SI 65536
SF 600.1300263 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00




Current Data Parameters
NAME 20180227 Dianion alkylation
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20180227
Time 19.03
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 1024
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

----- CHANNEL f1 -----
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 90.00000000 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPGRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.79999924 W
PLW12 0.71200001 W
PLW13 0.34887999 W

F2 - Processing parameters
SI 32768
SF 150.9027924 MHz
WDW EM
SSB 0 1.00 Hz
LB 0
GB 0 1.40
PC





Current Data Parameters
NAME 20180227 Dianion alkylation
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20180227
Time 17.23
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosygpppqt
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 4000.000 Hz
FIDRES 1.953125 Hz
AQ 0.2560000 sec
RG 64
DW 125.000 usec
DE 6.50 usec
TE 298.3 K
D0 0.00000300 sec
D1 1.87179506 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
IN0 0.00025000 sec


----- CHANNEL f1 -----
SFO1 600.1317763 MHz
NUC1 1H
P0 14.00 usec
P1 14.00 usec
P17 2500.00 usec
PLW1 17.79999924 W
PLW10 5.16090012 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1318 MHz
FIDRES 31.250000 Hz
SW 6.665 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300264 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300300 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20180227 Diamion alkylation
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters

Date 20180227
Time 19.09
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcctgps12
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 3205.12 Hz
FIDRES 1.130008 Hz
AQ 0.1597440 usec
RG 2050
DW 156.000 usec
DE 6.50 usec
TE 298.0 K
CNUST2 145.0000000
D0 0.00000300 usec
D1 1.40415394 usec
D4 0.00172414 usec
D11 0.03000000 usec
D16 0.00020000 usec
D24 0.00086207 usec
INO 0.00002000 usec
ZGPPFINS

===== CHANNEL f1 =====
SF01 600.1317643 MHz
NUC1 1H
P1 14.00 usec
P2 28.00 usec
P2B 1000.00 usec
PLW1 17.79999924 W


===== CHANNEL f2 =====
SF02 150.9141231 MHz
NUC2 13C
CPDPGRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 90.00000000 W
PLW12 3.59999990 W

===== GRADIENT CHANNEL =====
GPNAME[1] SM3Q10.100
GPNAME[2] SM3Q10.100
GPNAME[3] SM3Q10.100
GPNAME[4] SM3Q10.100
GPE1 80.00 %
GPE2 20.10 %
GPE3 11.00 %
GPE4 -5.00 %
P16 1000.00 usec
P19 600.00 usec

F1 - Acquisition parameters
TD 256
SF01 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMode Echo-Antiecho


F2 - Processing parameters
SI 1024
SF 600.1300292 MHz
WDW QSIMSE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9027965 MHz
WDW QSIMSE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20180227 bisnion alkylation
EXPNO 15
PROCNO 1



F2 - Acquisition Parameters

Date 20180228
Time 0.50
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcpndqf
TD 4096
SOLVENT CDCl3
NS 65
DS 16
SWH 3205.128 Hz
FIDRES 0.782502 Hz
AQ 0.6389760 sec
RG 2050
DW 156.000 usec
DE 6.50 usec
TE 298.2 K
CNST13 0.0000000
D0 0.00000300 sec
D1 1.11661398 sec
D6 0.06250000 sec
D16 0.00020000 sec
IN0 0.00001490 sec

===== CHANNEL f1 =====

SFO1 600.1317643 MHz
NUC1 1H
P1 14.00 usec
P2 28.00 usec
PLW1 17.79999924 w

===== CHANNEL f2 =====

SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 90.00000000 w

===== GRADIENT CHANNEL =====

GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters

TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FMODE QF

F2 - Processing parameters

SI 1024
SF 600.13000243 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters


SI 1024
MC2 QF
SF 150.9027985 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0

188 IR spectrum


Analyst
Date

Analyst
Wednesday, 9 May 2018 9:35 AM

PerkinElmer Spectrum Version 10.4.00
Wednesday, 9 May 2018 9:35 AM



NMR Characterisation 174



Current Data Parameters
NAME 20180301 Decarb aldol
EXPNO 10
PROCNO 1

```

F2 - Acquisition Parameters
Date_           20180301
Time            18.07
INSTRUM        spect
PROBHD         5 mm PABBO BB/
PULPROG        zg30
TD              65536
SOLVENT         CDC13
NS              64
DS              2
SWH             12019.230 Hz
FIDRES         0.183399 Hz
AQ              2.7262976 sec
RG              181
DW              41.600 usec
DE              6.50 usec
TE              298.2 K
D1              1.0000000 sec
TD0                 1


```

===== CHANNEL f1 =====
SFO1 600.1337060 MHz
NUC1 1H
P1 14.00 usec
PLW1 17.7999924 W

```

F2 - Processing parameters
SI          65536
SF         600.1300261 MHz
WDW           EM
SSB          0
LB            0.30 Hz
GB          0
PC          1.00

```



Current Data Parameters
NAME 20190628 MC2
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190628
Time 20.51
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDC13
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9027897 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20180301 Decarb aldol
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20180301
Time 18.09
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosypppgf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 5952.381 Hz
FIDRES 2.906436 Hz
AQ 0.1720320 sec
RG 64
DW 84.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.95576298 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00002000 sec
INO 0.00016800 sec


----- CHANNEL f1 -----
SFO1 600.1321951 MHz
NUC1 1H
P0 14.00 usec
P1 14.00 usec
PL7 2500.00 usec
PLW1 17.79999924 W
PLW10 5.16090012 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
ID 128
SFO1 600.1322 MHz
FIDRES 46.502975 Hz
SW 9.918 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300276 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300274 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190628 MC2
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Data_ 20190628
Time 20.56
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgpp
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 2702.703 Hz
FIDRES 2.139358 Hz
AQ 0.1894400 sec
RG 2050
DW 185.000 usec
DE 6.50 usec
TE 298.2 K
CNS1T2 145.0000000 sec
D0 0.00000300 sec
D1 1.37609601 sec
D4 0.0172414 sec
D11 0.0300000 sec
D16 0.0002000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1315626 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P2B 1000.00 usec
P1W1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPFRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PIM2 80.0000000 W
PIM12 3.20000005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WIDN QSINE 2
SSB
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WIDN QSINE 2
SSB
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190628 MC2
EXPNO 15
PROCNO 1

ppm F2 - Acquisition Parameters
Data_ 20190629
Time 2.37
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 2702.703 Hz
FIDRES 0.659840 Hz
AQ 0.7577600 sec
RG 2050
DW 185.000 usec
DE 6.50 usec
TE 298.1 K
CNST13 0.0000000
D0 0.00000300 sec
D1 0.99783027 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1315626 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.00000000 W


===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 80.00000000 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec


F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300000 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




174 IR spectrum



Sample Name	Description	Quality Checks
Decarboxylative aldol		The Quality Checks give rise to a Zero Transmission warning for the sample.

NMR Characterisation 175




Current Data Parameters
 NAME 20180514 Cyclisation (pure)
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20180514
 Time 17.23
 INSTRUM spect
 PROBHD 5 mm PABBI 1H/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 32
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 114
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.0000000 sec
 TD0 1

----- CHANNEL f1 -----
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 8.40 usec
 PLW1 12.55000019 W

F2 - Processing parameters
 SI 65536
 SF 600.1300251 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20180514 Cyclisation (pure)
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20180514
Time 19.13
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 2048
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 912
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.0000000 sec
D11 0.03000000 sec
TD0 1

----- CHANNEL f1 -----
SFO1 150.9178988 MHz
NUC1 13C
PI 16.00 usec
PLW1 110.76000214 W

----- CHANNEL f2 -----
SFO2 600.1324005 MHz
NUC2 1H
CPDPGRG[2] waltz16
PCPD2 70.00 usec
PLW2 12.55000019 W
PLW12 0.18072000 W
PLW13 0.08855400 W

F2 - Processing parameters
SI 32768
SF 150.9027922 MHz
WDW no
SSB 0
LB 0 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20180514 Cyclisation (pure)
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20180514
Time 17.24
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG cosygpppgf
TD 2048
SOLVENT CDCl3
NS 1
DS 8
SWH 4854.369 Hz
FIDRES 2.370297 Hz
AQ 0.2109440 sec
RG 64
DW 103.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.91685104 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00020600 sec


----- CHANNEL f1 -----
SFO1 600.1323570 MHz
NUC1 1H
P0 8.40 usec
P1 8.40 usec
PL7 2500.00 usec
PLW1 12.55000019 W
PLW10 1.30999994 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1324 MHz
FIDRES 37.924759 Hz
SW 8.089 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300207 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300235 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20180514_Cyclisation (pure)
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters

Data_ 20180514
Time 19.19
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG hsqcetgps12
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4950.495 Hz
FIDRES 4.834468 Hz
AQ 0.1034240 sec
RG 1055
DW 101.000 ussec
DE 6.50 ussec
TE 298.0 K
CNUST2 145.0000000
DD 0.00000300 sec
D1 1.45047401 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
D24 0.00086207 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1323102 MHz
NUC1 1H
P1 8.40 ussec
P2 16.80 ussec
P2B 1000.00 ussec
PLW1 12.55000019 W


===== CHANNEL f2 =====
SFO2 150.9141331 MHz
NUC2 13C
CPDPBG[2] garp
P3 16.00 ussec
P4 32.00 ussec
PCPD2 60.00 ussec
PLW2 110.76000214 W
PLW12 7.87610006 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPNAME[4] SMSQ10.100
GPX1 80.00 %
GPX2 20.10 %
GPX3 11.00 %
GPX4 -5.00 %
P16 1000.00 ussec
P19 600.00 ussec

F1 - Acquisition parameters
ID 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300247 MHz
WDW QSIMX
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028211 MHz
WDW QSIMX
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20180514 Cyclisation (pure)
EXPNO 15
PROCNO 1

F2 - Acquisition Parameters

Data_ 20180515
Time 1.00
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG hmbcpndqf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 4950.495 Hz
FIDRES 1.208617 Hz
AQ 0.4136960 sec
RG 2050
DW 101.000 usec
DE 6.50 usec
TE 299.2 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.34189403 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====
SFO1 600.1323102 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
PLW1 12.55000019 W


===== CHANNEL f2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 16.00 usec
PLW2 110.76000214 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300188 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028281 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




175 IR spectrum


PerkinElmer Spectrum Version 10.4.00
Monday, 14 May 2018 5:24 PM

Analyst
Date

Analyst
Monday, 14 May 2018 5:24 PM



NMR Characterisation 155




Current Data Parameters
 NAME 20180710_Sonagashira_Cross_Couple
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20180710
 Time 17.21
 INSTRUM spect
 PROBHD 5 mm PABBI 1H/
 PULPROG zg30
 TD 65536
 SOLVENT CDCl3
 NS 16
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 256
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.00000000 sec
 TDO 1

===== CHANNEL f1 =====
 SFO1 600.1337060 MHz
 NUC1 1H
 P1 8.40 usec
 PLW1 12.55000019 W

F2 - Processing parameters
 SI 65536
 SF 600.1300240 MHz
 WDW no
 SSB 0
 LB 0 Hz
 GB 0
 PC 1.00




Current Data Parameters
NAME 20180710_Sonagashira_Cross_Couple
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date 20180710
Time 19.01
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 1024
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 1820
DW 13.867 usec
DE 6.50 ussec
TE 298.2 K
D1 2.0000000 sec
D11 0.0300000 sec
TDO 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 16.00 usec
PLW1 110.76000214 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 12.55000019 W
PLW12 0.18072000 W
PLW13 0.08855400 W

F2 - Processing parameters
SI 32768
SF 150.9027891 MHz
WDW EM
SSB 0 1.00 Hz
LB 0
GB 0
PC 1.40



Current Data Parameters
NAME 20180710_Sonagashira_Cross_Couple
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Data_ 20180710
Time 17.23
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG cosygpppqf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 5050.505 Hz
FIDRES 2.466067 Hz
AQ 0.2027520 sec
RG 203
DW 99.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.92504299 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
IN0 0.00019800 sec

===== CHANNEL f1 =====
SFO1 600.1325023 MHz
NUC1 1H
PD 8.40 usec
P1 8.40 usec
P17 2500.00 usec
PLW1 12.55000019 W
PLW10 1.30999994 W

===== GRADIENT CHANNEL =====
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 600.1325 MHz
FIDRES 39.457069 Hz
SW 8.416 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300210 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300262 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0



Current Data Parameters
NAME 20180710_Sonagashira_Cross_Couple
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters

Date 20180710
Time 19.07
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG hsqcetpr
ID 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 5000.000 Hz
FIDRES 4.882813 Hz
AQ 0.1024000 sec
RG 2050
DW 100.000 usec
DE 6.50 usec
TE 298.0 K
CNST2 145.000000
D0 0.00000300 sec
D1 1.46313596 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
IND 0.00002000 sec
ZGPPINS

===== CHANNEL f1 =====

SFO1 600.1325359 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
P2B 1000.00 usec
PLW1 12.55000019 W

===== CHANNEL f2 =====

SFO2 150.9140636 MHz
NUC2 13C
CPDPGRG[2] gtp
P3 16.00 usec
P4 32.00 usec
PCPD2 60.00 usec
PLW2 110.76000214 W
PLW12 7.87610006 W

===== GRADIENT CHANNEL =====

GPNAM[1] SMQ10.100
GPNAM[2] SMQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters


ID 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters

SI 1024
SF 600.1300225 MHz
WDW QSIMIN
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters

SI 1024
MC2 echo-antiecho
SF 150.9028180 MHz
WDW QSIMIN
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20180710_Sonagashira_Cross_Couple
EXPNO 15
PROCNO 1

F2 - Acquisition Parameters
Data_ 20180711
Time 0.47
INSTRUM spect
PROBHD 5 mm PABBI 1H/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 5000.000 Hz
FIDRES 1.220703 Hz
AQ 0.4096000 sec
RG 2050
DW 100.000 usec
DE 6.50 usec
TE 298.2 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.34598994 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL F1 =====
SFO1 600.1325359 MHz
NUC1 1H
P1 8.40 usec
P2 16.80 usec
PLW1 12.55000019 W


===== CHANNEL F2 =====
SFO2 150.9178748 MHz
NUC2 13C
P3 16.00 usec
PLW2 110.76000214 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMCQ10.100
GPNAME[2] SMCQ10.100
GPNAME[3] SMCQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SFO1 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300211 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028241 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0




155 IR spectrum


Analyst
Date

Analyst
Monday, 5 November 2018 2:25 PM

PerkinElmer Spectrum Version 10.4.00
Monday, 5 November 2018 2:25 PM



NMR Characterisation 21 mixture




Current Data Parameters
 NAME 20190627 MC5 FINAL CRUDE
 EXPNO 10
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20190627
 Time 19.08
 INSTRUM spect
 PROBHD 5 mm PABBO BB/
 PULPROG zg30
 TD 65536
 SOLVENT CDC13
 NS 64
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7262976 sec
 RG 256
 DW 41.600 usec
 DE 6.50 usec
 TE 298.2 K
 D1 1.0000000 sec
 TDO 1

===== CHANNEL f1 ======

SFO1 600.1337060 MHz
 NUC1 1H
 P1 13.50 usec
 PLW1 17.0000000 W

F2 - Processing parameters
 SI 65536
 SF 600.1300267 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00



Current Data Parameters
NAME 20190627 MC5 FINAL CRUDE
EXPNO 12
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190627
Time 22.31
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zgpg30
TD 65536
SOLVENT CDCl3
NS 3096
DS 2
SWH 36057.691 Hz
FIDRES 0.550197 Hz
AQ 0.9087659 sec
RG 2050
DW 13.867 usec
DE 6.50 usec
TE 298.2 K
D1 2.00000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 150.9178988 MHz
NUC1 13C
P1 12.00 usec
PLW1 80.00000000 W

===== CHANNEL f2 =====
SFO2 600.1324005 MHz
NUC2 1H
CPDPRG[2] waltz16
PCPD2 70.00 usec
PLW2 17.00000000 W
PLW12 0.63230002 W
PLW13 0.30983001 W

F2 - Processing parameters
SI 32768
SF 150.9027946 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME 20190627 MCS FINAL CRUDE
EXPNO 11
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190627
Time 19.09
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG cosyggppqf
TD 2048
SOLVENT CDCl3
NS 10
DS 8
SWH 4201.681 Hz
FIDRES 2.051602 Hz
AQ 0.2437120 sec
RG 144
DW 119.000 usec
DE 6.50 usec
TE 298.2 K
D0 0.00000300 sec
D1 1.88408303 sec
D11 0.03000000 sec
D12 0.00002000 sec
D13 0.00000400 sec
D16 0.00020000 sec
INO 0.00023800 sec


----- CHANNEL f1 -----
SF01 600.1322736 MHz
NUC1 1H
P0 13.50 usec
P1 13.50 usec
P17 2500.00 usec
PLW1 17.00000000 W
PLW10 4.58319998 W

----- GRADIENT CHANNEL -----
GPNAME[1] SMSQ10.100
GPZ1 10.00 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SF01 600.1323 MHz
FIDRES 32.825630 Hz
SW 7.001 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300266 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 600.1300242 MHz
WDW QSINE
SSB 0
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190627 MC5 FINAL CRUDE
EXPNO 14
PROCNO 1

F2 - Acquisition Parameters
Date_ 20190627
Time 22.36
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hsqcetgppr
TD 1024
SOLVENT CDCl3
NS 50
DS 16
SWH 4132.231 Hz
FIDRES 4.035382 Hz
AQ 0.1239040 sec
RG 2050
DW 121.000 usec
DE 6.50 usec
TE 298.2 K
CNST2 145.0000000
D0 0.00000300 sec
D1 1.44165203 sec
D4 0.00172414 sec
D11 0.03000000 sec
D16 0.00020000 sec
INO 0.00002000 sec
ZGOPTNS

===== CHANNEL f1 =====
SFO1 600.1323015 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
P28 1000.00 usec
PLW1 17.0000000 W


===== CHANNEL f2 =====
SFO2 150.9140636 MHz
NUC2 13C
CPDPRG[2] garp
P3 12.00 usec
P4 24.00 usec
PCPD2 60.00 usec
PLW2 80.0000000 W
PLW12 3.2000005 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPZ1 80.00 %
GPZ2 20.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 256
SFO1 150.9141 MHz
FIDRES 97.656250 Hz
SW 165.657 ppm
FnMODE Echo-Antiecho

F2 - Processing parameters
SI 1024
SF 600.1300655 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 echo-antiecho
SF 150.9028085 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0





Current Data Parameters
NAME 20190627 MC5 FINAL CRUDE
EXPNO 15
PROCNO 1

F2 - Acquisition Parameters
Data_ 20190628
Time 4.16
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG hmbcgpndqf
TD 4096
SOLVENT CDCl3
NS 70
DS 16
SWH 4132.231 Hz
FIDRES 1.008846 Hz
AQ 0.4956160 sec
RG 2050
DW 121.000 usec
DE 6.50 usec
TE 298.1 K
CNST13 8.0000000
D0 0.00000300 sec
D1 1.25997400 sec
D6 0.06250000 sec
D16 0.00020000 sec
INO 0.00001490 sec

===== CHANNEL f1 =====
SF01 600.1323015 MHz
NUC1 1H
P1 13.50 usec
P2 27.00 usec
PLW1 17.0000000 W

===== CHANNEL F2 =====
SF02 150.9178748 MHz
NUC2 13C
P3 12.00 usec
PLW2 80.00000000 W

===== GRADIENT CHANNEL =====
GPNAME[1] SMSQ10.100
GPNAME[2] SMSQ10.100
GPNAME[3] SMSQ10.100
GPZ1 50.00 %
GPZ2 30.00 %
GPZ3 40.10 %
P16 1000.00 usec

F1 - Acquisition parameters
TD 128
SF01 150.9179 MHz
FIDRES 262.164429 Hz
SW 222.353 ppm
FnMODE QF

F2 - Processing parameters
SI 1024
SF 600.1300655 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 QF
SF 150.9028085 MHz
WDW SINE
SSB 0
LB 0 Hz
GB 0

