Bibliography

[1] K. J. Åström and B. Wittenmark. *Adaptive Control*. Addison-Wesley, USA, 1989.

[2] K.J. Åström and P. Eykhoff. System identification - a survey. *Automatica*, 7:123–161, 1971.

[3] A.N. Ashour. *Nonlinear Control of plate vibrations*. PhD thesis, Virginia Polytechnic Institute and State University, 2001.

[4] O.N. Ashour and A.H. Nayfeh. Adaptive control of flexible structures using a nonlinear vibration absorber. *Nonlinear Dynamics*, 28:309–322, 2002.

[5] M. Athans, D. Castanou, K.P. Dunn, C.S. Greene, W.H. Lee, N.R. Sandell, and A.S. Willsky. The stochastic control of the f-8 aircraft using multiple model adaptive control (mmac) method - part 1: Equilibrium flight. *IEEE Trans. Automatic Control*, 22(5):768–780, 1977.

[6] T. Autenrieth and E. Rogers. Performance enhancement for a class of multiple model adaptive control schemes. *Int. J. Adapt. Control Signal Process.*, 13:105–127, 1999.

[7] M.R. Bai and K.Y. Ou. Experimental evaluation of adaptive predictive control for rotor vibration suppression. *IEEE Trans. Control Systems Technology*, 10(6):895–901, 2002.

[8] M.J. Balas. Feedback control of flexible systems. *IEEE Transaction on Automatic Control*, AC-23:673–679, 1978.

[9] B. Bamieh. Intersample and finite wordlength effects in sampled-data system. *IEEE Transaction on Automatic Control*, 48(4):639–643, 2003.

[10] C.N. Bapat and C. Bapat. Natural frequencies of a beam with nonclassical boundary conditions and concentrated masses. *Journal of Sound and Vibration*, 112:177–182, 1987.

[11] A. Baz and J.T. Hong. Adaptive control of flexible structures using modal positive position feedback. *Int. J. Adapt. Control Signal Process.*, 11:231–253, 1997.

[12] A. Baz and S. Poh. Performance of an active control system with piezo-electric actuators. *Journal of Sound and Vibration*, 126(2):327–343, 1988.

[13] A. Baz, S. Poh, and J. Fedor. Independent modal space control with positive position feedback. *Journal of Dynamic Systems, Measurement and Control*, 114:96–103, 1992.

[14] F.D. Bianchi, R.J. Mantz, and C.F. Christiansen. Gain scheduling control of variable-speed wind energy conversion systems using quasi-lpv models. *Control Engineering Practice*, 13:247–255, 2005.

[15] R.R. Bitmead and B.D.O Anderson. Adaptive frequency sampling filters. *IEEE Transaction on Acoustics, Speech, and Signal Processing*, 29(3):684–694, 1981.

[16] M. Bodson. Rejection of periodic disturbances of unknown and time-varying frequency. *Int. J. Adapt. Control Signal Process.*, 19:67–88, 2005.

[17] A. Bosse, T.W. Lim, and S. Shelley. Modal filters and neural networks for adaptive vibration control. *Journal of Vibration and Control*, 6:631–648, 2000.

[18] M. Bouchard and S. Quednau. Multichannel recursive-least square algorithms and fast-transversal-filter algorithm for active noise control and sound reproduction systems. *IEEE Transaction on Speech and Audio Processing*, 8(5):606–618, 2000.

[19] M.J. Brennan, S.J. Elliott, and R.J. Pinnington. Strategies for the active control of flexural vibration on a beam. *Journal of Sound and Vibration*, 186(4):657–688, 1995.

[20] X. Bu, L. Ye, Z. Su, and C. Wang. Active control of a flexible smart beam using a system identification technique based on armax. *Smart Materials and Structures*, 12:845–850, 2003.

[21] F. Chaplais and K. Alaoui. Two time scaled parameter identification by coordination of local identifiers. *Automatica*, 32(9):1303–1309, 1996.

[22] B. Chaudhuri, R. Majumder, and B.C. Pal. Application of multiple-model adaptive control strategy for robust damping of interarea oscillations in power system. *IEEE Trans. Control Systems Technology*, 12(5):727–735, 2004.

[23] L. Chen and K.S. Narendra. Nonlinear adaptive control using neural networks and multiple models. *Automatica*, 37:1245–1255, 2001.

[24] M.H. Chen and M.J. Brennan. Active control of gear vibration using specially configured sensors and actuators. *Smart Material Structure*, 9:342–350, 2000.

[25] P.C. Chen and J.S. Shamma. Gain-scheduled ℓ^1-optimal control for boiler-turbine dynamics with actuator saturation. *Journal of Process Control*, 14:263–277, 2004.

[26] R.L. Clark. Accounting for out-of-bandwidth modes in the assumed modes approach: Implications on collocated output feedback control. *Transaction of the ASME Journal of Dynamic Systems Measurement and Control*, 119:390–395, 1997.

[27] R.L. Clark, W.R. Saunders, and G.P. Gibbs. *Adaptive Structures Dynamics and Control*. John Wiley & Sons, Canada, 1998.

[28] C.F Cutforth and L.Y Pao. Adaptive input shaping for maneuvering flexible structures. *Automatica*, 40:685–693, 2004.

[29] C.A. Desoer and M. Vidyasagar. *Feedback Systems: Input-Output Properties*. Academic Pres, USA, 1975.

[30] W. Eversman and I.D. Roy. Active flutter suppression using multi-input/multi-output adaptive least mean square control. *Journal of Aircraft*, 34(2):224–250, 1997.

[31] D.J. Ewins. *Modal Testing: Theory, Practice and Application*. Research Studies Press Ltd, England, 2000.

[32] S.D. Fassois. Mimo lms-armax identification of vibrating structures-part i: The method. *Mechanical Systems and Signal Processing*, 15(4):723–735, 2001.

[33] G.F. Franklin, D.J. Powell, and M.L. Workman. *Digital Control of Dynamic Systems*. Addison-Wesley, USA, 1990.

[34] M.I. Friswell and D.J. Inman. The relationship between positive position feedback and output feedback controllers. *Smart Material Structure*, 8:285–291, 1999.

[35] C.R. Fuller, S.J. Elliott, and P.A. Nelson. *Active Control of Vibration*. Academic Press, London, 1996.

[36] R.P. Goel. Vibrations of a beam carrying a concentrated mass. *Journal of Applied Mechanics*, 40:821–822, 1973.

[37] C.J. Goh and T.K. Caughey. On the stability problem caused by finite actuator dynamics in the collocated control of large space structures. *Int. J. Control*, 41(3):787–802, 1985.

[38] G. Gregorčič and G. Lightbody. A comparison of multiple model and pole-placement self-tuning for the control of highly nonlinear processes. In *Proceedings of the Irish Signals and Systems Conference*, pages 472–479, 2000.

[39] R. Gundala, K.A. Hoo, and M.J. Piovoso. Multiple model adaptive control design for a mimo chemical reactor. *Ind. & Eng. Chem. Res.*, 39:1554–1563, 2000.

[40] J.A. Gustafson and P.S. Maybeck. Flexible spacestructure control via moving-bank multiple model algorithm. *IEEE Trans. on Aerospace and Electronics Systems*, 30(3):750–757, 1994.

[41] P. O. Gutman. Robust and adaptive control: fidelity or an open relationship? *System & Control Letters*, 49:9–19, 2003.

[42] D. Halim. *Vibration analysis and control of smart structures*. PhD thesis, The University of Newcastle, 2002.

[43] D. Halim and S.O.R. Moheimani. Spatial resonant control of a flexible structures- application to a piezoelectric laminate beam. *IEEE Trans. Control Systems Technology*, 9(1):37–53, 2001.

[44] C.R. Halkyard and B.R. Mace. Feedforward adaptive control of flexural vibration in a beam using wave amplitudes. *Journal of Sound and Vibration*, 254(1):117–141, 2002.

[45] C.H. Hansen and S.D. Synder. *Active Control of Noise and Vibration*. Chapman & Hall, London, 1997.

[46] M.R. Hatch. *Vibration Simulation Using Matlab and ANSYS*. Chapman & Hall/CRC, USA, 2001.

[47] S. Haykin. *Adaptive Filter Theory*. Prentice Hall, Upper Saddle River, N.J., 2002.

[48] W. He, H. Kaufman, and R. Roy. Multiple model adaptive control procedure for blood pressure control. *IEEE Trans. Biomed. Eng.*, 33(1):10–19, 1986.

[49] G. Hillerström. Adaptive suppression of vibrations- a repetitive control approach. *IEEE Trans. Control Systems Technology*, 4(1):72–77, 1996.

[50] J.J. Hollkamp and T.F. Starchville Jr. A self-tuning piezoelectric vibration absorber. *Journal of Intelligent Material Systems and Structures*, 5:559–566, 1994.

[51] S.J. Huang and B.T. Shu. Adaptive control for a mechanical system with oscillation disturbance. *Journal of Sound and Vibration*, 199(1):107–123, 1997.

[52] P.C. Hughes. Space structure vibration modes: How many exist? which one are important? *IEEE Control System Magazine*, 7:22–28, 1987.

[53] D.J. Inman. *Engineering Vibration*. Prentice Hall, USA, 1996.

[54] D.J. Inman. Active modal control for smart structures. *Phil. Trans. R. Soc. Lond. A*, 359:205–219, 2001.

[55] A. Inoue, K. Yabuki, M. Deng, N. Ueki, and Y. Hirashima. Adaptive vibration control of flexible structure with unknown and unmeasurable disturbances. In *Proceedings of IFAC Workshop on Adaptation and Learning in Control and Signal Processing, and IFAC Workshop on Periodic Control Systems*, pages 585–590, Yokohama, 2004.

[56] P.A. Ioannou and J. Sun. *Robust Adaptive Control*. Prentice Hall, Englewood Cliffs, N.J., 1996.

[57] Y. Iwaya, T. Ichinoseki, Y. Suzuki, M. Sakata, and T. Sone. Adaptive control of vibration intensity in a beam in the frequency domain. *IEICE Trans. Fundamentals*, E82A(4):605–610, 1999.

[58] J. Jiang. Preservations of positive realness under discretizations. *Journal of the Franklin Institute*, 330(4):721–734, 1993.

[59] J. Jiang and Y. Zhang. A novel variable-length sliding window blockwise least-squares algorithm for on-line estimation of time-varying parameters. *Int. J. Adapt. Control Signal Process.*, 18:505–521, 2004.

[60] T.A. Johansen, I. Petersen, J. Kalkkuhl, and J. Lüdemann. Gain-scheduled wheel slip control in automotive brake systems. *IEEE Trans. Control Systems Technology*, 11(6):799–811, 2003.

[61] J.N. Juang. *Applied System Identification*. Prentice Hall, Upper Saddle River, N.J., USA, 1994.

[62] J. Kalkkuhl, T.A. Johansen, and J. Lüdemann. Improved transient performance of nonlinear adaptive backstepping using estimator resetting based on multiple models. *IEEE Trans. Automatic Control*, 47(1):136–140, 2002.

[63] Y.K. Kang, H.C. Park, W. Hwang, and K.S. Han. Optimum placement of piezoelectric sensor/actuator for vibration control of laminated beams. *AIAA Journal*, 24(9):1921–1926, 1996.

[64] A. Karimi and I.D. Landau. Robust adaptive control of a flexible transmission system using multiple models. *IEEE Trans. Control Systems Technology*, 8(2):321–331, 2000.

[65] A. Karimi, I.D. Landau, and N. Motee. Effects of the design parameters of multimodel adaptive control on the performance of a flexible transmission system. *Int. J. Adapt. Control Signal Process*, 15:335–352, 2001.

[66] S.G. Kelly. *Fundamentals of Mechanical Vibrations*. McGraw Hill, USA, 2000.

[67] H. Khalil. *Nonlinear Systems*. Prentice Hall, Upper Saddle River, N.J., USA, 1996.

[68] I.D. Landau. *System Identification and Control Design*. Prentice Hall, Englewood Cliffs, N.J., 1990.

[69] I.D. Landau, A. Constantinescu, and D. Rey. Adaptive narrow band disturbance rejection applied to an active suspension - an internal model principle approach. *Automatica*, 41:563–574, 2005.

[70] I.D. Landau, R. Lozano, and M. M'Saad. *Adaptive Control*. Springer-Verlag, 1998.

[71] P.A.A. Laura, J.L. Pombo, and E.A. Susemihl. A note on the vibration of a clamped-free beam with a mass at the free end. *Journal of Sound and Vibration*, 37(2):161–168, 1974.

[72] C.H. Lee, M.H. Shin, and M.J. Chung. A design of gain-scheduled control for a linear parameter varying system: an application to flight control. *Control Engineering Practice*, 9:11–21, 2001.

[73] T.H. Lee, S.S. Ge, and Z.P. Wang. Adaptive robust controller design for multi-link flexible robots. *Mechatronics*, 11:951–967, 2001.

[74] D. Li, S.W. Or, H.L.W. Chan, P.K. Choy, and P.C.K. Liu. Tuneable vibration absorber incorporating piezoceramic sensoriactuator. *Japanese Journal of Applied Physics*, 45(5B):4787–4792, 2006.

[75] X. Li, S. Wang, and W. Wang. Improved multiple model adaptive control and its stability analysis. In *Proceedings of the 15th Triennial World Congress*, Bercelona, Spain, 2002.

[76] D. Liberzon and A.S. Morse. Basic problems in stability and design of switched systems. *IEEE Control System Magazine*, 19(5):59–70, 1999.

[77] T.W. Lim, A. Bosse, and S. Fisher. Structural damage detection using real-time modal parameter identification algorithm. *AIAA Journal*, 34(11):2370–2376, 1996.

[78] T.W. Lim, A. Bosse, and S. Fisher. Adaptive filters for real-time system identification and control. *Journal of Guidance, Conrol, and Dynamics*, 20(1):61–66, 1997.

[79] T.X. Liu, H.X. Hua, and Z. Zhang. Robust control of plate vibration via active constrained layer damping. *Thin-Walled Structures*, 42:427–448, 2004.

[80] W.H. Liu, J.R. Wu, and C.C. Huang. Free vibration of beams with elastically restrained edges and intermediate concentrated masses. *Journal of Sound and Vibration*, 122:193–207, 1988.

[81] L. Ljung. *System Identification: Theory for the User*. Prentice-Hall, Englewood Cliffs, New Jersey, 1987.

[82] A. Loria and H. Nijmeijer. *Nonlinear control systems:Output feedback design methods. In John G. Webster,editor,Wiley Encycloaedia of Electrical and Engineering. Article #1025 in Section "Automatic Control"*. John Wiley & Sons, 1998.

[83] K.H. Low. Closed-form formulas for fundamental vibration frequency of beams under off-centre load. *Journal of Sound and Vibration*, 201(4):528–533, 1997.

[84] K.H. Low. Comparison of experimental and numerical frequencies for classical beams carrying a mass in-span. *International Journal of Mechanical Sciences*, 41:1515–1531, 1999.

[85] K.H. Low. On the methods to derive frequency equations of beams carrying multiple masses. *International Journal of Mechanical Sciences*, 43:871–881, 2001.

[86] K.H. Low. Frequencies of beams carrying multiple masses: Rayleigh estimation versus eigenanalysis solutions. *Journal of Sound and Vibration*, 268:843–853, 2003.

[87] K. Ma. Vibration control of smart structures with bonded PZT patches: novel adaptive filtering algorithm and hybrid control scheme. *Smart Material Structure*, 12:473–482, 2003.

[88] G.A. McGraw. Robust adaptive identification and control design techniques. *Control and Dynamics Systems*, 36:275–331, 1990.

[89] C. Mei, B.R. Mace, and R.W. Jones. Hybrid wave/mode active vibration control. *Journal of Sound and Vibration*, 247(5):765–784, 2001.

[90] L. Meirovitch. *Dynamics and Control of Structures.* John Wiley & Sons, USA, 1990.

[91] L. Meirovitch. *Principles and Techniques of Vibrations.* Prentice-Hall, USA, 1997.

[92] L. Meirovith. *Fundamentals of Vibrations.* McGraw-Hill, 2001.

[93] T Meurers, S.M. Veres, and A.C.H. Tan. Model-free frequency domain iterative active sound and vibration control. *Control Engineering Practice*, 11:1049–1059, 2003.

[94] P Micheau and P. Coirault. Adaptive controller using filter banks to reject multi-sinusoidal disturbance. *Automatica*, 36:1659–1664, 2000.

[95] S.O.R. Moheimani. Experimental verification of the corrected transfer function of a piezoelectric laminate beam. *IEEE Trans. Control Systems Technology*, 8(4):660–666, 2000.

[96] S.O.R. Moheimani. Minimizing the effect of out-of bandwidth dynamics in the models of reverberant systems that arise in modal analysis: implications on spatial H_∞ control. *Automatica*, 36:1023–1031, 2000.

[97] S.O.R. Moheimani, I.R. Petersen, and H.R. Pota. Broadband disturbance attenuation over an entire beam. *Journal of Sound and Vibration*, 227(4):807–832, 1999.

[98] K. Nakatani, S. Kubo, T. Sukagami, D. Shiozawa, and M. Takagi. An experimental study on identification of delamination in composite materialby the passive electric potential ct method. In *Proceedings of the 5th International Conference on Inverse Problems in Engineering: Theory and Practice*, pages No2 1–10, Cambridge, U.K., 2005.

[99] K.S. Narendra and A.M. Annaswamy. *Stable Adaptive Systems*. Prentice Hall, Englewood Cliffs, N.J., 1989.

[100] K.S. Narendra and J. Balakrishnan. Improving transient response of adaptive control systems using multiple models and switching. *IEEE Trans. Automatic Control*, 39(9):1861–1866, 1994.

[101] K.S. Narendra and J. Balakrishnan. Adaptive control using multiple models. *IEEE Trans. Automatic Control*, 42(2):171–187, 1997.

[102] K.S. Narendra, J. Balakrishnan, and K.M. Ciliz. Adaptation and learning using multiple models, switching and tuning. *IEEE Control Systems Magazine*, June:37–50, 1995.

[103] K.S. Narendra and O.A. Driollet. Stochastic adaptive control using multiple models for improved performance in the presence of random disturbances. *Int. J. Adapt. Control Signal Process.*, 15:1287–317, 2001.

[104] K.S. Narendra, O.A. Driollet, M. Feiler, and K. George. Adaptive control using multiple models, switching and tuning. *Int. J. Adapt. Control Signal Process.*, 17:87–102, 2003.

[105] K.S. Narendra and C. Xiang. Adaptive control of discrete-time systems using multiple models. *IEEE Trans. Automatic Control*, 45(9):1669–1685, 2000.

[106] A.H. Nayfeh and D.T. Mook. *Nonlinear Oscillations.* Wiley-Interscience, New York, 1979.

[107] K. Ogata. *Discrete-Time Control Systems.* Prentice Hall, Englewood Cliffs, N.J., 1987.

[108] R. Ortega and Y. Tang. Robustness of adaptive controllers - a survey. *Automatica*, 25(5):651–677, 1989.

[109] H. Petroski. *To Engineer is Human - The Role of Failure in Successful Design.* St. Martin's Press, New York, 1985.

[110] R. Pickhardt. Adaptive control of solar power plant using a multi-model. *IEE Proc. Control Theory Appl.*, 147(5):493–500, 2000.

[111] B.A.D. Piombo, A. Fasana, S. Marchesiello, and Ruzzene. M. Modelling and identification of the dynamic response of a supported bridge. *Mechanical Systems and Signal Processing*, 14(1):75–89, 2000.

[112] S. Poh and A. Baz. A demonstration of adaptive least-mean-square control of small amplitude vortex-induced vibrations. *Journal of Fluids and Structures*, 10:615–632, 1996.

[113] H.R. Pota, S.O.R. Moheimani, and M. Smith. Resonant controllers for flexible structures. In *Proceedings of the 38^{th} Conference on Decision and Control*, pages 631–636, Phoenix, 1999.

[114] H.R. Pota, S.O.R. Moheimani, and M. Smith. Resonant controllers for smart structures. *Smart Material Structures*, 11:1–8, 2002.

[115] A. Preumont. *Vibration Control of Active Structures : An Introduction.* Kluwer Academic Publisher, Netherlands, 2002.

[116] F. Previdi and E. Carpanzano. Design of a gain scheduling controller for knee-joint angle control by using functional electrical stimulation. *IEEE Trans. Control Systems Technology*, 11(3):310–323, 2003.

[117] J.G. Proakis and D.G. Manolakis. *Digital Signal Processing: Principles, Algorithm, and Applications*. Prentice Hall, Upper Saddle River, N.J., 1996.

[118] Z. Qu. Adaptive and robust controls of uncertain systems with nonlinear parameterization. *IEEE Transaction on Automatic Control*, 48(10):1817–1823, 2003.

[119] R. Rao, B. Aufderheide, and B. Bequette. Experimental studies on multiple-model predictive control for automated regulation of hemo-dynamic variables. *IEEE Trans. Biomed. Eng.*, 50:277–288, 2003.

[120] S.S. Rao. *Mechanical Vibrations*. Addison-Wesley, USA, 1986.

[121] K.H. Rew, J.H. Han, and I. Lee. Adaptive multi-modal vibration control of wing-like composite structure using adaptive positive position feedback. *AIAA*, 1422:664–673, 2000.

[122] K.H. Rew, S. Kim, I. Lee, and Y. Park. Real-time estimations of multi-modal frequencies for smart structures. *Smart Material and Structure*, 11:36–47, 2002.

[123] C.E. Rohrs, M. Athans, L. Valvani, and G. Stein. Some design guidelines for discrete-time adaptive controllers. *Automatica*, 20(5):653–660, 1984.

[124] L.F.L. Rosa, C. Magluta, and N. Roitman. Estimation of modal parameters through a non-linear optimisation technique. *Mechanical Systems and Signal Processing*, 13(4):593–607, 1999.

[125] D.M. Rovner and R. Cannon. Experiments toward on-line identification and control of a very flexible one-link manipulator. *Int. J. Robotics Research*, 6:3–19, 1987.

[126] D.M. Rovner and G.F. Franklin. Experiments in load- adaptive control of a very flexible one-link manipulator. *Automatica*, 24:541–548, 1988.

[127] M. Ruzzene, A. Fasana, L. Garibaldi, and B. Piombo. Natural frequencies and dampings identification using wavelet transform: Application to real data. *Mechanical Systems and Signal Processing*, 11(2):207–218, 1997.

[128] R.G. Sargent. *Verification and Validation of Simulation Models, Progress in Modelling & Simulation,Cellier, F.E., (Ed)*. Academic Pres, USA, 1982.

[129] S. Sastry and M. Bodson. *Adaptive Control- Stability, Convergence and Robustness*. Prentice Hall, Englewood Cliffs, N.J., 1989.

[130] K.D. Schott and B.W Bequette. *Multiple model adaptive control. In R Murray-Smith and T.A. Johanson,editors,Multiple Model Approaches to Modelling and Control. Chapter 11*. Taylor & Francis, London, UK, 1997.

[131] A.E. Schwenk, S.D. Sommerfeldt, and S.I. Hayek. Adaptive control of structural intensity associated with bending waves in a beam. *J. Acoust. Soc. Am.*, 96(5):2826–2835, 1994.

[132] J. Shan, H.T. Liu, and D. Sun. Slewing and vibration control of a single-link flexible manipulator by positive position feedback (ppf). *Mechatronics*, 15:487–503, 2005.

[133] J Shaw. Adaptive control for sound and vibration attenuation: a comparative study. *Journal of Sound and Vibration*, 235(4):671–684, 2000.

[134] J Shaw. Active vibration isolation by adaptive control. *Journal of Vibration and Control*, 7:19–31, 2001.

[135] T. Söderström and P. Stoica. *System Identification*. Prentice Hall International, UK, 1989.

[136] G. Song, S.P. Schmidt, and B.N. Agrawal. Active vibration suppression of a flexible structure using smart material and a modular control patch. *Proc. Instn. Mech. Engrs.*, 214:217–229, 2000.

[137] O. Song, L. Librescu, and H.D. Kwon. Vibration and stability control of robotic manipulator systems consisting of a thin-walled beam and a spinning tip rotor. *Journal of Robotic Systems*, 19(10):469–482, 2002.

[138] O. Song, L. Librescu, and C.A. Rogers. Adaptive response control of a cantilevered thin-walled beams carrying heavy concentrated masses. *Journal of Intelligent Material Systems and Structures*, 5:42–48, 1994.

[139] M.M. Stanišić and J.C. Hardin. On the response of beams to an arbitrary number of concentrated moving masses. *Journal of the Franklin Institute*, 287(2):115–123, 1969.

[140] U. Stöbner and L. Gaul. Active vibration control of a car body based on experimentally evaluated modal parameters. *Mechanical Systems and Signal Processing*, 15(1):173–188, 2001.

[141] L. Sun, J.M. Krodkiewski, and Y. Cen. Self-tuning adaptive control of forced vibration in rotor systems using an active journal bearing. *Journal of Sound and Vibration*, 213(1):1–14, 1998.

[142] Y. Tang, E.F. Camacho, and J.J. Flores. Frequency domain adaptive control: Band-wise compensation. *Automatica*, 31:735–740, 1995.

[143] Y. Tipsuwan and M.Y. Chow. On the gain scheduling for networked pi controller over ip network. *IEEE/ASME Transactions on Mechatronics*, 9(3):491–498, 2004.

[144] M.O. Tokhi and M.A. Hossain. Self-tuning active vibration control in flexible beam structures. *Proc. Instn. Mech. Engrs.*, 208:263–278, 1994.

[145] S. Vanlanduit, P. Verboven, P. Guillaume, and J. Schoukens. An automatic frequency domain modal parameter estimation algorithm. *Journal of Sound and Vibration*, 265:647–661, 2003.

[146] P. Verboven, P. Guillaume, B. Cauberghe, S. Vanlanduit, and E. Parloo. Modal parameter estimation from input-output fourier data using frequency-domain maximum likelihood identification. *Journal of Sound and Vibration*, 276:957–979, 2004.

[147] S. de Waele and P.M.T. Broersen. Multirate autoregressive modeling. *Selected Topics in Signal, Systems and Control*, 12:75–80, 2001.

[148] B. Wahlberg and L. Ljung. Design variables for bias distribution in transfer function estimation. *IEEE Transaction on Automatic Control*, 31:134–144, 1986.

[149] X. Wang, S. Li, Z. Wang, and Y. Zhang. Multiple models adaptive decoupling controller for a nonminimum phase system. In *Proceedings of the 5^{th} Asian Control Conference*, pages 166–171, Melbourne, 2004.

[150] B. Wittenmark and K.J. Åström. Practical issues in the implementation of self-tuning control. *Automatica*, 20(5):595–605, 1984.

[151] J.S. Wu and T.L. Lin. Free vibration analysis of a uniform cantilever beam with point masses by an analytical-and-numerical-combined method. *Journal of Sound and Vibration*, 136(2):201–213, 1990.

[152] L.L. Xie and L. Guo. How much uncertainty can be dealt with by feedback? *IEEE Transaction on Automatic Control*, 45(12):2203–2217, 2000.

[153] S.M. Yang and Y.J. Lee. Vibration suppression with optimal sensor/actuator location and feedback gain. *Smart Material Structures*, 2:232–239, 1993.

[154] H. Yu and S. Lloyd. Variable structure adaptive control of robot manipulators. *IEE Proc.-Control Theory Appl.*, 144(2):167–176, 1997.

[155] S. Yurkovich, F.E. Pacheco, and A.P. Tzes. On-line frequency domain information for control of a flexible-link robot with varying payload. *IEEE Transaction on Automatic Control*, 34(12):1300–1304, 1989.

[156] G. Zhai, B. Hu, K. Yasuda, and A.N. Michel. Stability analysis of switched systems with stable and unstable subsystems: An average dwell time approach. In *Proceedings of the American Control*, pages 355–362, Hongkong, 2001.

[157] Y. Zhang, A.G. Alleyne, and D. Zheng. A hybrid control strategy for active vibration isolation with electrohydraulic actuators. *Control Engineering Practice*, 13:279–289, 2005.

[158] Y. Zhang and L. Guo. A limit to the capability of feedback. *IEEE Transaction on Automatic Control*, 47(4):687–692, 2002.

[159] Y. Zhang and L. Guo. Stochastic adaptive switching control based on multiple models. In *Proceedings of the 15th Triennial World Congress*, Barcelona, 2002.